
SKI & SNOWBOARD TOOLS & WAX



Tögnar Toolworks 2011-2012



WHY TUNE?

Your equipment, like a sportscar, needs to be tuned regularly. Otherwise you'll enjoy only a fraction of the performance you paid so dearly for...sorta like driving a Porsche with bald tires!

Basic tuning isn't rocket science. It doesn't take much time to learn. It can save bucks and make your day on the slopes a lot more enjoyable as well. Armed with a few basic tools and information, you can (in about half-an-hour) learn to tune and achieve the same results that you'd expect to pay \$30-\$40 for at a shop...and enjoy yourself in the process, too.


Here at Tognar we don't try to be all things to all skiers and riders...we simply stock all the tuning and waxing stuff you'll ever need, and have the helpful info you'll need as well.

See you on the slopes!

PROFI SKI VISE W/VERTICAL CLAMPS

Cap skis, short or slippery sidewalls, super-wide skis? This vise handles them all. The clever, fully-adjustable, faux boot sole snaps into the ski binding securing the ski to the central mount in a base-up or at a 45-degree-angle position. The ski can also be positioned vertically utilizing included clamps. Includes a binding adapter for use with nordic skis. The tip and tail supports, and central tower attach to the bench with adjustable clamps, but can also be permanently mounted with predrilled holes. Additional

adjustable boot soles available.



Item #MTK-3414 spare adjustable boot sole clamp



\$39.93

RECOMMENDED TUNING PRIORITIES

After each day on the snow, we recommend...

Check both your base and side edges for nicks and burrs...especially the inside front edges. Deburr these using a deburring stone in conjunction with your bevel device or guide, followed by a polishing stone.
 Check your base for gouges. If they are shallow, you can either fill them now, or wait til your weekly tune-up. If they are deep, or you see fiberglass or core material exposed, fill them immediately. Remove excess repair material afterwards.

3) Check your base for dry or oxidized areas. This indicates that the base needs waxing. A hot wax is best, but rub-on liquid or paste wax will do in a pinch.

4) After hot waxing, let the base cool for 20-30 minutes. Then scrape off excess wax with a plastic scraper and brush all remaining wax out of the base structure with a nylon, bronze or combo brush.

5) Fasten skis together using strap or base protector that keeps bases from rubbing against each other.6) Wipe off ski or snowboard top with clean dry rag.

Once a week, or after 3-5 days on the snow, we recommend...

1) All the above daily steps, plus...

2) Lightly file side edges using a steel mill file in conjunction with a side bevel device or guide. This resharpens 'em for better edgehold...especially on hardpack snow.

3) Hot scrape bases to clean them. This is the same as a hot wax, but you use a soft (warm temperature range) wax, and scrape it immediately after ironing...don't let the base cool first. This pulls dirt out of the base better than any other method. Follow this with a regular hot wax.


4) Check base for gouges...fill any and all gouges if possible.

5) Pull liners out of your ski or snowboard boots to let everything dry out before putting 'em back together.
6) Spray a little boot/binding lubricant on boots, bindings and ski or snowboard tops (but not bases)...this'll help prevent snow build-up.

Once a month, or after 15-18 days on the snow, we recommend...

1) All the above daily and weekly steps, plus...

- 2) Check your base with a true bar for flatness, and correct if necessary.
- 3) Check base structure for wear, and refresh or restructure if necessary.
- 4) Check binding mounting screws (but not release adjustments!) to make sure they're all snug.
- 5) Check poles for worn baskets, straps, etc., and repair as necessary. Ditto for your goggles.



CONTENTS

• TUNING & WAXING KITS5
for skis & snowboards
 BOOKS
• VISES & TABLES
ski & snowboard vises, portable tuning benches, Nordic profiles
• BASE FLATTENING & STRUCTURE TOOLS
true bars, base flattening/structure tools, steel scrapers, scrap-
er burnishers, shaving blade scrapers, scotchbrite pads, fibertex
pads, omni-prep pads, sandpaper, sanding blocks & tubes BASE REPAIR TOOLS
base repair irons, base repair pistols, copolymer string, base
repair materials, p-tex rollers, versaplane scrapers
• SIDEWALL PLANERS
• FILES
FILES
• EDGE BEVEL TOOLS & GUIDES
• EDGE BEVEL TOOLS & GOTDES
gauges, sidewall planers
DEBURRING & POLISHING STONES
diamond stones, pocket stones, ceramic stones, gummi stones,
polishing stone kits, polishing paper, polishing fluid
• WAX TOOLS
hot wax irons, fiberlene and base tex paper, base cleaning solvent, iron
thermometers, snow thermometers, plastic scrapers, respirators,
natural & synthetic corks, hand brushes, rotobrushes, ski straps, base protectors
• WAX
Swix, Toko, Dominator, Hertel, Holmenkol, Zardoz, One Ball Jay & Purl
SURGERY TOOLS49-50
epoxy, urethane, replacement steel edges & screws, c-clamps,
oyster knives, needle picks, aprons & t-shirts
• BINDING TOOLS51-53
binding drill bits, screw hole plugs, helicoil kits, binding glue, taps, screwdrivers &
bits, lubricant, screws & cant strips
• BOOT TOOLS
footbeds, heel lifts & wedges, boot-fitting & tongue pads, boot-fitting foam, insole shims, cement, powerstraps, boot deodorant, boot heaters, boot & dryers
 RACKS & PROTECTION
 WIDGETS & GIZMOS
& lip care, travel mugs & t-shirts
• TUNING GUIDE61
HANDY WISH/PHONE ORDER LIST62
ORDERING INFORMATION

ADVICE TO ROOKIES

If you're just getting started, but aren't sure what tools to order, here's what we suggest:

- 1) Visit www.tognar.com and peruse our growing database...this will help guide you through basic tuning techniques and familiarize you with many basic tools.
- 2) Next, look over our Basic Tool List below for our recommendations.
- 3) Then, browse through our catalog and look for this star Anext to certain tools...it signifies a good basic tool for getting started, or...
- 4) Check out our Tuning Kits on page 5, or...
- 5) Attend a tuning school listed on page 6, or...
- 6) Buy one of every tool in our catalog. Heh, heh....just kidding...

Note for "busy" people...Some folks with no tuning experience occasionally skip all the above steps, call us on the phone and say "Hey, I want to tune my gear, but don't know anything...what do I do?"

This is sorta like calling up your local auto parts store and asking them to teach you about auto repairs over the phone...it probably ain't gonna happen.

The same is true with us. We are a small company...which means that the folks who spend time with you on the phone are the same folks who prepare this catalog, update the website, take phone orders, reorder and unpack inventory, process and pack orders, update the mailing list...blah, blah, blah. As much as we'd like to grab a cup of joe and sit down at the phone to talk ski tuning for an hour we just can't do it, not enough hours in the day! That being said....

We are happy to answer specific questions about tools, waxes or tuning techniques over the phone or on our tech line (800)299-9904 or by email info@tognar.com. Also, you may find the answer to your question on our website www.tognar.com, we are constantly updating our tips and tricks database with new information, photos and video tutorials.

BASIC TOOL LIST

The first and most important tool in the workshop is abundant light. You can't fix what you can't see. Two 4' fluorescent light fixtures (each of which has two 4' bulbs) mounted three feet above the workbench will enable you to see most imperfections in the base.

- 1. Workbench (35 45" above the floor is best for most mechanics.)
- 2. Vise to hold skis or snowboard securely so you can perform precision work.
- 3. Base flattener to create a flat base on your skis or snowboard.
- 4. True bar to check for a flat base.
- 5. P-tex material to fill gouges in base material, best done with pistol or iron.
- 6. Surform or Pansar file to remove excess p-tex after filling gouges.
- 7. Structure tool. To impart a structure in the base.
- 8. Diamond stone. Used to remove burrs and rock-damaged areas on steel edges, as well as for deburring and polishing edges.
- 9. Mill files. Used to shape steel edges on a ski or snowboard.
- **10**. Base and Side-edge beveling tools. Used to set exact bevel angles on edges.
- **11**. File card. Used to clean debris from out of the teeth of a file.
- 12. Diamond stones. To remove burrs caused by files during edge filing...also used to polish edges.
- 13. Gummi stones. Used for removing microburrs and for polishing the edges.
- 14. Sandpaper. Used for base flattening, structuring and polishing edges.
- 15. Steel brush. Used to clean and open structure.
- 16. Scotchbrite or Fibertex pad. Used to scour away polyethylene hairs on base.
- **17**. Omni-Prep pad. Used to remove polyethylene fuzz on base.
- **18**. Electric iron to hot wax bases.
- 19. Wax. Whatever your preference...from universal glide wax to fluoro wax.
- 20. Plastic scraper. Used to scrape off excess wax.
- 21. Nylon, brass or horsehair brush. Used to open structure after waxing.
- 22. Fiberlene paper. Used to keep bases clean during tuning.
- 23. Brake retainers. Used to keep ski brakes up and out of the way when tuning.
- 24. Tognar Tuning Database www.tognar.com. To make sure you get all the steps right.

TOOL KITS

Our kits are a great way for someone to get started with ski or snowboard tuning... plus serve as handy travel kits for any tuner. There are other tools you may want to add later... such as a vise to securely hold your ski or board, an iron and wax to hot-wax your bases. We don't include these in our kits because of the wide variety available..

BARE BONES TUNING KIT

This is our most basic, compact and portable kit. It's a good choice for skiers or snow boarders who are just getting started, or anyone who needs a minimal travel kit



containing the basic tools necessary for edge maintenance and waxing.

ltem#	Descripti	on	Qty.	Reg.Price
DMT-W7F	Fine dia	Fine diamond stone		\$9.95
MTK-701	Edge Be	vel Tool	1	\$39.95
TOK-9733	Fluoro L	Fluoro Liquid Wax 75ml		<u>\$6.95</u>
Regular Price			\$56.85	
Item #TOG-TRK Kit Price		Kit Price		\$49.95

SKI HOT WAX KIT

Outfit yourself with the basics required to hot wax, scrape and brush your skis. Includes enough universal wax for 6-8 hot-wax applications, a brass/nylon brush, scraper and iron. A great starter kit which



you can add waxes or brushes to as needed. Also available in 230volt (see website).

ltem#	Description	on	Qty.	Reg.Price
APG-SKI	Plastic V	Plastic Wax Scraper - 6"		\$5.95
APG-MS256	Chugger	r Wax Iron	1	\$39.95
APG-713W	Nylon E	Nylon Brush		\$ 14.95
TOK-9770	Universal Wax-120gm		1	<u>\$9.95</u>
		Regular Price		\$70.80
Item #TOG-WAX		Ski Wax Kit		\$59.95

SNOWBOARD HOT WAX KIT

Here's the basics you need to hot wax, scrape and brush your snowboard or superwide skis. Includes enough universal wax for 5-7 hot-wax



applications. A solid foundation that you can add waxes or brushes to as needed. Also available in 230volt (see website).

ltem#	Description	Qty.	Reg.Price
APG-SNBS	Plastic Wax Scraper - 12"	1	\$8.95
APG-MS256	Chugger Wax Iron	1	\$39.95
APG-BO723W	Nylon Brush	1	\$ 14.95
OBJ-WFR	Universal Wax-150gm	1	<u>\$8.95</u>
	Regular Price		\$72.80
Item #TOG-WAXBD Kit Price \$59.95			

ALPHA SKI TUNING KIT

This collection of ski tuning tools is ideal for someone getting started. Offered at a special kit price, it also entitles you to a 10% discount on any vise and wax iron in our catalog....



ltem#	Description	Qty.	Reg.Price
DMT-W7F	Fine diamond stone	1	\$9.95
MTK-701	Edge Bevel Tool	1	\$39.95
SAN-474	Steel Scraper	1	\$6.95
SHP-187071	Clear Base Repair Candles	2	\$.98
SPK-5810	Brake Retainers	2	\$2.50
SPK-TB124	True Bar	1	\$14.95
TOG-MA2	Shop Apron	1	\$16.95
TOK-9733	Fluoro Liquid Wax 75ml	1	<u>\$6.95</u>
	Regular Price		\$99.18
Item #TOG-BTK Kit Price \$89.95			

PRIMA SKI TUNING KIT

The Prima Kit is a good choice for the ski or snowboard tuner or racer interested in equipping themselves with a more thorough selection of handtuning tools. It also serves as a travel kit.




Our Prima Kit includes all the items listed below and is offered at a special kit price. It also entitles you to a 10% discount on any vise and wax iron in our catalog....

ltem#	Description	Qty.	Reg.Price
ACE-3201	Spring Clamp for Bevel Guide	1	\$3.95
BTS-10	Base Edge Bevel Guide- 1°	1	\$19.95
BTS-TRUE	True Bar	1	\$29.95
DMT-A4F	Fine Diamond Stone	1	\$18.95
FFC-CAR08	File Cleaning Brush	1	\$5.95
MTK-3333	Ski Brake Retainers	2	\$5.00
SAN-474	Steel Scraper	1	\$6.95
SHP-187071	Clear Base Repair Candles	2	\$.98
SPK-HC08	8" Chrome Mill File	1	\$10.95
SVT-PEB92	Side Edge Bevel Guide- 2°	1	\$26.95
TOG-MA1	Shop Apron	1	\$16.95
TOK-9733	Fluoro Liquid Wax 75ml	1	<u>\$6.95</u>
	Regular Price		\$153.48
Item #TOG-PK Kit Price \$139.			\$139.95

Prefer 230 volts?

We offer most all our waxing irons, wax kits and other tools that require electricity in 120 volt or 230 volt options. If you don't see what you want in print check the site, tognar.com.

BOOKS & MANUALS





EAT THOSE WORDS!

Most good ski and snowboard tuners are the hungry type...they devour as much information about tuning and waxing as they can. They understand that time spent reading books or watching videos pays off with big dividends when they get back out on the snow.

X-C SKI PREPARATION

If you nordic ski competitively, good ski preparation can win the race. If you nordic ski recreationally, it will enhance your enjoyment. This is a complete hands-on guide to the tools and technique necessary to prepare nordic skis for the best per-

formance. Written by Nat Brown, an expert ski and wax technician, it gives step-by-step techniques from flattening bases to final wax polishing. It also discusses selecting the right nordic skis for you, as well as snow conditions and how they affect ski preparation. 140 pages.

Item #ALP-STU133

\$19.95

COMPLETE

HIII)=00

ARATION

SNOW SENSE -EVALUATING AVALANCHE HAZARD

This small paperback is an excellent avalanche primer (no pun intended) for skiers, snowboarders, snowshoers, snowmobilers or mountaineers heading into the backcountry

or out-of-bounds. It's well-written, well-illustrated and well-presented so even dummies like us can quickly learn valuable life-saving info about evaluating and avoiding avalanche hazards. Don't venture off-piste without it. 116 pages.

Item #ALP-MTU032


\$9.95


LEARN SKILLS ONLINE

Visit our website at www.tognar.com for a wide range of tuning and waxing tips and video tutorials. You'll also find wax temperature charts, recommended tools and a plethera of other useful information!

Please email us at info@tognar.com if you would like to see something added or have a tip of your own that might help others!

SWIX WAX MANUALS





Item #SWX-PR309	Alpine manual	\$3.95
Item #SWX-PR308	Nordic manual	\$3.95

TOKO WAX MANUAL

Toko has one wax and tuning manual for both alpine and nordic skiers. It includes information on structuring, edge filing, base care, snow types, weather, wax application and more.



Item #TOK-MAN \$2.95

HOLMENKOL ALPINE WAX MANUAL

Here's a manual describing all the Holmenkol alpine waxes, including their use and application. Item #HOL-23148 \$2.95



LEARN SKILLS AT SCHOOL

Ski & Snowboard Tuning and Repairs: Learn all about ski and snowboard tuning and repair at workshops offered each fall at locations all across the country. The Ski & Snowboard Mechanics Workshops are open to the public as well as ski and snowboard shop personnel, and are taught by very experienced and qualified instructors. (802) 899-2633 or www.vermontskisafety.com

Boot Fitting: Ski Magazine and Masterfit University take their campus on the road every fall for two-day workshops. Taught by some of the best boot-fitters in the country, they are also open to the public as well as shop personnel. Call (800) 575-4348, or go to www.masterfitinc.com.

Avalanche Training: Offered every other year, the National Avalanche School is a week-long classroom course, followed by on-slope training. Taught by a staff of over 20 well-known and respected experts in the field, it is the oldest and most popular avalanche course of its kind held in North America. Call (303) 987-1111, or go to www.avalancheschool.org





JOIN THE VISE SQUAD

Did you ever try to file a ski or snow-board by leaning it against the wall or stabilizing it with your knees? Did it work? Was it fun? Is the Hermanator a Norwegian plumber? Of course not! Unless your gear is held solidly in place, it's nearly impossible to produce precision work.

TOKO FREE VISE

This compact and sturdy metal vise is a good choice for tuners seeking simplicity and economy. It features a centeral hook with a hefty rubber lasso that loops around the binding toe piece pulling the ski down onto two rigid

tip and tail supports to secure and stabilize it. The vise accommodates any width skis in a base-up, side-up, or 60-degree upright position. Its com-pact size is ideal for travel. Works great with tele bindings, just lasso the toebar and tune away!

Item #TOK-4271

\$79.95

PROFI SKI VISE W/VERTICAL CLAMPS

Cap skis, short or slippery sidewalls, super-wide skis? This vise handles them all. The clever, fullyadjustable, faux boot sole (included)snaps into the ski binding securing the ski to the central mount in a baseup or at a 45-degree-angle



position. The ski can also be positioned vertically utilizing included clamps. Includes a binding adapter for use with nordic skis. The tip and tail supports, and central tower attach to the bench with adjustable clamps, but can also be permanently mounted with predrilled holes. Additional adjustable boot soles available.

Item #MTK-3400	profi ski vise	\$129.95
Item #MTK-3414	spare boot sole	\$39.95

BRAKE RETAINERS

Two choices, good or better. The good bands are better than rubber bands by a long shot,



the better is a long-lasting, easy to use, nonfinger-pinching work of genius. Either way, your brakes are guarenteed to be up and out of the way.

Item #SPK-BRAKE	Good	\$.59 ea.
Item #MTK-3333	Better	\$2.50 ea.

WORLD CUP SKI & SNOW-**BOARD VISE**

This is the updated version of our most popular and versatile vise. It's a metal



midpoint vise that features deep jaws to securely grip ski side-walls from 40mm to 95mm wide, if the ski is wider than 95mm underfoot it can also grip underbinding plates. It clamps to workbenches up to 2.25" thick, and includes two spring-loaded tip and tail supports that adjust in height (from 5.5" to 6.75") and can pivot from 90 degrees to 60 degrees. These supports feature independent clamps that are adjustable to grip skis or snowboards "edge up" for side filing, beveling or deburring...a clever and time-saving feature. Optional clamp-on platforms fit atop tip and tail supports...12"-long snowboard platforms (TOG-SNOB) feature a grippy surface to support snow-boards placed face-up (for binding work) or base-up (for waxing, gouge repair and base tuning) ...nordic platforms (SPK-625) provide greater under-ski support for flexible nordic race ski tips and tails.

Item #TOK-4262 • Vise with tip/tail supports \$138.95

TOKO WIDE SKI & **SNOWBOARD VISE** This all-metal vise is similar to the World Cup vise (above) but features a more robust central clamp

pads and the ability



to open to 132mm! The tip & tail supports are identical to those on the World Cup vise, adjustable in height and clamp angle. The vise readily accepts the optional Snowboard Platforms (TOG-SNOB) or Nordic Ski Platforms (SPK-625).

Item #TOK-WIDE

\$228.95

ALUMINUM SNOWBOARD PLATFORMS These custom made platforms are made of

thick aluminum stock



topped with super grippy rubber pads to keep snowboards in place while waxing or addressing base edges. They also work well for waxing pairs of fat skis, monoboards, etc. Designed to fit Toko World Cup or Toko Wide vises as well as many similar vises from Swix, Holmenkol or Ski Man. Supports are 12" long. Sold in pairs.

Item #TOG-SNOB

\$29.95pr

VISES

Visit our new website, filled with gadgets and gizmos galore! www.tognar.com

VISES/PROFILES

TOKO PRO SNOWBOARD VISE

This is a sturdy, twotower metal snowboard vise designed to provide superior strength, stability and durability... which makes it a good choice for use in home or pro workshops. It features grippy rubber pads atop each support to provide good cushioning and friction,

ST.

good cushoning and friction, Support width is adjustable from 8.5" to 10.75", narrow for storage - wide for base work and waxing. Adjustable-width center slots secure the snowboard vertically on edge for side-edge filing, beveling or deburring. They attach to workbenches or tables (up to 2.25" thick) with built-in adjustable clamps, so you can use 'em at home or take 'em with you on the road.

Item #TOK-4270

\$99.95

SWIX 3-PIECE NORDIC VISE

This is a dependable workshop or handy travel nordic (x-c) ski vise. The towers are made of aluminum...which is more rigid and durable than plastic vises...but not significantly heavier.

It's also compact enough to easily pack along for races. It features two composite tip and tail supports, and an aluminum center clamp that securely attaches to nordic ski bindings. All three components quickly clamp to any workbench or table.

Item #SWX-T785

\$84.95

NORDIC PLATFORMS

These nordic platforms provide increased tip and tail support for nordic skis, they easily attach onto the tip and tail

attach onto the tip and tail supports of the Toko World Cup and Toko Wide vises or similarly designed vises from Swix, Holmenkol or Ski Man. Constructed of thickdurable plastic topped with rubber pads. Length 8.25" width 1.5". Sold as pair.

Item #SPK-625

\$39.95 pr

SWIX NORDIC BINDING CLAMP

This handy clamp is designed to secure nordic skis to profiles or benches by giving the binding something to clamp to. Compatible with all Swix tables (utilizing factory mounting hole) and most profiles.



Item #SWX-T790T

\$16.95 ea



Top level aluminum nordic waxing profile that provides excellent stability and nearly full-length support for tuning and waxing x-c classic, skating and touring skis. Tip and tail supports slide along a fixed aluminum rail to accommodate skis from 150 to 210cm. A midpoint clamp secures the ski by the sidewall slides along a track to the desired location. This profile does not require mounted bindings to function. Optional accesories include a pair of special steel clamps to securely attach it to an existing tuning table or bench; a pair of detachable folding legs to use the bench in a freestanding position (especially handy at races and other on-site events), plus a handy wire basket that easily attaches to hold waxes, tools or other accessories.

Item #SWX-T795	Profile bench	\$249.95	• 7#
Item #SWX-T790K	Steel clamps	\$16.95 pr	
Item #SWX-T79BA	Wire basket	\$49.95	
Item #SWX-T791	Bench legs	\$69.95 pr	

SWIX ADJ. ALUMINUM NORDIC PROFILE

A great travel profile that is stable and easy to adjust. The main body is comprised of two parts that slide together allowing for quick length adjustment. Each piece is approx. 110cm long. When taken apart the profile is easily transported in two pieces. It will accept all of the optional accessories listed for the T793 (see item above). A great profile for junior racers.

Item #SWX-T767 \$129.95 set● 10#

SWIX NORDIC PROFILE FOR TUNING TABLES


This clever steel profile is designed to slip into the metal framework of Swix tuning tables. The included clamp (SWX-T790T) mounts to a central hole on the tables to secure the ski. Swix tables will accept up to two sets of these puppies (one each side) for increased productivity. Sold as set.

Item #SWX-T768

\$119.95 set• 8#

VIBRATION

Aski or snowboard vibrates along its full length when you're riding. Both internal and external materials and features are used by manufacturers to help reduce or dampen this vibration and thus improve the ski or board's stability and edgehold.



TABLES

SWIX PRO TUNING & WAXING TABLE

Swix's pro tuning bench has long been the choice of top techs, reps and racers 'round the snowy world. It's constructed with a bomber steel frame and fold-up legs to handle any ski or snowboard tuning needs

snowboard tuning needs. The table measures 47" long, 18" wide, and adjusts in height from 33.5" to 35.5". Replacement feet for all four table legs are available, which are adjustable in length to compensate for uneven ground. It will also accept one or two sets of Swix steel profile set (SWX-T768), which slide into the square tubing that runs along either edge of the table. An optional set of vertical racks that clamp to this table to store two pair of alpine skis or four pair of nordic skis while waxing or tuning are also available as is a sturdy nylon travel bag.

Item #SWX-T76	Table	\$359.95 • 35#
Item #SWX-T76SH	Ski racks	\$69.95 pr.
Item #SWX-T76SF	Extra feet	\$9.95 ea.
Item #SWX-T76B	Travel bag	\$69.95

SWIX SNOWBOARD TUNING PLATFORM

This clever device provides a stable, adjustable platform for tuning and waxing snowboards. It works, and looks a bit like the legs on an ironing board. To use simply scissor the legs apart, set your board on top and away you go. Sticky pads hold the board by friction



IUID

when set base-up to wax or tune the base edges; slip the board into the vertical grooves and screw in the clamps to secure the board for side edge tuning. Height is adjustable from 71-98cm (28-39inches). Works with all boards, Compact folding design for easy storage and travel.

Item #SWX-T758

\$119.95 • 10#

SWIX TUNING TABLE EXTENSIONS

Slip these extensions into each end of your Swix T76 tuning table and add 12" (30cm) total of valuable real estate. Made of the same bomber material as the table. Each piece measures 6" x 18" (15 x

Each piece measures 6" x 18" (15 x 45cm). Also fits the Swix T754 table which we don't stock, but you might have. Sold as a pair.

Item #SWX-T751

\$69.95 pr

SWIX TUNING &

WAXING TABLE A new wider version of the popular T75 table. Still slightly narrower than the T76, but plenty wide enough for skis and boards alike.

It measures 13.75" wide x 47" long x 35" high. The frame is steel, the platform is wood covered with a durable composite topsheet. The legs fold up underneath for easy transport, and the foot of one leg is adjustable in length to help stabilize the table on uneven terrain. An optional set of vertical ski racks clamp to this table to store two pair of alpine skis or four pair of nordic skis while waxing or tuning. It will also accept one or two sets of Swix steel profile set (SWX-T768), which slide into the square tubing that runs along either edge of the table. Also available is a sturdy nylon travel bag.

 Item #SWX-T75W
 Table
 \$119.95
 24#

 Item #SWX-T76SH
 Ski racks
 \$69.95 pr.

Item #SWX-T75B Travel bag \$49.95

SWIX SKI RACKS FOR TUNING TABLES

Clamp these handy racks onto the back edge of your tuning table to create storage for up to two-pairs of alpine or four-pairs of nordic skis. Keeps skis close at hand while you progress through the stages of tuning or waxing. Telescoping legs drop down to floor level providing additional support.



Item #SWX-T76SH


\$69.95 pr.

SLIPPERY SIDEWALLS

If you're having trouble keeping a ski clamped into a vise due to slippery or angled sidewalls, or if the ski is too wide for the jaw, give this a try. Trace the outline of your ski boot sole onto a couple pieces of 1" x 4" wood. Cut 'em out with a jigsaw (or similar), sand 'em up a bit (pride of craftmanship) and snap them into your bindings. Creates a nice 90-degree to clamp to and allows the vise to accept skis regardless of width.


When your finished tuning just depress the heel piece and the wood (boot dummy) will pop out.

INTERNET ORDERS www.tognar.com



CARE & FEEDING OF P-TEX BASES

Compare the two photos below. The first is a magnified view of a fresh untreated p-tex base. It is rough and "fuzzy" with zillions of p-tex hairs. It will also be a very slow base due to this unfinished condition. Compare it to the next photo...it's the same base after it's been worked on by hand. This relatively clean look (remember, these photos are magnified 100X) will yield good glide. It also represents time well spent working the base with a brush, scotchbrite pads, Omni-prep pad, scraper, structure tool, etc. The ultimate tool that will give this base the perfect finishing touch (after waxing it, of course) will be snow...a good polishing tool in its own right.




Untreated Base



Treated Base

After getting bases into the condition you see in the second photo, world cup techs start applying wax to impregnate the p-tex as deeply as possible, then send the skis or snowboards out to be ridden. They continue this cycle of waxing, brushing and riding until the bases get their fastest...which sometimes takes half a season. They do not structure or stonegrind the bases again that season, unless they become sufficiently damaged to warrant repair and a regrind. Compare this scenario to the racer who has their bases stoneground just before any big race. Unwittingly, they are giving themselves a significant technical handicap...and one that all the Cera F or other 100% fluoro in the world can't help overcome.

Finishing bases as thoroughly as possible before waxing is probably the most important thing you can do for fast and optimal glide...regardless if your discipline is snowboarding, alpine skiing, nordic skiing, telemark skiing, or anything else that involves sliding over snow on a p-tex base. This is gospel truth...no doubt about it. However, like politics and movie reviews, there are numerous opinions about the details involved in achieving the best base finish. Differing ideas abound about such subjects as stonegrinding vs. hand structuring, the type of structure (linear vs crosshatch vs. a combination of the two), using a thin flexible steel scraper vs. a stiff rigid one, use of a brass brush vs. bronze brush vs. copper brush, how many strokes to make with scotchbrite and brushes, etc. Rather than get confused by the fray, we recommend you simply try one particular method (such as detailed in several of the wax manuals and tuning books we offer), then decide for yourself. The exact tools and procedures these different volumes recommend may vary somewhat, but usually not substantially...and certainly not enough to make a significant difference to most junior or master racers, much less recreation riders. Any technician we've met who's worth their wax iron is usually looking, listening and asking for new ideas, trying them out, and, if they work, adopting them into their tuning procedures accordingly.



WATER -A KEY TO FAST BASES

As a ski or snowboard slides over snow crystals, heat is created due to friction. The heat, in turn, usually creates moisture by melting the tips of the snow crystals. This water is the key to bases that are fast and easier to turn, but only if the correct amount is present under your skis or snowboard. If the snow and humidity is very dry, there may not be enough water present to help improve glide. In this case, you may try to generate it by increasing friction between the snow and your base with a smooth or fine structured finish.

When snow is warm or wet, however, excess water can be generated underfoot that creates suction and slows your glide. In this situation, the base should be structured with a deeper pattern which, similar to tire tread, breaks up suction and helps channel water away. In general, a finer structure with base rills or ridges spaced .5mm or less apart is best for cold, dry snow...and a coarser structure with base rills or ridges spaced .75mm or more apart is best for warmer wet snow.


Another rule of thumb is that the rills or ridges should never be larger than one-half the size of the snow crystals...this avoids crystals from getting stuck in the troughs of the structure and creating drag.

Structuring can make more difference in speed than waxing, according to world cup technicians. It can also make a board or ski easier to turn for recreational riders.

Most all new skis and snowboards come from the factory with a medium structure base to satisfy the needs of most skiers or riders. You can change this, however, by hand structuring at home or going to a good shop for a stonegrind. Be aware, however, that even the best structure can't totally compensate for very dry cold snow. Tests have shown that when snow temperatures are around 28°F, there is usually the optimal amount of moisture in the snowpack to create the fastest glide (this can be enhanced by good wax and structure, of course). But when snow temperatures drop to -10°F, it is usually so dry that glide speeds drop dramatically (to less than half the glide speed at 28°F!). For more details, see the article "COLD SNOW = POOR GLIDE" on page 39 in this catalog.


STRUCTURE PATTERNS

There are many structure patterns. Linear structures are straight grooves that run from tip-to-tail. Most hand-produced and belt-sander structures are linear, which works well for a wide variety of conditions, and is commonly used for speed events (SG, DH). Broken linear patterns are shorter, random structure lines that also run straight from tip-to-tail. Cross-hatch or diagonal structures are produced on a stone grinder by passing a diamond dressing tool in intersecting patterns over the stone face, and has traditionally been preferred for technical events (SL, GS).



Structure patterns can be changed depending on many factors... weather and snow conditions, the whims of individual technicians, new structure tools, etc. Combination structures are commonly tried as well...such as a linear pattern overlaid with a light cross-hatch pattern, or a light linear pattern overlaid on a coarse linear pattern, etc. It's not a science carved in stone... only P-tex...so it's subject to change. And there's more variables one can consider when choosing structure... such as the type and speed and length of the race, the type of base material involved, the color of the ski or board (which affects how much heat it'll absorb on a sunny day), the core materials involved (steel, wood, foam, sagebrush?), etc. Then, regardless of the pattern used, you can debate the depth of the structure, configuration of the channels (peaked or planedoff ridge tops? sharp or semi-filled troughs?). spacing between channels, random or uniform width rills, etc. Obviously, there's enough rocket science here to keep anyone occupied.

Being basically lazy and cheap, we use hand tools to impart a basic linear pattern unless it's a special event that merits a spendy stone grinding. We generally use a fine-medium pattern for cold early winter snow, and a coarser one in late winter and spring when temperatures warm up. All gear can benefit from a good structure... including nordic skating and diagonal-glide skis, tele and alpine gear, freestyle and racing snowboards (and, of course, plastic trays for those exciting fast-food races).





BASE FLATTENING TOOLS

Ski and snowboard bases need to be as flat as possible from edge to edge... otherwise they behave in strange, unpredictable ways on the snow.

That's why your first tuning priority is to seek and destroy any high or low spots along the length of your base... regardless if the gear is brand spanking new or veterans of many seasons.

BLACKLIGHT TRUE BAR

No, these babies don't glow in the dark

like a psychedelic poster under ultraviolet light...but they do sport a stealthy black finish to help reduce reflected light. This makes it easier for your eye to detect variances when checking bases for flatness. It's made of hefty 5/8" square hardened steel with four crisp edges, so if you handle and store it with care (instead of dropping it on the floor like a blockhead), it'll last a lifetime. The ski model is 5" long, and the snowboard model is 14" long.

Item #SPK-TB124ski model\$19.95Item #SPK-SBTB3snowboard model\$39.95

KNIFE EDGE TRUE BAR

A true bar that features a sharp "knife" edge like this one is easier to read than any



other square or round bar designs, but it's also more susceptible to damage...so be careful to avoid dinging the bar edge during handling, transport or storage. This precision flat black anodized aluminum true bar is 6" long so it spans any ski width.

Item #BTS-TRUE

Item #KOB-527

\$29.95

BASE & EDGE MAGNIFIER

We offer this 5 power magnifier to inspect and evaluate base structure definition, the finish of steel edge surfaces, or the presence of unwanted p-tex hairs or oxidation. It doubles as a hand lens for examining snow crystals too.



\$9.95

BAD HAIRS

After structuring, examine your bases from the side while removing unwanted p-tex hairs. What may look clean from the top can still look fuzzy from the side, especially if you structure with sandpaper.

SKIVISIONS BASE FLATTENER & STRUCTURE TOOLS

This has long been one of our most popular tools. Why? Flattening a ski or snowboard base is one of the most challenging and difficult tasks for home tuners. Hand sanding,

flat-filing or a stonegrind at your local shop are all options, but they can be time-consuming, inaccurate or expensive.

These precision hand-planing tools use a hardened steel blade (BF1), a medium grit ruby stone (BF2) or a file (BF3) to cleanly and efficiently shave off high or low spots on p-tex bases, cut away oxidized areas and remove unwanted p-tex hairs. Although the steel blade used with the ski tool is hard enough to cut down steel edges, we recommend you use a file or the BF3 for such work, and save the steel blade from unnecessary wear.

The BF1 and BF2 accommodate a medium or coarse stone blade to impart a linear base structure. A few quick passes periodically will refresh the structure, keep bases flat, remove any oxidation and thereby improve its ability to absorb wax. These touch-ups can significantly improve performance without removing excess base material.

The BF3 only accepts a file and is only used for flattening. The fairly aggressive cross-cut file quickly and cleanly removes base and edge material, It is a great choice for flattening concave skis in short order!

The ski version comes with a 6" steel flattening blade and a 6" medium ruby structure stone. The snowboard version comes packaged with a 12" medium ruby structure stone.


Replacement and optional blades are available for imparting a variety of structures. A special a 4"x 1" - 80 grit silica carbide hand stone is offered for resharpening the steel blade.

Complete tool instructions are available at **www. skivisions.us** Made in the USA.

Tools:

Item #SVN-BF1 Item #SVN-BF2 Item #SVN-BF3	Ski Model (steel blade) Snowboard Model Ski Model (file)	\$69.95 \$59.95 \$59.95
Ski Tool Inserts: Item #SVN-BL6 Item #SVN MB6 Item #SVN-CB6	6" steel flattening blade 6" med. structure stone 6" coarse structure stone	\$29.95 \$15.95 \$15.95
Snowboard Tool In Item #SVN-MB12 Item #SVN-CB12	12" med. structure stone 12" coarse str. stone	\$27.95 \$27.95
Tool Options: Item #SVN-BLSS	Steel blade sharpener	\$15.95





SANDVIK STEEL SCRAPER

Made of very high quality Swedish steel, these Sandvik scrapers will



hold an excellent burr to scrape off excess base material if your bases aren't flat or p-tex hairs if your base is fuzzy. Still other folks use 'em as pressure plates when clamping delaminated skis. Whatever the use (do you refinish furniture in the off-season?), try these.

Item #SAN-474

\$6.95

SCRAPER BURNISHER

A steel scraper only cuts effectively if you maintain a sharp and uniform cutting lip (or

burr) along the edge. This burnisher tool does that job better and more safely than any other we've used. It features a protective wooden grip with an angled steel burnishing rod. Includes an informative 7-minute DVD that will have you "drawing a burr" and "turning the hook" like a pro! Made in USA.

Item #TMT-SB

\$24.95

BASE SANDPAPER

You can flatten ski and snowboard bases by sanding them with progressively finer grit paper. The 80 grit paper is coarsest, 400 grit is finest. Our stearated sandpaper cuts cleaner and picks up less p-tex and wax residue than regular sandpaper. Three full 9" x 11" sheets come in each pack.



Always use sandpaper with the backing of a sanding block or sanding tube to ensure that you apply even pressure across bases.

Item #KLG-80	80 grit	\$3.95 pack
Item #KLG-100	100 grit	\$3.95 pack
Item #KLG-120	120 grit	\$3.95 pack
Item #KLG-150	150 grit	\$3.95 pack
Item #KLG-180	180 grit	\$3.95 pack
Item #KLG-240	240 grit	\$3.95 pack
Item #KLG-320	320 grit	\$3.95 pack
Item #KLG-400	400 grit	\$3.95 pack

SANDING BLOCK

Sanding a base without a sanding block can do more harm than good. This tool insures that you



are applying even pressure across the full width of the ski when sanding...and not creating any unwanted high or low spots in the process.

Item #JAN-45395

\$5.95

SANDING TUBE

This simple but efficient tool greatly increases sanding power while saving you time and work. Wrap a piece of our silicon carbide sandpaper (sold



separately) around the slotted tube, and push it down the ski base using a slight counter-rotational motion. This action continually exposes fresh sandpaper, which, in combination with the tool's concentrated contact area, creates very high cutting pressure without excess force. The tube is 140mm (5.5") long to fully span nearly any ski width. Full instructions are included.

Item #YUS-TUBE MICROHAIR BASE SHAVER

No, this ain't for shaving beards or 5 o'clock shadows...it's a tool for scraping ski bases after they've been stoneground or handstructured. The sharp flexible blades help remove protruding p-tex microhairs for a faster glide. To use, tilt the handle in



\$6.95

\$19.95

the direction of travel with the blade following behind...like using a paintbrush. We recommend about 10 light passes per ski, with blade replacement after shaving a dozen pair of skis.

Item #JAN-33250

	-			+
Item	#JAN	N-332	255	\$4.95

• Replacement blades-pack of 5

SCOTCHBRITE PADS

These 6"x9" abrasive pads have many uses... scour loose p-tex "hairs" away; remove excess wax to restore base structure; clean



and polish ski tops and sidewalls, etc. Always wipe bases clean after scotchbriting to remove any loose particles left behind by the pad.

Item #SPK-NPM	medium	\$1.95 ea.
Item #SPK-NPF	fine	\$1.95 ea.


STEEL BASE REFRESHING BRUSH

These steel brushes are specifically designed with medium stiff bristles to remove oxidized p-tex



and old wax from bases, while "refreshing" the existing base structure. Two models are available...a 3" x 5" rectangular brush, and a larger oval brush with leather hand strap for extra leverage and power.

Item #APG-716X	Rectang	ular brush	\$19.95
Item #APG-B0726	X (Oval brush	\$29.95



Visit our new website, filled with gadgets and gizmos galore! www.tognar.com

OMNI-PREP PADS

These thick white pads quickly erase any microscopic p-tex hairs left on a base after scotchbriting or fibertexing. In the past, it took days of riding before the natural abrasive action of



snow crystals would scour off these drag-inducing microhairs. Now you can accomplish the same job with these pads in just seconds. If good glide is important to you, these thick white pads are an essential tool. They are sold individually to be used handheld or with a rotobrush.

Item #JNX-HOP

Item #JNX-OPFR

Hand pad Rotobrush pad \$24.95

\$5.95

BASE POLISHING CLOTH

This special microfiber cloth helps remove unwanted ultrafine p-tex hairs after structuring a ski or snowboard base by machine or hand tool. Make several passes against the hairs until the



cloth slides freely down the base when it's tilted at a 45-degree angle. Use it after rubbing bases with a Scotchbrite and/or Omni-Prep pad for best results. This polishing cloth can be machinewashed periodically for greater longevity.

Item #SPK-202010


\$9.95

SCOTCHBRITE HOLDER

 $\vec{\mathbf{X}}$

This handy tool holds your Scotchbrite, Fibertex or Omni-prep pad with a hook and loop like grip and insures that you apply even pressure on the pad across the full width of the base.

Item #SVJ-09493



\$8.95

BASE SANDING TIPS

You can flatten or structure your ski or snowboard base by sanding. Start with a coarse (80 grit) paper wrapped around a sanding tube or block to remove excess p-tex material. Then switch to progressively finer grits (100 to 240) to finish up. After sanding, it's very important to remove any p-tex "hairs" left behind on the base by brushing with a brass brush... followed by both medium and fine scotchbrite or fibertex...followed by a base shaver and Omni-Prep pad.

WIX NORDIC RILLER TOOL

This effective hand tool allows a skier to apply a structure according to conditions encountered on race day. The tool includes a medium .75mm brass insert, other inserts are available and can be

swapped as conditions demand. Simply set the ool on the ski base and, while applying moderate pressure, slide the tool from tip to tail. Composite guides on the side of the tool help it track straight while the brass riller bar presses the structure into the base. Structure is most effectively applied after waxing (so the heat of the iron will not affect structure shape) and is then lightly brushed.

tem #SWX-T401 Swix Riller Tool \$59.95

Riller Blades

Item #SWX-T401XF	X-Fine .33mm	\$25.95
Item #SWX-T401F	Fine .5mm	\$25.95
Item #SWX-T401M	Med75mm	\$25.95
Item #SWX-T401G	Coarse 1mm	\$25.95
Item #SWX-T4012	Coarse 2mm	\$25.95
Item #SWX-T4013	Coarse 3mm	\$25.95

TOKO STRUCTURITE NORDIC RILLER

This simple but effective tool imprints (presses) a broken linear or continuous linear structure on



Nordic ski bases. The tool includes a medium (red) broken linear roller. Also available are a coarse (yellow) broken-linear roller or a fine (blue) continuous linear roller. Toko has color coded the collers to match the colors of their waxes (yellow, red and blue). This makes structure selection a breeze, simply match the roller color to the wax of the day's color and away you go! As with any imprinting tool it is best to structure after waxing and scraping so the shape of the structure remains crisp. Imprinting or pressing a structure into the base is not as permanent as a cut-in structure, but has the advantage of allowing the structure to be changed frequently without first scraping the base flat. This tool works well for applying structure the day of an event.

Item #TOK-0940 Includes mediun	Structurite Tool n (red) broken linear rolle	\$79.95 er
Item #TOK-5018 • Continuous	Fine (blue) roller	\$34.95
ltem #TOK-3000 • Broken-linear	Medium (red) roller	\$34.95
ltem #TOK-1037 Broken-linear	Coarse (yellow) roller	\$34.95



CREATING BASE STRUCTURE

Different tools create base structure in different ways. For example, tools like the brass riller bar create structure by pressing or imprinting it into p-tex base material...whereas the SkiVisions base flattener/structure tool or Swix steel structure brush create it by cutting away p-tex. Theoretically, a brass riller bar can also be used to cut, although we recommend it only be used to press in a structure because, unless brand new, doesn`t cut cleanly or easily.

In general, pressing in a structure is less durable than cutting it in. This is because p-tex is a fairly elastic material, which... when exposed to heat (such as when hot-waxing)...tends to return to its original shape and condition. This occurs on extruded bases at temperatures above 210° F (99°C), and on a sintered base above 270° F (132°C). A pressed-in structure, therefore, will become shallower and less defined fairly quickly if you hot-wax frequently.... but it's fast and easy to refresh.

A structure that has been cut into p-tex doesn't suffer this same problem as readily...but you need to make sure the structure tools are kept sharp. This means sharpening or replacing blades on the SkiVision base flattener regularly, or replacing a steel brush if you notice it ripping and tearing p-tex instead of cutting cleanly (use a loupe to determine this). Ripping and tearing creates a ton more of unwanted p-tex hairs or fuzz...which will take even more time to remove afterwards.

Another significant advantage of using a structure tool that cuts is that it removes oxidized p-tex on the surface of the base in the process. This helps the p-tex to absorb more wax.

All base structures wear down in time and occasionally need to be renewed...how long this takes depends on the snow hardness, frequency of waxing, base material hardness, how often you ski or ride, etc. Check it visually on a regular basis. You may also want to change structure during the season...from fine to coarse as the season changes from cold winter to warm spring.

WAX SCRAPING AND BRUSHING

Wax works best when, after application, you take the time to scrape and brush any excess wax from the ski or snowboard base. The whole idea is to glide on the p-tex base material, not a layer of wax. Wax is designed to act as a molecular lubricant for the base, and hot-waxing is the best way to impregnate the p-tex with wax.

WHAT IS P-TEX?

P-tex is a tradename for the polyethylene base material used on skis and snow-boards. It was originally produced and supplied by Inter Montana Sport (IMS) of Switzerland, and, although other companies now produce base material under different trade names, just about everyone in the ski and snow-board industry still calls it P-tex out of habit.

There are two types of p-tex used today...extruded and sintered. Extruded p-tex is a low molecular weight polyethylene that is manufactured by heating it to 350° F. and pressure feeding it through a die (or slot) to the desired shape and thickness. It is a less expensive base material used on recreational skis and snowboards.

Sintered p-tex is made by packing ultra high molecular-weight polyethylene powder into a cake that is heated and compressed (sintered) to form a log or billet. A lathe or mill is then used to shave (scive) off a thin layer to the desired thickness. It costs more to produce than extruded p-tex.

The advantages of sintered over extruded p-tex are 20% to 25% higher abrasion and impact resistance, a lower coefficient of friction, and the ability to absorb more wax. Accordingly, sintered p-tex is found on the bases of most racing and high performance skis and snowboards.

Electra or graphite base is a sintered p-tex to which 15% carbon black and graphite have been added to increase electrical and thermal conductivity. The frictional heat that develops (especially at higher speeds) is dissipated better along the entire ski or snow-board base due to this thermal conductivity...it helps reduce the water film that otherwise builds up and creates more suction and drag. The improved electrical conductivity helps reduce static electricity buildup that attracts dirt to the base, also creating more drag. The drawback of Electra bases, however, is less water repellency and less impact and abrasion resistance than that offered by clear sintered p-tex.

Electra-spec, double-sint and triple-sint bases are a blend of clear sintered, colored sintered, and/or electra p-tex mixed together and reheated. While the cosmetic impact of these exotic recipes may be impressive, they offer no performance advantage over standard sintered p-tex bases.

BASE REPAIR TOOLS



To get the best prices, more technical info, or to place an order, go to WWW.tognar.com

RPIOO BASE REPAIR PISTOL

This compact repair pistol is ready

made for the home mechanic. It is extremely simple to operate, capable of producing quality base repairs with good durability and it's pretty darn affordable to boot! The RP100 uses the 11mm



techo sticks which are more durable than drip repair candles, and produce longer lasting repairs (the material resists snow abrasion, so repairs don't cup-out over time).

It is crucial to allow the RP100 to heat-up to operating temperature, about 20 minutes. If you try to use it too soon the material will not flow smoothly and you'll have a gummy mess! Make sure you put a repair stick in the pistol while it heats!

When the pistol is hot simply hold the tip over the gouge and press the trigger, the ptex will begin to flow, press the molten ptex lightly into the gouge with the tip (always keep ptex between the tip and the base to avoid damaging the base) and proceed along the gouge until it is filled. Don't move too quickly, you want the tip to heat the base a bit so a good bond can form, nice and easy. Allow the p-tex to cool completely, then remove excess repair material with a Surform tool (ACE-2115), followed by a steel scraper (SAN-474) for the smoothest results.

The temperature the RP100 operates at is less than the RP360 and the Repair Iron (MMN-WB1), the lower the temperature the less durable the bond between base material and repair material. That said, the RP100 is worlds better than drip candles and almost at the level of our base repair Iron. The RP100 will get hot enough to melt co-polymer or ptex repair string but not the repair ribbon.

The RP100 includes a great stand for your bench, (2) four-inch clear repair sticks and a nice long seven-foot cord!

This repair pistol is designed operate on any voltage between 100-240v. Folks in countries other than the U.S. and Canada will need a plug adaptor (available at travel or electronics stores), or, if you're electronically savy, you can replace the plug entirely.

Item #BLI-RP100	100-240volt	\$49.95
Item #SHP-187033	Black techo stix	.69ea
Item #SHP-187034	Clear techo stix	.69ea

RP360 BASE REPAIR PISTOL

This shop-quality repair pistol is ideal for mechanics who do a lot of base repair work or need to repair large volume gouges. Its advantages are speed, convenience and superior repair strength.



Simply insert your choice of black or clear 11mm techo stix, pull the trigger, and extrude a bead of molten p-tex to fill base gouges. Unlike most repair pistols, the large aluminum extruding head is heated with its own element seperate from that of the body, this eliminates temperature fluctuation in the repair material and helps to pre-heat the base to ensure a strong bond. The pistol comes to a working temperature of 530F in approximately 5 min. The reach-adjustable trigger is very light so it takes very little pressure to extrude an adequate amount of material.

It is recommended that the head should remain approximately 1-2mm above the base, and should float lightly on the extruded material. This helps to spread the base material to the adjacent base. Most gouges are filled in just one pass. It is important to keep the head moving at all times, a stationary head can damage the base.

Allow the p-tex to cool completely, then remove excess repair material with a Surform tool (ACE-2115), followed by a steel scraper (SAN-474) for the smoothest results.

Includes a magnetic bench stand that holds the pistol upright while not in use, it can be mounted to a wooden bench using screws. Cord length is a user friendly 9-feet in length. Available in 110V only.

Item #BLI-RP360	110V	\$199.95
Item #SHP-187033	Black techo stix	.69 ea
Item #SHP-187034	Clear techo stix	.69 ea

EXTRUDED vs. SINTERED REPAIRS

All base repair materials (string, sticks, ribbon or candles) are made of extruded (not sintered) p-tex. Why? You can't heat sintered p-tex to the melting point without changing it's molecular structure to an extruded form. Also, black repair material does not contain graphite like a sintered (electra) base...a dye is used to darken it. Although these materials don't hold wax as well as sintered material, the amount of surface area they'll probably ever cover on most bases is too small to make much difference.



BASE REPAIR TOOLS

BASE REPAIR IRON

Our base repair iron is a good choice for home tuners who have previously used drip candles to fill base



gouges. It works with p-tex repair ribbon, string or copolymer allowing melt-in repairs that are more durable and cosmetically cleaner than drip candle repairs. The tool features a wooden handle and a ceramic heating element that heats-up quickly. Unlike soldering irons or woodburning tools that heat to 1000F, it hovers around a safer 550F (288C) operating temperature. It includes a narrow 3/16" flat nickel-plated copper tip (4NS), which melts and smoothes repair material to make pinpoint repairs without unnecessarily affecting surrounding base material. An optional 1/2 inch-wide curved, spatula tip (LK16) is also available...it works better for melting repair material into especially wide gouges or core shots (simply slide it on after removing the standard narrow tip). The iron is available in 115 volts for use in the U.S., Canada, etc. or 230 volts for Europe and beyond. (230 volt requires a plug adaptor). Made in USA.

Item #MMN-WB1	Repair Iron 115 volt	\$39.95
Item #MMN-EU	Repair Iron 230 volt	\$39.95
Item #MMN-4NS	Replacement 4NS tip	\$9.95
Item #MMN-LK16	Optional Wide tip	\$9.95

BASE REPAIR DURABILITY

Different p-tex repair materials vary in hardness, which affects their durability when filling gouges on a ski or snowboard base.

A soft p-tex material, like a drip repair candle, is fast and easy to apply. This can be handy for travel or 'on-the-spot' repairs, but it will wear away quicker than surrounding base material. This might be okay for very shallow scratches, but with deeper gouges can become an ongoing maintenance nightmare.

Harder p-tex material, such as our repair string, ribbon or techo stix, take a little more time to apply... but last much longer. They won't wear or 'dish-out' in gouges as fast. Some folks have noted that these materials don't 'flow' into gouges like drip repair candles do. This is because they are denser and more durable, so don't be discouraged... simply apply the string, ribbon or techo stix using a base repair iron or pistol (in successive layers if necessary) until you've slightly overfilled the gouge. Let the material cool a few minutes. To remove excess, a regular steel scraper will usually not be sharp enough...its dull edge will tend to grab and yank the repair material out of the gouge. You need a sharper cutting tool for this. We recommend the Surform Versaplane to initially remove excess material...it's very sharp and cuts cleanly. Once you've shaved away most of the excess, you can then use a steel scraper or base flattener tool to take off remaining material until the repaired area is flush with the surrounding base.

To help make new repairs 'blend in' with the surrounding material, you can lightly restructure the base with a tool such as the brass riller bar or SkiVisions base flattener... altho if the repair is small, this might be more effort than it's worth.

If you need to fill deep core shots or gouges along steel edges, use metalgrip string since p-tex repairs won't bond to steel or fiberglas. For optimal durability and performance, you can use metalgrip to partially fill these repairs, then put p-tex repair material over the metalgrip as a top layer.

P-TEX REPAIR STRING

This repair string works better

than traditional drip repair candles when filing base gouges for several reasons. First, it's made of harder, more durable polyethylene, so your repair jobs wear longer and



 \checkmark

repair jobs wear longer and don't "dish out" prematurely. Secondly, since it is melted into gouges using a base repair iron instead of burning with an open flame, no smudgy black carbon particles are created which flow into the gouge and create cosmetically-ugly and mushier repairs. String is 1/8" in diameter and comes in 10' rolls...enough material to keep most bases patched through a full season. This material bonds well in deep or shallow gouges, and can be applied atop copolymer repair material when making repairs to core shots or along steel edges.

Item #MTO-241	Clear	3.5mm	\$6.95 roll
Item #MTO-242	Black	3.5mm	\$6.95 roll

METALGRIP REPAIR STRING

P-tex does not bond to steel, aluminum, wood, or fiberglass... so if you get a deep gouge that exposes core material, or is along a steel edge, it won't stay in place. Metalgrip is a mix of polyethylene and heat-sensitive adhesive which is melted (using a base repair iron)



into core-shot gouges or along steel edges. It is 3mm in diameter, and comes in a 5' roll. It is more rubbery in texture than p-tex, and should be be overlaid with p-tex repair material. Available in clear or black.

Item #SPK-560335	Clear	5mm	\$6.95 roll
Item #SPK-560336	Black	5mm	\$6.95 roll

P-TEX REPAIR RIBBON

This ribbon is the toughest and most durable p-tex repair material we've been able to find on the planet...

in fact, it's nearly equal to the hardness of your original sintered base material. To apply, melt and press it directly into base gouges using our base repair iron (MMN-WB1 or MMN-EU). It has a slightly gummier texture when molten than other repair materials, so be patient applying it...but, once in place, will last nearly forever. It bonds better in deep gouges versus shallow ones...but that's where you need it most anyway. After filling gouges, remove most of the excess repair material with our Versaplane tool before finishing up with a well-burnished steel scraper or base flattener tool. We offer this thin (1/32") ribbon in 7/8" wide x 1' lengths in either black or clear.

Item #SVN-CRIB	Clear	\$1.00 ea
Item #SVN-RIBL	Black	\$1.00 ea

Always use adequate ventilation, or better still a respriator (p.33), while p-texing!

BASE REPAIR TOOLS

DRIP REPAIR CANDLES

 \mathbf{X}

For temporary repair of base gouges, simply light one end of these sticks with a match, then drip...rather than iron...the molten p-tex into gouges. They burn extra-hot...in excess of 970°F, which helps consume some of the undesirable black carbon created while the candle burns. Please use them carefully because dripping p-tex is hot enough to severely burn skin. Hold a steel scraper under those candles when not actually dripping molten p-tex into gouges.

Item #SHP-187071	Clear	\$.49 ea
Item #SHP-187070	Black	\$.49 ea

TOKO REPAIR POWDER

Looking for quick, effective and durable base gouge repair, Toko repair powder may just fit the bill. To use simply shake powder out of the container into your gouge, until it is slightly overfilled. Lay the included transparent sheet over the top, set wax iron to the appropriate temperature and set it on top of the sheet/repair. Remove the sheet, allow the repair to cool then scrape and re-



wax. This is powdered ptex so it will absorb wax. Available in clear or black. 40 gm.

Black 40gm

Item #TOK-9002 Clear 40gm

Item #TOK-0121

P-TEX 2000 BASE MATERIAL

This sintered base material comes on most high-performance skis and snowboards today. Use it in conjunction with our base



\$19.95

\$19.95

templates to make patches to repair especially large gouges or damaged areas... it is glued and clamped in place instead of melted. 3 1/2" wide, available in clear or black. We sell it in any length in 1-foot increments.

Item #MTO-021	Clear
Item #MTO-002	Black

BASE TEMPLATES

Indispensible tools if you're splicing a p-tex patch into a base. Use these metal templates as



\$8.95 per foot

\$8.95 per foot

guides to cut out the old base material <u>and</u> new patch material. The exterior model features two different radius cut-outs, plus a longer parallel cut-out for repairs along edges. The interior model is for making patches in the center of the base and features two different oval cut-outs.

Item #SPK-BRT	Exterior model	\$39.95
Item #SVT-BT2	Interior model	\$39.95

SURFORM VERSAPLANE

The Versaplane utilizes a curved 3" surform blade to trim



 \mathbf{A}

 \checkmark

away excess p-tex repair material after filling gouges on ski or snowboard bases. The curved blade keeps the leading edge of the tool up off the base for smooth efficient cutting, and you can vary the cutting rate from fine to coarse by changing the blade angle and stroke speed. Use this tool to remove the bulk of p-tex repair material, then finish the job with a steel scraper or base flattener tool for the smoothest possible results. Replacement surform blades are available.

Item #ACE-2115	
----------------	--

Item #ACE-515 • Replacement blade only

SANDVIK STEEL SCRAPER

Made of very high quality Swedish steel, these Sandvik scrapers

hold an excellent burr to scrape off excess base repair material or p-tex hairs if your bases are fuzzy. Still other folks use 'em as pressure plates when clamping delaminated skis. Whatever the use (do you refinish furniture in the off-season?), try one.

Item #SAN-474


\$6.95

\$8.95

\$6.95 ea

SCRAPER BURNISHER

A steel scraper only cuts effectively if you maintain a sharp and uniform cutting lip (or burr) along the edge.



This burnisher tool does that job better and more safely than any other we've used. It features a protective wooden grip with an angled steel burnishing rod. Includes an informative 7-minute DVD that will have you "drawing a burr" and "turning the hook" like a pro! Made in USA.

Item #TMT-SB

\$24.95

P-TEX ROLLER

Bear down on the handle of this roller and rock the curved base over freshly patched areas immediately after melting



P-tex into place. This forces out air bubbles in the repair and helps it bond better. It also serves as a 'heatsink' to draw heat away from steel when making p-tex repairs alongside metal edges. The roller is machined from hi-grade 7075 aluminum and features teflon-impregnated anodizing to keep it from pulling up base material. 3 1/2" x 6" 2 1/4 lbs. Made in USA.

Item #SVT-PTR





FILES & BEVEL TOOLS

HOW TO CHOOSE A BEVEL TOOL

There are basically two mechanical approaches to beveling ski or snowboard edges.

First, on pages 26 and 27, you'll find an offering of bevel "devices". These tools usually feature a plastic body fitted with small steel files (or other optional inserts), plus an adjustment that lets you dial in a desired bevel angle. The advantage of these tools is convenience, adjustability, easy to learn to use, and they provide pretty precise results in the hands of even a less-than-attentive or skilled mechanic. Their disadvantages include more frequent file replacement (since file inserts are small and wear faster) and less "feel" for the cutting action of the files. We usually recommend these tools for beginners, folks born without meteoric learning skills, or those less mechanically-gifted (ok, klutzes).

By comparison, we offer bevel "guides" starting on page 26. These tools reflect more traditional filing techniques in that they're used along with a regular 8" (or similar) mill file, or any diamond or hard stones. Their advantage is flexibility (use 'em with whatever favorite file or stone you prefer to bevel, deburr, polish or detemper rock damage), longer file life (since files are larger and you utilize their full cutting surface), greater cutting sensitivity (since your fingers are usually in direct contact with the file itself instead of a plastic tool body), and more bragging rights (since this is assumed by some highbrows to be a more refined craft). Downside? Their use requires greater attentiveness and can take klutzes a little longer to master.

The bottom line? Bevel "devices" are akin to driving a nice sweet Buick with a smooth shifting automatic transmission, while bevel "guides" are for those who feel their hand is homeless if it ain't on a stickshift.

BURRED EDGES



ROUGH

BURRED

EDGE

A condition where a thin, vertical lip of steel forms along steel edges, usually the result of side filing, hitting rocks, and/or scissoring ski tips. This lip penetrates deeper into the snow than the rest of the edge and, depending on the consistency of the snow and the sidecut, makes skis and snowboards act

very unpredictably. Fact is, they actually try to turn in opposite directions simultaneously. Yikes! It can quickly be removed with a gummi, diamond, pocket, or ceramic stone.

REVIEWING THE 3-D'S... BEHAVIOR MODIFICATION OF SKIS & BOARDS

<u>Deburring</u> is the process of removing rough burrs from the side and base steel edges of skis or snowboards after a day of ridin' 'em on the slopes. It's done with...what else?...a deburring stone (ceramic, diamond, arkansas, etc.). This helps keep edges sharp and free of nicks, rust, raggedness and roughness. Compared to personal hygiene, it's akin to brushing your teeth regularly.

Dulling, on the other hand, is more like performing a labotomy. It's usually done on new skis or boards with a deburring stone to intentionally dull (or radically bevel) base edges at the very tip and tail where skis and boards lift up out of the snow. Edges here curve dramatically in toward each other, and should be dulled so they don't unexpectedly engage in bump troughs, ruts, crusty snow or other funky condition and re-vector your planned line of travel downhill off in some new unanticipated direction.Yikes!

Detuning refers to the subtle massaging of an edge's sharpness or base bevel near tips and tails to intentionally adjust performance of a ski or board. On old traditional skis, detuning behind the contact points makes a skis less grabby and "hooky" for easier control. But shaped skis are used in shorter lengths than traditional skis, and are designed so the full length of the edge engages to carve nice crisp turns. But if you feel your shaped ski tips and tails are just a little too sharp and make it hard to initiate a turn, then simply increase the base edge bevel at tips and tails by $1/2^{\circ}$ more than what you use underfoot. This will still give you good carving grip when the ski is turned up on edge, but allow the ski to initially slip into a turn easier.

Like Terry Young, ex-ski shop owner and professional tuning guru in Aspen says, "If you want to turn shaped carving skis into fenceposts, tune 'em like traditional old race skis."

POLISHED EDGES

Filing steel edges will leave tiny but unwanted striations that can drastically slow down a ski and



make it harder to turn. Polishing the steel edges with a fine polishing stone will leave the edge surfaces much smoother and free of scratches or burrs.


SMOOTH POLISHED EDGE

Stop by www.tognar.com for more tuning tips and tricks!

FILES & BEVEL TOOLS



To get the best prices, iu yer nie ^{veze} hineson More technical info, or to place an order, go to www.tognar.com



Beveling the steel base and side edges on skis and snowboards can greatly affect their performance. Increasing the base edge bevel 'lifts' more of the bottom edge off the snow, which, because steel edges drag in snow more than p-tex base material, results in better glide and greater speed. Base edge bevel at the tips and tails also makes it easier to initiate a turn, since the outside lip of the edge is lifted slightly off the snow and won't catch unexpectedly. Beveling the side edge surface helps increase the gripping power of a ski or board on ice and hardpack snow. The trick is finding the right relationship between the base and side edge bevel to match your needs.

Most skis and boards come from the factory with a $.5^{\circ}$ to 1° base and 1 to 3° side edge bevel. For most recreational skiers, it's best to maintain this original bevel, or adjust it slightly according to the charts below.

Racers and high-performance skiers and riders may want to adjust the bevel more to suit their particular needs. A slalom racer, for example, might choose a 3° to 4° side and 0° to .5° base edge bevel for extra grip when making quick turns on an icy course. A giant slalom skier might stick with a .5° to 1° base edge bevel, but reduce the side edge bevel to 2° to 3° so the skis glide fast, but aren't too grabby. When Bill Johnson won the Olympic downhill in 1984, his skis were tuned with a very radical 5° base edge bevel and a slightly reduced side edge bevel. This provided the fastest possible speed for Johnson on a relatively flat, soft downhill course. By contrast, Tommy Moe won his Olympic downhill gold with 1° of base edge bevel. This was dictated by the steep, icy conditions on the course in Norway.

A freestyle skier who 'pivots' their ski underfoot and doesn't want tips or tails to catch in moguls might prefer a 1.5° bevel on both the base and side edges. Extreme skiers who drop into ultrasteep or icy chutes might vary the bevel along the length of their skis, such as a 2° side bevel underfoot that changes to a 0° or .5° bevel at the tips and tails. Conversely, they'll start with a 2° base edge bevel at the tips and tails, then taper down to a 0° base edge bevel underfoot. This allows their skis to get greater grip underfoot (handy when you're perched above a cliff or crevasse), while allowing tips & tails to turn easily in narrow chutes.

After any beveling, be sure to polish both the base and side surfaces of steel edges as smooth as possible without dulling the cutting edge.

Below are listed bevel angles for skis as they are delivered to ski shops from the manufacturers. These angles can be adjusted to suit your particular needs.

SUGGESTED SKI BEVEL RECOMMENDATIONS

<u>Skier</u>	Base Bevel	Side Bevel
Novice/		
Intermediate	1 °	1 °
Advanced		
All-Mountain	1 °	2 °
Expert		
All-Mountain	.75 to 1°	2 to 3°
Slalom Racer	0 to .5°	3 to 4 °
GS Racer	.5 to .75°	2 to 3°
SG & DH Racer	.75 to 1°	2 to 3°

SNOWBOARD BEVEL RECOMMENDATIONS

<u>Rider</u>	B	ase Beve	Side Bevel
Beginne	er	1 to 2°	0 to 1°
Interme	ediate	1 °	1 °
Freeride	er	1 °	1 to 2 °
Spinner	•	2 +°	0°
Halfpip	e 1 to	2° at tip/	∕tail 1°
	0 to	1° under	foot
Boarde	rcross	0 to 1°	1 to 2 °
Slalom	Race	0 to .5°	2 to 3°
GS Rac	е	1 °	2 °

GET THE MOST OUT OF YOUR FILES

To extend the life of a file when using it with a bevel guide, start by using just the very end, when the teeth get dull shift the file out a bit to expose fresh teeth. When the first couple inches are dull (on both sides of course) snap the dull section off using a steel bench vise. Repeat until the file is too short to use comfortably.





FILES & BEVEL TOOLS

GET MORE MILES PER FILE!

Here's some tricks for longer file life...

1) Avoid the missionary position...never stack one file atop another or they'll literally wear each other down. Store each in it's own plastic sleeve or wrap each up in paper.

2) Brush their teeth...a file that is frequently brushed with a file card will cut better and last longer.

3) Chalk 'em up...rubbing a thin layer of common chalk into the teeth can help the file slide more easily along the ski, not load up with steel shavings that can otherwise be ground into the base, absorb oil from your hands that can otherwise contaminate the base, and doesn't impair cutting efficiency.

4) Stop backsliding...files are made to cut in only one direction. If you back-draw a file two or three times, it'll break off teeth and you'll end up having to buy a new one.

5) Avoid work-hardened edges...when a ski edge hits a rock, the resulting friction creates enough heat to temper (or harden) the edge at that location. The steel will look shiny and glazed, and is so hard that it can chip the teeth on a file. Use a diamond stone (see page 28) to remove all the glazing before filing this edge.

6) Before you start using a new file, put a piece of masking tape on one face of the file, and work with the other. When the file starts getting dull (begins skipping or rolling along an edge instead of cleanly cutting it), expose the unused face and cover the worn side.

7) Put a piece of cloth tape (from a first aid kit) on the surface of a file bevel guide where you clamp on your file...it'll create some cushioning that'll help keep the file from shifting around while beveling.

8) Don't use wraps of tape around one end of a file to bevel the base edges on sidecut skis. Due to the radical change of ski width from tip to waist to tail, this technique will create more base bevel underfoot than at the tip or tail, which is just the opposite of what you want. On a traditional ski, this variance might be as little as 20%, but on sidecut skis this variance can be magnified to as much as 50%. Instead, spring for a bevel guide or device to ensure getting results you want.

9) Soak 'em in vinegar...an 8-12 hour (overnight) bath will actually eat away some old metal, exposing sharper new material. This will usually work at least twice before retiring your files, but doesn't work with chrome files.

EFFECTIVE EDGE FILING TIPS

If you're learning to sharpen steel edges with a hand-held file, carefully "listen and feel" for clean cutting action...as opposed to grinding sensations or noise. Grinding indicates problems... such as a dull file (resharpen or replace it); edge shavings building up under the file (clean it frequently with a file brush); or work-hardened edge sections caused from nicking rocks (use a diamond or pocket stone to cut away these ragged and/or glazed areas before filing). Your filing will be cleaner and crisper as a result.

If you're filing ski or snowboard edges, but find that your file isn't contacting the edge consistently, avoid the temptation to just bear down harder to make it cut. This indicates other possible problems that heavy-handed filing might just make worse...such as a convex base (check it with a true bar, then flatten the base as required with sanding, a hand-flattening tool or a shop stonegrind); the edges may already be over-beveled (again, check this with a true bar... it may be necessary to flatten the base a bit to "erase" some base bevel); the file may be bent so that it's not contacting the edges (check the file against a true bar to see if this is so and flip it over or replace it if necessary); there may be old wax on the base that's gumming up file teeth (scrape all excess wax off the base first with a plastic scraper, and then keep file teeth clean using a file brush); the ski or board may have recessed edges (some come from the factory like this to simulate a predetermined base bevel); or, heck, it might just be late and you're wiped from a hard day on the hill, and don't realize you're filing a pair of nordic race or jumping skis that don't even have steel edges (get some ZZZ's, dude!).

Lastly, be aware that right- and left-handed tuners almost always bear down harder with their predominant hand when filing. This can create more bevel on one edge of your ski or snowboard than the other. Try to apply even pressure with both hands when working, and apply pressure directly over the steel edges (not the ends of the file) so as not to bow or bend the file, and use base and side edge file guides to insure precise bevel results on all edges along their full length (don't feel like this is wimping out or cheating... it's what world cup tuners do!).

The other remedy for bearing down harder on a file with your predominant hand is to file tip-totail down one edge, then tail-to-tip up the other. This will pretty much cancel out any discrepancy in bevel angles caused by uneven pressure... but, again, you're better off using a bevel guide with your file rather than risk uneven or variable results.

SIDEWALL PLANERS



SIDEWALL PLANERS

It can be difficult to bevel the side edges on some skis and snowboards because overhanging plastic sidewall material gets in the way and clogs up file teeth. Removing this stuff with a



hand-held file is tricky. The fastest and easiest tools are sidewall planers. They use a sharp carbide insert to shave away excess plastic

ERGO

sidewall material and maintain a constant planing depth from tip to tail.

We offer two planers... the FK model is a smaller, lighter model with a combination square and circular

carbide steel cutting blade. The Ergo model is slightly beefier with a circular carbide steel blade an optional square cutting blade for traditional 90-degree sidewalls is also available. Both tools use a replaceable cutting blade that can be adjusted in height and depth, thus allowing you to shave away as much or little sidewall material as you want above the side edge of any ski or snowboard.

Item #MTK-721 • FK sidewall planer	\$39.95
Item #MTK-3134 • Replacement carbide blade	\$13.95
Item #SPK-3004 • Ergo sidewall planer	\$49.95
Item #SPK-5130 • Replacement circular carbide blade	\$21.95
Item #SPK-5120 • Optional square carbide blade	\$21.95

BEAST SIDEWALL PLANER

Use this clever tool to quickly remove just enough material from sidewalls prior to filing. It is similar to a side edge file guide in construction, but the angle is a whopping 7-degrees.



This robust aluminum/composite tool includes a replaceable 1.5" (35mm) long panzar file that easily removes metal or plastic from sidewalls. Simply make one or two passes down the length of the ski and just enough material will be removed to allow access to the edge material. Made in USA.

Item #BTS-PLANE	\$39.95
Item #BTS-PANZ Repl. Panzar	\$14.95

TOO MANY PEOPLE GO THROUGH LIFE WITH DULL EDGES

The steel edges on most recreational skis and snowboards range in hardness from 42 to 51 (Rockwell hardness) but can go as high as 60 on some racing models. Ideally, a file should be at lease 10% harder than the steel edges you're filing...so don't expect a typical hardware store file with an average Rockwell hardness of 45 to 52 to last long. Although cheap to buy, they prove most expensive in the long run.

Our files feature an average Rockwell hardness of 67 for much greater durability.

Files also vary in their cutting ability. Our pansar files are the most aggressive (coarsest) in this regard, featuring about 10 teeth per inch. This allows them to remove steel edge material very quickly, which is handy for roughly cutting in side edge bevels when you're tuning many pairs of skis or snowboards. Our coarse mill files (sometimes referred to as 'bastard cut') feature 13 teeth per inch, which is plenty aggressive enough for most home tuners. Our medium files (sometimes referred to as '2nd cut'), feature 16 teeth per inch, which makes them very versatile for almost all filing needs. Our fine files (sometimes referred to as 'smooth cut'), feature 20 teeth per inch. They cut slower but create a smoother finish on edge surfaces.

Regardless which files you choose, always follow any filing work with deburring and polishing stones to create the smoothest, fastest and most precise edge.

VIIALA CHROME MILL FILES



These popular World Cup files offer good performance at a reasonable price. They have a hardness rating of 68, plus are hard-chromed for good abrasion resistance. Available in three lengths ...6" or 8" for side edge filing...8 or 10" for base edge filing. These are medium cut files with 16 teeth/cm.

Item #SPK-HC06	6" file	\$7.95
Item #SPK-HC08	8" file	\$10.95
Item #SPK-HC10	10" file	\$12.95

SUPERTOOTH

BRUSHES

Industrial grade "toothbrushes" featuring sturdy nylon bristles for regular cleaning, or brass bristles for tougher scrubbing. Especially useful for cleaning debris from files and hard-to-reach inserts in edge beveling tools.

Item #BM-93APN	Nylon brush	\$1.95
Item #BM-93APB	Brass brush	\$1.95





VALLORBE **ICECUT FILE**

These unique tang-less mill

files have become increasingly popular for use with base and side-edge bevel guides. They are made with hard steel (high Rockwell index) for good durability, and are sized slightly shorter than traditional tanged files. The 4.75" file is coarsest with 13-teeth/ cm, the 9.5" file is finer with 16-teeth/cm, and the 7.25" file is the smoothest and finest with 20-teeth/cm

Item #SPK-500037	4.75" (120mm)	\$19.95
Item #SPK-500038	7.25" (185mm)	\$21.95
Item #SPK-500039	9.5" (245mm)	\$23.95

TUNGSTEN CARBIDE FILES

These keenly sharp tungsten carbide files cut through the toughest "hard casing" like a hot knife through butter,



eliminating the need for progressive filing, yet leave a very smooth finish, reducing the amount of work to bring the edges to polished. We offer three versions, all feature a polished aluminum backing plate. The

70mm versions will fit the MTK-701. All

versions can be used with standard side file guides such as the SVT guides.All versions work best situated parallel (or in-line) to



the edge. The 3213 has 1-tungsten carbide file and 1-aluminum oxide stone per side. One side cuts left and the other cuts right.

The **3216** has 2-tungsten carbide files per side. One side cuts left and the other cuts right.

The 3502 has one 100x20mm tungsten carbide file. Cutting is done in one direction. Tungsten carbide makes



for a very sharp and fine-

cutting file, but tends to be more brittle than standard chrome files. Avoid dopping them and remove large burrs from the edge (using a diamond stone, etc) prior to filing to avoid chipped teeth...er, on the file of course.

Item #MTK-3213	tngs. file 70mm	\$54.95
Item #MTK-3216	pro tngs. 70mm	\$74.95
Item #MTK-3502	tngs. file 100mm	\$149.95

ACCLIMATIZING

No...this isn't about shortness of breath at high altitude...instead, we're talking about a freshly-waxed p-tex base responding to cold. When laid in the snow, your ski or snowboard base cools and 'squeezes' out excess wax...which you'll want to brush away at the race start for the fastest glide.

PANSAR FILES

These very aggressive body files have large curved teeth to remove edge or sidewall material quickly. It can be used in conjunction with an



edge file guide to initially set side edge bevel on skis or snowboards. They also shave excess p-tex repair material off bases, or remove plastic sidewall material that overhangs steel edges. Use 'em with a light touch, however...they're real sharp and cut very fast.

Item #MTK-702P	2.75" file	\$12.95
Item #MTK-707P	4" file	\$14.95
Item #TOG-PANZ8	8" file	\$19.95
Item #SPK-500040	12" file	\$34.95

FILE CASE



FILE BRUSHES

Item #MTK-836

A file gets dirty fast when sharpening edges. This not only reduces



 \mathbf{A}

cutting efficiency but leads to faster wear. The fine wire bristles of these tools will remove filings and other gunk from the teeth of the file to ensure longer life and efficiency. Use frequently. Two models are offered...singleside has short wire bristles on one side for cleaning files, while the doubleside has wire bristles on one side and nylon bristles on the other for sweeping file shavings off the ski base as well.

Item #FFC-CAR08 Singleside brush \$5.95 \$8.95 Item #FFC-BRC10 Doubleside brush

AFTER THE GRIND

According to World Cup technicians, you'll win or lose a race more because of the preparation you do after a stonegrind than from the grind itself. Right before a race, don't go get a stonegrind because your skis will actually be slower until you've spent enough time fibertexing, waxing, scraping, brushing and skiing on 'em to achieve a really polished and fast base.

CASE HARDENED EDGES

Steel edges sometimes strike rocks, usually at good speed and under substantial weight (yours!). The result is an instant heat-treating of the steel that leaves it extremely hard on the surface. Use a coarse diamond or hard stone to remove the glazed and ragged surface before attempting to file it.

FILES & BEVEL Tools





BASE EDGE FILE GUIDES

These precise base bevel guides are used in conjunction with your favorite steel files, diamond stones or ceramic stones. They lift and hold one end of the file or stone at a fixed height, while allowing the other end to rest on one base edge. This ensures a precise and consistent base bevel from tip-to-tail (without being influenced by sidecut curvature). We offer two brands...the economical Beast guides feature a plastic body with a stainlage steel bridge. The Final Cut guides are me

less steel bridge. The Final Cut guides are machined from aluminum and stainless steel, and feature replaceable delrin pads where the tool contacts steel edges. All guides made in USA

Beast Guides

57

	Item #BTS-05	0.5° bevel	\$19.95
	Item #BTS-07	0.75° bevel	\$19.95
	Item #BTS-10	1.0° bevel	\$19.95
	Item #BTS-20	2.0° bevel	\$19.95
(Item #BTS-30	3.0° bevel	\$19.95
	Final Cut Guides		
	Item #SVT-TFC5	0.5° bevel	\$74.95
	Item #SVT-TFC7	0.75° bevel	\$74.95
	Item #SVT-TFC1	1.0° bevel	\$74.95
	Item #SVT-TFC3	3.0° bevel	\$74.95
	Item #SVT-TFC4P	4.0° plate	\$29.95
	• Optional bevel plate	for TFC3 ONLY	
	Item #SVT-TFC5P	5.0° plate	\$29.95
	• Optional bevel plate	for TFC3 ONLY	
	Item #SVT-RR		\$7.95 pr.
	Replacement delrin	pads for all Final Ci	ut Guides

SIDE OF BEAST PRO

An accurate and versatile side bevel tool.

The frame is constructed of anodized aluminum with a stainless

steel wear plate. Unlike most side bevel guides, the Side of Beast Pro

doesn't require a separate clamp. Files or stones are held securely in place with an integral clamp that eliminates the possibility of angle inaccuracy due to the file/stone lifting away from the tool during filing. The tool ships with the designated bevel plate installed. Optional angle plates are available. Made in USA. File not included.

Side of Beast Pro

Item #BTS-PRO1	1.0° bevel	\$59.95
Item #BTS-PRO2	2.0° bevel	\$59.95
Item #BTS-PRO3	3.0° bevel	\$59.95
Item #BTS-PRO4	4.0° bevel	\$59.95
Optional Angle Plates		
Item #BTS-PLT1	1.0° angle plate	\$9.95
Item #BTS-PLT2	2.0° angle plate	\$9.95
Item #BTS-PLT3	3.0° angle plate	\$9.95
Item #BTS-PLT4	4.0° angle plate	\$9.95

These file guides guarantee precise side edge beveling. They are used in conjunction with any




files or stones. Hold the face of the guide against your base, and set your stone or file on the top platform. The guides feature a recess to catch steel filings so they don't grind into bases. Three precision models are available...the Aluminum Pro-Edge Guides are made of 100% hard anodized aluminum and are an excellent choice for home mechanics, they are offered with or without a stainless wear plate. The Stainless Pro-Edge Guides are milled from solid stainless steel for unsurpassed accuracy and durability. Both models accept optional machined aluminum shims that can be used to increase the designated bevel angle of either guide from 1 to 3 degrees. The shims set firmly into a machined groove on any Pro-Edge guide. Optional clamps are strongly recommended to secure your file or stones to the guides. All guides made in USA.

Aluminum Pro-Edge Guides

You say Tomato			
Item #SWX-TA20	\$19.95		
Item #SVT-PEBC	\$14.95		
Item #ACE-3201	\$4.95	SVT- PEBC	
Clamps ACE-3201	SWA-1A20	1	
	SWX-TA20		
Item #SVT-PEBA2	3° shim	\$19.95	
Item #SVT-PEBA2		\$19.95 \$10.05	
Item #SVT-PEBA1	1° shim	\$19.95 \$10.05	
Shims for Pro Edge Gui		\$10.05	
Item #SVT-SSEB94	4° bevel	\$69.95	
Item #SVT-SSEB93		\$69.95	
Item #SVT-SSEB92		\$69.95	
Item #SVT-SSEB91	1° bevel	\$69.95	
Solid Stainless Pro-Edg	ge Guides		
Item #SVT-PEBS94	4° bevel	\$34.95	
Item #SVT-PEBS93		\$34.95	
Item #SVT-PEBS92		\$34.95	
Item #SVT-PEBS91		\$34.95	
Aluminum/Stainless P	-		
Item #SVT-PEB94	4° bevel	\$26.95	
Item #SVT-PEB93	3° bevel	\$26.95	
Item #SVT-PEB92	2° bevel	\$26.95	
Item #SVT-PEB91	1° bevel	\$26.95	
Item #SVT-PEB90	0° bevel	\$26.95	

Bevel angle designation varies among edge bevel tools, e.g.: 2.0°vs 92°. These numbers designate the same angle...just from different perspectives.





FILES & BEVEL TOOLS

SKIVISIONS SKI SHARP

A winning design. This tool files, bevels and polishes both the base and side surface of a ski or snow-



board edge simultaneously... instead of one at a time like other bevel tools. It features separate adjustments so you can choose different bevel angles for each edge surface in precise 1/4 degree increments from 0 to 3 degrees (compared to 1/2 to 1 degree increments for most other tools). It comes with a pair of replaceable chrome steel mill file inserts for basic filing or beveling needs, and a SkiVisions Tuning Stick. Optional inserts are- carbide steel skiver blade (for rapidly "roughing-in" side bevel angles), Green stone for new skis/firm snow, 180-grit Ruby stones to sharpen edges in lieu of files(this process removes less edge material than files) and to begin polishing, and ruby ceramic inserts for final polishing. The results with these stones are remarkable. The grit can be refreshed almost indefinately with silicone oxide paper (80grit) or a 100 grit Moonflex stone. Complete instructions available at www.skivisions.us Made in the USA.

Item #SVN-SS Ski Sharp	Tool \$54.95	
Item #SVN-SSMF • Replacement mill file insert	\$12.95 pr	
Item #SVN-SSCS • Carbide skiver blade	\$19.95 ea	
Item #SVN-GREEN • Agressive stone for hardcast	\$9.95 pr ing/firm snow	
Item #SVN-180 • 180-grit (coarse) ruby debut	\$9.95 pr rring stones	
Item #SVN-CRR • Ruby Ceramic polishing and	\$14.95 pr d honing stones	
Item # SPK-MF100 • 100 grit Moonflex Diamond redressing the Green stone	\$29.95 ea	
Item #KLG-80 • 80 grit silicone oxide paper for redressing the 180 & cer	\$3.95 pk (3 pack) ramic stones	

PRO SHARP ADJUSTABLE BEVEL GUIDES

The aluminum Pro-Sharp base bevel guide adjusts from .5° to 1.5° $(1/4^{\circ} \text{ increments})$ and accommodates files, stones or diamonds up to 6mm thick and 10' long. The aluminum/ composite Pro Sharp side bevel guide features adjustable bevel angles from 0° to 5°



(in 1° increments), and

rolls along the base on roller bearings reducing the chance of scratching existing base structure. It accommodates diamond stones or files (up to 6mm thick and 3" long). Includes a 3" mill file.

SPK-401112	Base bevel guide	\$49.95
SPK-401140	Side bevel guide	\$49.95

EDGE BEVEL TOOL

This popular and versatile tool precisely bevels both base and side edges (although not simultaneously) from 0 to 5 degrees (in 1/2 degree increments). It includes a replaceable

2.75" mill file insert for beveling edges as well as occasionally resharpening side edges. Optional inserts are available and include- a 2.75" pansar file to rapidly "rough-in" new side edge bevels, a versatile set of three diamond stones or a simple but very effective 2-stone system which includes a tuning stick (see page 23). Inserts are placed in the tool vertically to work on side edges, or horizontally for base edges. The tool will accept any 2.75" (70mm) stone or file we offer.

Item #MTK-701	Tool w/mill file	\$39.95
Item #MTK-702	Replacement mill file	\$9.95
Item #MTK-702P	Optional pansar file	\$12.95
Item #DMT-WS7K	Diamond stone set	\$25.95
• Set of 3 stones- fine	, medium and coarse	
Item #SVN-2SET	2.75" Stone Set	\$26.95
• Set of 2 stones- 180	grit, ceramic and a tuni	ng stick.

BASE TAPE

Apply strips of this ultra-thin tape to your base along steel edges before filing. It protects p-tex from filings and grime that would



otherwise get ground-in, plus helps protect the base structure from being scratched by files or bevel guides. This PVC tape peels off without leaving harmful residue. 1-1/2" wide x 50-yd roll.

Item #SWX-R390	Swix Tape	\$15.95
Item #TOK-7007	Toko Tape	\$9.95
Item #HOL-20740	Holmenkol Tape	\$9.95

KUNZMANN BEVEL GAUGES



EDGE BEVEL STICKERS Keep track of base and side-edge bevel angles with these adhesive waterproof Mylar labels. Use with a permanent marker for best results. Sold by pair. Item #TOG-BSES



\$.50 pr

DEBURRING & POLISHING TOOLS



DEBURRING STEEL EDGES

Ski and snowboard edges should be deburred after every day of use... otherwise nicks and dings will leave the edge ragged, which translates into unpredictable turns and reduced grip on hard pack.

SKI VISIONS STONES

These top notch stones feature internalized grit, which means they can be resurfaced (made new) indefinately using silicone carbide paper (80grit on the 180 & ceramic) or a 100 grit diamond file (on



the green stone). Use the Green stone on new edges, work-hardened edges or for imparting a wicked sharp edge for extremely firm snow. Use

the 180g to maintain edge sharpness during the season (in place of a file). The Ceramic stone lightly polishes and hones edges to a extremely high level. Available in 4" or 2.75" (1"x1/4"). Sets include 180 grit,

ceramic and a tuning stick. More info at www. skivisions.us. Made in the USA.

4" (100mm) Stones


Item #SVN-4GRN	4" Green	\$15.95
Item #SVN-4180	4" 180	\$15.95
Item #SVN-4CRR	4" Ceramic	\$19.95
2.75" (70mm) Stones		
Item #SVN-2GRN	2.75" Green	\$11.95
Item #SVN-2180	2.75" 180	\$11.95
Item #SVN-2CRR	2.75" Ceramic	\$14.95

Stone Sets

Item #SVN-4SET 4" Set \$34.95 • set of 2-4"stones: 180/ceramic & a tuning stick

Item #SVN-2SET 2" Set \$26.95 • set of 2-2.75" stones: 180/ceramic & a tuning stick

POCKET STONE Use this fine



Item #SPK-200102

GUMMI STONE

This rubber abrasive block is for polishing steel edges after filing or bevelling. It's softer than



hard stones, so it doesn't dull edges if you don't hold it perfectly flush against side or base bevel surfaces while polishing...plus it's handy for removing rust from edges, too. It measures $3'' \ge 1 \ge 5/8''$.

Item #KLG-SF

\$4.95

DMT DIAMOND STONES



These metal and plastic laminate 'stones' have industrialgrade diamonds bonded to the top. The extra coarse model (220 grit) is best for repairing rock damage on steel edges (where it's been hardened by impact and looks glazed and/or very ragged), and for re-sharpening carbide tips on ski and skating poles. Use the coarse model (325 grit) to initially debur steel edges after filing or bevelling, and the fine model (600 grit) for finer deburring and edge polishing. The extra fine stone (1200 grit) is used for ultra-smooth edge polishing. Diamond stones last a long time if kept clean, are used with light pressure, as well as with water or cutting solution.

Pocker Stones- 2.75'	' length (70mm)		
Item #DMT-W7X	x-coarse-220 grit	\$9.95	
Item #DMT-W7C	coarse-325 grit	\$9.95	
Item #DMT-W7F	fine-600 grit	\$9.95	
Item #DMT-W7E	x-fine-1200 grit	\$9.95	
Item #DMT-WS7K		\$25.95	
• set of 3 pocket stones: x-coarse/coarse/fine			
Workshop Stoppe 1.25" length (100mm)			

Workshop Stones-	4.25 length (100mr	n)
Item #DMT-A4X	x-coarse-220 grit	\$19.95
Item #DMT-A4C	coarse-325 grit	\$19.95
Item #DMT-A4F	fine-600 grit	\$19.95
Item #DMT-A4E	x-fine-1200 grit	\$19.95
Item #DMT-A4SE	Т	\$79.95
• set of 4 workshop	p stones: x-fine/fine/co	arse/x-coarse

• comes in nylon roll-up pack

MOONFLEX DIAMOND STONES

Moonflex stones boast a higher concentration of diamonds on their faces for greater durability, plus feature a unique spiral pattern designed to create a smoother and more polished

finish when deburring/polishing steel edges. They are available in similar grits and in the same sizes as the DMT stones above.

Pocker Stones- 2.75" length (70mm)		
Item #SPK-MFM1	coarse-100 grit	\$19.95
Item #SPK-MFM2	medium-200 grit	\$19.95
Item #SPK-MFM4	fine-400 grit	\$19.95
Item #SPK-MFM6	x-fine-600 grit	\$19.95
Workshop Stones- 4.25" length (100mm)		
workshop otones +.	25 lengui (100iii	<i>)</i>
Item #SPK-MF100	coarse-100 grit	\$29.95
-	e (· ·
Item #SPK-MF100	coarse-100 grit	\$29.95





CERAMIC FINE POLISHING STONES

These fused alumina ceramic stones polish side and base steel edge surfaces. This reduces edge drag and resists rusting as well. We offer a fine 600-grit stone, an ultrafine 1200-grit stone,



and a combo stone with both grits... one on each side. They measure 5" x 1". Each includes a leather pouch.

Item #SPO-303M	600 grit stone	\$23.95
Item #SPO-303F	1200 grit stone	\$23.95
Item #SPO-303C	combo stone	\$36.95

ARKANSAS POLISHING STONES

We offer two premium Arkansas stones for the finest, most precise edge honing and finishing results. These stones are cut by circular diamond saws from



Novaculite blocks, a naturally-occurring 99.9% pure silica sedimentary rock with a unique crystal structure that cuts, hones and polishes steel extremely well. The fine Arkansas Hard stone is great for the edge finishing needs of most skiers and snowboarders...including recreational riders, master and junior racers. The ultrafine Translucent stone is a favorite of many World Cup techs for creating a near mirror-like finish (it's used in the medical field to sharpen scalpels). Both stones come in a sturdy leather pouch, and measure 3" x 1" x 1/4" so they can be used in conjunction with most base and side edge bevel guides to precisely maintain your desired bevel angles.

Item #DWH-HARD • Arkansas Hard Stone 800-1000 grit

Item #DWH-TRANS \$16.95

• Arkansas Translucent Stone 1200+ grit

CERAMIC EDGE FINISHER

A compact and robust edge finishing tool that hones edges quickly and effectively. Similar to a knife sharpener, two round ceramic



\$8.95

pins sit in the tool to form an angle, as the tool slides along the edge the ceramic pins form the edge. A turn of the dial adjusts the angle of the pins from 90 to 85 degrees in one degree increments.


Item #MTK-3514 edge finisher \$109.95 \$19.95 Item #MTK-3515 spare ceramics

To get more technical info, or to place an order. visit us on the web. www.tognar.com

DEBURRING **& POLISHING** TOOLS

ALUMINUM OXIDE STONES

Aluminum oxide stones are made of bonded bauxite, which is slightly less abrasive than diamond stones.



This makes them ideal for deburring and polishing base edges, since removing too much steel can unintentionally create excess base edge bevel...a very undesirable condition. We offer four stones...a coarse 220 grit for repairing rock damage, and increasingly finer 320, 400 and 600 grits for edge deburring and polishing. The stones measure 4" x 3/4" x 3/8", so they can be used in most base bevel guides to maintain precise bevel angles. For world class finishing, use a fine ceramic, arkansas or translucent hard stone to 'hone' (final polish) edges after using these stones. We also offer all four aluminum oxide stones in a set that comes in a protective cordura roll-up pouch.

Item #SPK-STONE2	220 grit	\$19.95
Item #SPK-STONE3	320 grit	\$19.95
Item #SPK-STONE4	400 grit	\$19.95
Item #SPK-STONE6	600 grit	\$19.95
Item #SPK-STONEX	set of 4	\$69.95

SKIVISIONS TUNING STICK

The SkiVisions Tuning Stick helps you determine if your edges are sharp. Simply hold it at a 45-degree angle to the edge and, using moderate



try to "shave" some stick material away. If the steel edge is sharp at that spot, you will hear and feel noticeable resistance and vibration. If the edge is dull, the stick will not shave, but slide without much sound, resistance or vibration. A cheap but invaluable tuning aid!

Item #SVN-TS

\$5.95

CUTTING FLUID

Apply a squirt of this fluid to ceramic, arkansas or diamond stones to help reduce friction and residue build-up while deburring and polishing steel edges. A little goes a long way! 2oz spray bottle.



BASE & EDGE MAGNIFIER

This 5 power magnifier is ideal for base and edge inspections, and doubles as a good hand lens for examining snow crystals too.





\$9.95

Item #KOB-527





SWING WEIGHT

Pick up a ski and grab it with both hands at midpoint. Swing the tip and tail side-to-side several times. Feel how much effort this takes? That's the swing weight of the ski. Longer skis usually have a heavier swing weight than shorter skis. This gives them more stability at higher speed and helps dampen vibrations.

CONVEX

The opposite of a concave base. In this case the base protrudes further into the snow than the edges. It makes for a ski or snowboard that turns easily but is difficult to edge. It can be detected with the aid of a true bar, and can be corrected by sanding, stonegrinding or with a base flattener tool. Convex bases are a genuine thrill at high speed... they give new meaning to the phrase

"a pig on ice".

CONCAVE

A condition where the base edges protrude further into the snow than the base material (think of the base as a "cave"). This condition feels similar to railed or burred edges when skiing or snowboarding. It can be detected with the aid of a true bar, and can be removed by filing, stone grinding or with a base flattener tool. Concave bases are exciting to ski or board because you're never quite sure just what

direction they'll take you next!



Convex

FLATTENING CONCAVE BASES

In the past, skis were pretty easy to flatten with a stonegrinder, belt sander, or base flattener tool. But wider powder skis, shaped skis and snowboards have been more difficult...and, in some cases, nearly impossible. Constructing these makes it tougher for manufacturers to prevent some warpage from creeping in during the curing process. The result is usually slightly concave tips and tails. If this curvature is slight, it can be removed with a file and base flattening tools...but if more pronounced, it can be difficult to completely remove without also removing unacceptably large amounts of p-tex or steel edge material in the process. In this event, work to get the bases flat from each edge in toward the center of the ski or board at least 3/8", leaving a smaller concave area in the center. This will save base and edge material, and still provide good performance.

DON'T LET A GOOD TOOL

GO BAD! A clean tool is a happy tool. Here's some care and feeding tips...

Ceramic Stones- scrub gently with a brass Supertooth brush (on p.28), using Comet or Ajax cleanser with water, or vinegar and water to cut away grime.

Diamond Stones- scrub gently with a nylon Supertooth brush (on p.25), along with a little wax remover or Ronson lighter fluid.

Steel files- clean frequently with a file brush (on p.25), and rub a little chalk into file teeth occasionally.

Plastic Scrapers- wipe away wax build-up frequently using a steel scraper, ski edge, etc. Resharpen with a pansar file, sanding screen or sharpening tool (p. 33).

Steel Scrapers- keep sharp using a flat file and burnisher (p. 11).

Aluminum Oxide & Hard Stones- gently lap face of stone with a coarse (black) diamond stone...but do not use too much pressure or you'll greatly accelerate wear on the diamond stone..

Base Repair Irons & Pistol- keep tips clean by wiping on an old scotchbrite pad while still warm.

Riller Bars/Structure Tools- clean out teeth and ridges on structure bars/blades with a brass brush (on p.25).

Wax Irons- wipe off wax and any dirt from the bottom of warm iron (not hot) with a soft, clean rag or old t-shirt (preferably not on someone's back at the moment).

Wax Brushes- Pour some base cleaning solvent in an old bread pan, set your brush bristles down in it and let stand for 15 minutes, then rinse clean with warm water.

Scotchbrite, Fibertex, Omni-Prep Pads-Rinse pads under hot water (180°F) to melt away wax.

DON'T BURN BASES!

Hot irons should never come in contact with dry or unwaxed base material or you can seriously burn and damage it. To avoid this, drip or rub on enough wax before ironing.





CITRIC-NAPTHA BASE CLEANER

Our citric-naptha blend solvent is a safer alternative to the toxicity of traditional wax removers. It cleans efficiently and dries very quickly (naptha is added to increase drying speed). Apply sparingly to fiberlene, base-tex paper or a lint-free cleaning rag to wipe dirt or



wax off any ski or snowboard base. Use with adequate ventilation. Ground shipping only to continental USA.

Item #TEC-JG16 16oz

Item #TEC-JG128 1 gallon

CITRIC BASE CLEANER

Our citric solvent is 100% petrol free, a safer alternative to the toxicity of traditional wax removers. It cleans bases just as well as our citric-naptha blend but evaporates a bit slower. So if you're not in a rush and like the idea of adding



\$9.95

\$39.95 ●8#

a "green" product to your shop, this might be the ticket. Use sparingly on lint-free cloth and always with adequate ventilation. Ground shipping only to continental USA.

Item #TEC-BIO16	16oz	\$9.95	
Item #TEC-BIO128	1 gallon	\$39.95	●8#

PETROL BASE CLEANER

Although we usually prefer citric-based wax remover for health and safety reasons, we also offer this extra heavy-duty petroleum-based solvent. We recommend applying it sparingly to fiberlene, base tex paper or a lintfree rag to wipe unwanted grime or



\$19.95

wax off ski orsnowboard bases. Please use with very good ventilation, and not around open flames. 16 oz. can. Ground shipping only to continental USA.

Item #SWX-I64

SWIX FLUORO WAX REMOVER

Special cleaner for fluoro waxes deep within bases. Fluoro waxes are resistant to solving with standard citric or petroleum-based cleaners and tend to stay in the base. Removal of old fluoro components in a base allows for better absorbtion of subsequent wax layers. Apply cleaner with a lint-free cloth, brush with a white nylon brush while wet, wipe clean and allow to dry for 5-30min. Finally brush with a steel or brass brush and


begin re-waxing with base prep wax. 150ml.

Item #SWX-I84

\$19.95

WAX TOOLS

FIBERFREE PAPER





absorbent, and lint-free. Use it with wax remover to clean dirty bases, sidewalls and topsheets... as well as positioned between your iron and ptex base when hot waxing to pick up unwanted dirt from your iron, base material or wax bar for faster glide. We offer a variety of brands in different size rolls.

Item #TOK-9849	\$9.95
• Toko Base Tex 6" x 33 yards	
Item #SWX-T151	\$7.95
• Swix Fiberlene 5" x 28 yards	
Item #SWX-T150	\$13.95
• Swix Fiberlene 9" x 55 yards	

FIBERLENE WAXING PAPER

Use a sheet of this lint-free absorbent paper between your iron and the ski or snowboard base during your last tip-to-tail pass when hot-waxing, especially when applying very ha (cold temp) wayes. It helps protect



especially when applying very hard (cold temp) waxes. It helps protect the base from overheating when applying cold waxes, and absorbs the excess wax leaving a thin and uniform wax layer that requires less scraping afterwards. Sold in a pack of 100, measure 5" x 9".

Item #SWX-T153

\$13.95

WORKSHOP PAPER TOWELS

These hefty, fiber-free paper towels are ideal for cleaning off old wax and dirt when using wax remover, polishing ski and snowboard top sheets, absorbing excess wax (when placed between your iron



and the base on a final hot-wax pass), and other uses in the workshop, coffee spills come to mind. They're sold in packs of 56 folded sheets, and each sheet measures $12 \frac{1}{2}$ '' x 14''.

Item #TOG-KREW

\$12.95 pack

TIPS & TRICKS WINNER!

This year's winner of \$300 credit at Tognar is John Ellis, who sent in detailed plans for the construction of a DIY bench-mounted scraper sharpener. The project requires a couple pieces

on 2x1, some screws and washers, a Panzar file or sharpening screen, and about 30 minutes of your time. We have one at here Tognar and find it to be pretty darn useful. Please visit tognar.com to view or download the complete instructions and materials list in a PDF.





CHUGGER WAX IRON

This is a great choice for home tuners and will neatly fit nearly any waxbox budget. It features a hefty 3/8"-thick aluminum base that measures 4" x 5"...so it's large enough to span most ski bases in one pass, or snowboard bases in 2 side-by-side passes. It has an

adjustable thermostat, warms up to optimal operating temperature in 5 minutes, and features a heating element that fluctuates only $+/-5^{\circ}$ C. 110 volt, 850 watts.

Item #APG-MS256

\$39.95

TOKO T8 WAX IRON

Toko's standard wax iron is both compact and rugged. ideal for home, pro workshop use, or traveling. It holds steady temperatures, and is

adjustable from 212° to 320°F (100 to 160°C). It features a stout 1/2" thick aluminum base plate measuring 4" x 6". Available in 110 volts or 230 volts. 800W.

Item #TOK-T8	110V	\$53.95
Item #TOK-T8EU	230V	\$53.95

TOKO T14 DIGITAL WAX IRON

Toko's most powerful and professional waxing iron features a built-in microprocessor to precisely control temperature fluctuations, and heats up quickly to deliver a

working temperature range of 212° to 320°F (100° to 160°C). It also features a digital read-out to continually display the current operating temperature. The compact



ergonomic chassis has a pressure-cast aluminum base with diagonal grooves to help distribute wax evenly across the base. The base plate is a 1/2" thick and measures 4" x 6". Offered in a 110 volt or 230 volt model both with a whoping 1200 watts. Includes a padded nylon carrying case.

Item #TOK-T14	110V	\$123.95
Item #TOK-T14EU	230V	\$123.95

WHAT'S YOUR VOLTAGE VICTOR

We offer many of our waxing irons in two voltages, 110 volts and 230 volts. North America operates on 110 volts, most other continents operate on 230 volts. The 120 volt irons have a two-flat-prong plug, the 230 volt irons have a two-round-prong plug. If you live in a 230 volt country with outlets that won't accept the tworound-plug, you can always use a plug adaptor.

TANK WAX IRON 230V

A compact and capable waxing iron that won't break the bank. Features a 14mm thick base that measures 140mm x 90mm. The base is hourglass shaped with beveled edges for better wax spreading. Tem-



perature is set with a ratcheting dial from below 100° to 150°C. Cord length is 180cm and has two round prongs. \$49.95 230 volts 800 watts.

Item #SPK-100290 230V iron



SWIX T73 PERFORMANCE WAX IRON

This workhorse wax iron features a 8mm thick aluminum base plate to provide long lasting and consistent heat $(\pm 3^{\circ}C.$ fluctuation). The sleek design fits nicely in the hand



Operating temperature range is 203° to 338°F (95 to 170°C) Cord length is a generous 6 1/2'. The base plate measures 4 1/4" x 5 3/4". 110 volt, 500 watts

\$129.95

SWIX T74 SPORT WAX IRON

Item #SWX-T7311

Through the years, thousands of bases have been waxed with this venerable iron. Simple to use and reliable it is an excellent choice for the home

tuner. Features a dial to adjust temperature, and a control light to indicate proper temperature. Includes a removable clip for attaching Fiberlene paper when using the "fast clean iron . method" See page 24. Available in 110 volts or 230 volts, 400 watts.

Item #SWX-T7411	110 volt	\$79.95
Item #SWX-T7422	230 volt	\$79.95

SWIX ALPINE WORLD CUP **T71A DIGITAL WAX IRON**

Swix's top of the line digital waxing iron features a built-in micro processor that constantly displays the iron temperature in either Celsius or Fahrenheit. Temperature is regulated at 1°C deviation. The fully adjustable thermostat also features cor-

rect temperature settings for all Cera Nova waxes. An advanced ceramic element and 25mm-thick steel plate help hold heat and keep temperature fluctuations to a minimum. Half the base is dimpled to help spread wax evenly. Temperature range 176° to 356°F (80 to 180°C). 110 volts, 1000 watts. Includes carrying case.

Item #SWX-T7111 T71A





PROTECTIVE IRON BASE COVER

Here's a simple and effective way to help keep your quality wax iron working like new. These nylon and foam-padded adjustable covers are




designed to slip over the base plate of any of our wax irons, thereby protecting them from scratches and dings during transport or storage. This subsequently helps save your ski or snowboard bases from scratches when hot-waxing.

Item #SWX-R384

\$19.95

WAX IRON HOLDER

This steel holder serves as a safe and clean 'perch' for your wax iron (whether hot or not), and easily clamps to workbenches up to 1" thick. It helps keep dirt and grime out of your wax jobs, and works well with our Swix and Toko wax irons.



Item #SWX-T73

WAX IRON TEMPERATURE PLATFORM

A wax iron that's too hot can cause at least three problems. First, excess heat can oxidize p-tex

base material, literally sealing the surface so it's unable to absorb all the wax it should. Second, it causes a certain amount of base structure to be lost due to heat deformation of the p-tex. Third, too much heat creates not only more wax smoke, but... especially in the case of fluorocarbon waxes... potentially dangerous fumes as well. It's recommended to use the lowest temperature setting possible to hot wax with your iron. Monitor the temperatures you need for different waxes (warmer for hard waxes, cooler for soft waxes) with this precision-milled, fully-anodized aluminum platform. It incorporates a digital read-out thermometer to measure your iron temperature to 1/10th° (which can be removed from the platform and used alone for measuring snow temperature), and also provides a safe place to rest your iron when hot.

Item #SVT-WIP

\$119.95

COVERITE IRON THERMOMETER

Have you ever wondered what temperature your wax iron is operating at? Here's a simple dial thermometer that can tell you. Simply hold the coiled bi-metal element against the base plate of your iron, then read the scale... it measures from 0°-500°F (0°-250°C).

Item #GPM-2410

\$9.95

DIAL STEM THERMOMETER

An accurate 5" stem thermometer to determine temperature gradient in a snowpack and/or proper ski wax.



The 1" diameter dial measures from -40° to 160°F or -40° to 70°C. Includes plastic sheath with secure pocket clip and stem clasp.

·····	F F F F F F F F F F F F F F F F F F F	
Item #VGS-81160	Fahrenheit scale	\$9.95
Item #VGS-81070	Celsius scale	\$9.95

PRO-TEC RESPIRATOR

Protect your lungs from wax smoke, wax remover fume	
repair material smoke, etc. This respirator uses two filters to screen out vapors, dust, and smoke. It features a non- allergenic PVC face seal to fit most faces.	
Item #PTR-M765 • Respirator w/filters	\$39.95
Item #PTR-F785	\$29.95 pr

Replacement filters

WAX BOXES

Transport and store valuable waxes, scrapers, and corks safely, securely and conveniently in these wax boxes. Constructed of heavy-duty plastic, with a sturdy, lockable steel clasp (includes two



keys) and multiple removable and rearrangable drawers. Various sizes, drawer configurations and colors. Please check website for current dimensions www.tognar.com

Item #SWX-P57	Swix Wax Box	\$119.95
Item #TOK-HANDY	Toko Wax Box	\$89.95
Item #SPK-100930	SPK Wax Box	\$89.95

PLEXIGLASS SCRAPERS These scrapers are precision cut and all four edges are planed smooth, square and straight to efficiently scrape excess wax from ski and snowboard bases. They can be resharpened with a file, sharpening screen or tool. The ski scraper measures 2 3/8" x 6" and is 5mm thick. The snowboard scraper measures 2 3/8" x 12" and is 4mm thick...it's also good for ultra wide powder skis, jumping skis and monoskis. Both scrapers sport our fancy Tognar logo.

Item #APG-SKI	Ski scraper	\$5.95
Item #APG-SNBS	Snowboard scraper	\$9.95



To get the best prices, io see une vest prives, or more technical info, or to place an order, go to www.tognar.com

ELECTRIC SCRAPER SHARPENER

A dull scraper can make the simple task of removing wax arduous, especially with today's wider boards. We offer manual scraper sharpeners that work well, but if you are looking for



a dead simple and efficient way to keep an edge on your scraper, or if you have a family or team worth of skis to scrape, this is the tool to have. We have one on the bench here at Tognar and love it! Simply slide the scraper through the slot and a sharp cylindrical cutting blade (spun by a high speed electric motor) imparts a super-smooth, super-sharp edge in seconds! The tool measures 6"x3.5"x2.5" making it compact enough to take on the road. Accepts all Plexiglass scrapers up to 7.6mm in thickness. Made from recycled plastic. Machined and assembled in the USA. The unit itself will operate on any voltage from 110 to 240. Simply indicate the cord-type for your neck of the woods and it will ship with the unit. We offer the various cords for purchase seperately as well. If you plan on traveling, simply choose the cord for your destination, plug it in, and you're ready to go. NOT FOR METAL SCRAPERS!

Item #MAN-SSSH	Scraper Sharpener	\$169.95
Item #MAN-CDUS	North America cord	\$9.95
Item #MAN-CDEU	Europe cord	\$9.95
Item #MAN-CDAU	Australia cord	\$9.95

SCRAPER SHARPENER

Run this tool along plastic wax scrapers to maintain a crisp clean edge. It features 4 different width slots (3, 4, 5 & 6 mm wide), and has a durable ceramic cutting insert that cuts away old wax and plastic scraper material.



\$29.95

Using this tool continually, however, can lead to concave scraper edges...so occasionally flatten and sharpen them using our scraper sharpening screen (see below).

Item #TOK-1910

TOKO WORLD CUP SCRAPER SHARPENER Sets on a bench

top to quickly and effectively sharpen any plastic scraper



from 3 to 6mm in thickness. The tool accurately guides the scraper along a replaceable 100mm file, imparting crisp, clean edges to dull and ratty scrapers.

Item #TOK-WCSS

\$49.95 ea

TOKO MULTI-EDGE SCRAPER

This handy plastic scraper has round and square groove scrapers and multiple flat edges for removing wax from hard to reach areas. It even sports a dedicated edge for smoothing Klister.

Item #TOK-3817

\$5.95

WAX WHIZARD

This tool lets you safely and effectively apply wax without hot waxing. Simply rub on your favorite wax like a crayon, then use this



4" x 1.5" diameter tube with its high-friction fabric cover, and rub the base. Unlike a cork that tends to melt wax on the surface, this tool creates greater pressure and heat to drive wax deeper into bases for greater durability and performance. Covers can be cleaned by soaking in hot water. Includes one cover. Replacement fabric covers are also available, handy when using diferent waxes that you might want to keep from mixing.

Item #YUS-WWWax Whizard\$19.95Item #YUS-RCReplacement cover\$2.95 ea

WAX CORKS

Use a cork to rub in wax... just tip it up on an edge and rub-a-dub to create heat that melts wax into the base. Use the natural cork for



hydrocarbon waxes, and the synthetic foam cork for fluorocarbon waxes, klister and powders like Cera F, Jetstream, Q, etc. The regular cork measures 3.5" x 1.5" x 2.5". The synthetic cork measures 2.75" x 1.25" x 2".

Item #APG-CK125Natural cork\$5.95Item #SWX-T12Synthetic cork\$6.95

FLUORO POLISHING BLOCKS

This felt pad is used to apply 100% fluoro powders such as Cera F, Jetstream or Q, as well as buff and polish them to a



fine finish on p-tex bases after corking them in. The felt pad is attached to a nicely finished hardwood block and is easily replacable.

Item #SVT-HWF	Polishing Block	\$11.95
Item #SVT-RFP	Repl. Felt Pad	\$6.95

WAX BUFFING PAD

These white nylon pads are used for buffing in a rub-on wax or removing old wax. 6"x 9" sheet.



Item #SPK-NPW \$1.95 ea



COMBO BRUSH

This combination of nylon and brass bristles is a good starter brush. Use the brass side to clean out bases prior to

waxing and the nylon to remove any excess wax from the base structure after scraping. 3" x 4.75" Due to the increase in Alpine ski width, this brush is best reserved for use on Nordic skis.

Item #APG-715

\$14.95

NYLON BRUSH

This is a good brush for removing softer wax from medium or coarse base structures. The thicker nylon bristles impart a smooth surface. 3" x 4.75"

Item #APG-713W

\$14.95

HORSEHAIR BRUSH

Use this brush for a final polish on your wax job (following a brass or nylon) or for polishing 100% fluorocarbon waxes after

ironing or corking them into a base. One brush should be reserved for using only with 100% fluorocarbons...as the bristles retain excess wax or powder and can be used at the race start for giving bases their final brushing. 3" x 4.75"

Item #APG-711

BRASS BRUSH

The brass bristles on these brushes remove hard wax from fine or medium base structures. They also remove debris and old wax from the base structure prior to waxing. 3" x 4.75"

Item #APG-712

\$14.95

\$14 95

RADIAL BRUSHES These unique professional brushes feature a rounded

bristle profile which enables them to "roll" more naturally through the brushing motion. This loads and unloads bristles for a more focused and powerful brush-stroke. Hardwood handles measure 3 1/2" X 6". Item #SVT-RDNS Nylon \$38.95

• To remove soft wax from coarse or medium structures.

Item #SVT-RDBB Bronze \$44.95 • To clean old wax from bases before waxing, and to remove hard wax from finer structures. Item #SVT-RDHH Horsehair 18mm \$38.95

Item #SVT-RDHH Horsehair 18mm \$38.95 • For final buffing and polishing of all waxes (especially fluoro waxes).

SWIX PASTE WAX COMBI BRUSH

This handy brush is designed for more effective application of paste waxes such as the Swix F4, One



Ball Jay Viper, Purl Speed paste or Dominator Momentium. Simply use the felt side to spread and buff the wax into the base, allow the wax to dry for a few minutes then use the blue nylon side to remove excess wax from the structure. This process greatly increases the durability of any paste wax. 2.25" x 3.25"

Item #SWX-T166

\$15.95

\$14.95

NYLON POLISHING BRUSH

This brush has fine nylon bristles and is commonly seen at race starts. Use it as a final polishing brush for any 100% fluoro waxes. 3" x 4.75"

Item #APG-713B

STEEL POLISHING BRUSH

This durable brush features soft fine steel bristles to remove excess wax (any hardness or temperature range) from any structure (fine, medium or coarse) after



hot-waxing and scraping. It can also be used as a polishing brush for hard waxes. Although initially more expensive than brass or copper brushes, the steel bristles stay sharper, last longer and better resist deforming. 3" x 4.75"

Item #APG-716Y

\$19.95


PRO RACING BRUSHES

These larger industrial-grade brushes have long been the choice of race team and World Cup technicians who want big, strong, and fast-working brushes. They have larger oval wood handles with hand strap greater brushing power and better grip.	os for
Item #APG-BO722 Brass • To clean old wax from base before waxing and to remove new hard wax from fine stru-	
Item #APG-BO723W NylonTo remove new soft wax from coarse or medium structures.	\$24.95
Item #APG-BO721 Horsehair • For final polishing of all waxes.	\$24.95
Item #APG-BO723B Fine nylon • For final polishing of 100% fluoro overlays	\$24.95 s.



RED CREEK ROTOBRUSHES

Rotobrushes save time and are very versatile...they can be used to remove wax,



uncover base structure, cut away p-tex microhairs and polish bases. To operate, slip the desired brush or attachment onto a control handle, clamp the handle into any electric drill, and brush awav.

Control Handles

Item #TOK-2547

• Standard handle (accommodates one 10cm brush) with protective plexi shield

Item #TOK-2584

\$69.95 • Snowboard handle (accommodates one 30cm brush or three 10cm brushes side-by-side) without plexi shield

IOcm Ski Brushes



Item #TOK-2523 \$69.95 • 10mm brass bristles. Use to remove old wax and clean base structure before waxing. It can also be used after hot-waxing and scraping to remove very hard excess wax (very cold snow conditions) from base structure. Use back and forth at medium pace with light pressure at 800rpm, followed by 2 tip-to-tail finishing strokes.

Item #TOK-2531

\$49 95

\$59.95

• 6mm x .25mm horsehair bristles. Use to remove excess harder waxes (colder snow conditions) from base structure. Also good for polishing, as well to slip a roto omniprep pad over (see below). Use back and forth at medium pace with medium pressure at 2500rpm, followed by two tip-to-tail finishing strokes.

Item #TOK-2529

\$49.95

• 10mm x .2mm black nylon bristles. Use to remove excess softer waxes (warmer snow conditions) from base structure. Also good for polishing. Use back and forth at medium pace with light pressure at 2500rpm, followed by two tip-to-tail finishing strokes.

Item #JNX-OPFR

\$24.95 • Omni-prep pad to remove fine (microscopic) p-tex hairs. Use with light pressure and low (800) r.p.m.'s. Fits over 6mm brush (#TOK-2531) above.

Item #TOK-2533

\$39.95

- Rotocork. Use to cork-in 100% fluoro and soft hydrocarbon waxes (instead of ironing).
- Use with very light pressure and low (800) rpm's.

30cm Snowboard Brush

- Item #TOK-2549 • 4mm X .12mm medium gray nylon bristles. Use after
- scraping to remove excess wax from any base structure.

Item #SPK-500313

\$89.95

\$89.95

\$89.95

• 10mm x .2mm black nylon bristles. Use to remove excess softer (warm snow) waxes from coarser base structures. Also good for polishing.

Item #SPK-500316

• 6mm x .25mm horsehair bristles. Use to remove excess harder (cold snow) waxes from finer base structures. Also good for final polishing.

SWIX ROTOBRUSHES

Swix offers a broad range of quality rotobrushes. The quick release control handle allows brush changes without removing the control shaft from the electric drill each time...a clever time-saver. We recommend wearing protective eyewear whenever rotobrushing. All brushes and control handle are 10cm long.

Item #SWX-T14

\$89.95 • Control shaft and shield with quick release handle

Item #SWX-T17B

\$39.95

\$39.95

\$39.95

• 5mm X .2mm black nylon bristles. Use after hotwaxing and scraping to remove excess harder waxes (colder snow conditions) from fine to medium base structures. Use back & forth with light pressure at 2500rpm, followed by two tip-to-tail finishing strokes

Item #SWX-T17W

• 5mm X .3mm blue nylon bristles. Use after hotwaxing and scraping to remove excess softer waxes (warmer snow conditions) from medium to coarse base structures. Use back and forth with light pressure at 2500rpm, followed by two tip-to-tail finishing strokes.

Item #SWX-T16

• 5mm X .25mm horsehair bristles. Use for final polishing of any waxes. Also use for polishing after applying 100% fluoro overlays (Cera F, Jetstream, Q, etc.). Use back and forth with light pressure at 2500rpm, followed by two tipto-tail finishing strokes.

Item #SWX-T18

\$39.95 • Rotocork. Use to warm Cera F and other 100% fluoro overlays, with very light pressure at 1000rpm.

ROTOBRUSH TIPS

How can you determine the speed (in rpm's) of your drill when rotobrushing? A rough guideline to remember is that most cordless drills don't go above 1200rpm, whereas regular electric drills can reach 2500rpm. Use the sound of the drill (compared to how it sounds running full speed) to estimate your speed. If you use a rotocork (or hand cork) to rub in fluoro waxes, try to use separate corks for cold and warm waxes. Any cork gets better as wax gets embedded into it over time. For best results, operate a rotocork at 1000rpm or less. Rotocorks work best for melting in warmer (softer) waxes To install a roto omniprep pad over a 6mm or smaller brush, just wrap a regular piece of paper around the brush before sliding on the omniprep pad...then gently pull it out when the pad is in place. To remove, pull the omniprep pad off gently and evenly around the brush to avoid ripping it. Done properly, the pad and brush will suffer no wear during installation or removal. For more tips, **www.tognar.com**





DOMINATOR WAX

DOMINATOR WAX

Dominator is an American-made line of fluorinated performance waxes recognized for their low friction coefficients and high degree of water repellency. They have a handy "virtual technician" online at www. dominatorwax.com to help you choose which wax to use.

DOMINATOR UNIVERSAL ZOOM WAXES

Unlike traditional universal waxes, these "smart" waxes provide good glide in warmer temperatures, but also harden at colder temperatures to better reduce the increased drag and abrasion of cold sharp snow



crystals. This versatility is ideal if you encounter a wide range of temperatures and conditions during the day. It's available in three versions. Zoom hydrocarbon and graphite wax is ideal for recreational riding, instructors and patrollers, and comes in an economical 400gm bar. Hyper-Zoom is a lo-fluoro wax suited for race training or higher speed recreational cruising. RaceZoom is a mid-fluoro wax that'll pick up your pace on days when you want the fastest race or freeriding results. Although any of these waxes can be used alone, for best results we recommend applying HyperZoom or RaceZoom over a layer of hydrocarbon wax (such as Zoom).

× × ×		
Item #DOM-Z100 •Hydrocarbon Zoom	100g	\$18.95
Item #DOM-Z400 • Hydrocarbon Zoom	400g	\$41.95
Item #DOM-Z100G • Hydrocarbon Graphite Zoo	100g m	\$18.95
Item #DOM-Z400G • Hydrocarbon Graphite Zoo	400g m	\$41.95
Item #DOM-HZ40 Item #DOM-HZ100 • Lo-fluoro HyperZoom	40g 100g	\$21.95 \$41.95
Item #DOM-RZ40OS Item #DOM-RZ100OS • Mid-fluoro RaceZoom (old	40g 100g snow)	\$39.95 \$77.95
Item #DOM-RZ40NS Item #DOM-RZ100NS • Mid-fluoro RaceZoom (new	40g 100g v snow)	\$39.95 \$77.95

WATCH THOSE FINGERS

When your bar of wax is getting short and you don't want to burn your fingers or throw away the last bit of wax, just attach the molten end to your next bar of wax. No waste, no burned fingers. This tip works to lengthen short pieces of p-tex drip candles as well. –Don Yep, Alberta, Canada

DOMINATOR ZOOM RENEW WAX

Unlike most traditional base prep waxes these are formulated to deeply penetrate ski or snowboard bases, yet allow a very hard layer of wax to remain on the surface...this helps better protect bases, reduce dirt absorption and prevent subsequent



glide waxes from mixing with the prep wax. Use this as a storage, travel, new base prep or poststonegrind. Sold in 100 or 400-gram bars in three formulas, regular, with graphite additive and the new Race Renew with SRB added to it for increased antistatic qualities when used on older snow, Race Renew is sold only in 100g.

Item #DOM-RN100	Regular 100gm	\$18.95
Item #DOM-RN400	Regular 400gm	\$41.95
Item #DOM-RN100G	Graphite 100gm	\$18.95
Item #DOM-RN400G	Graphite 400gm	\$41.95
Item #DOM-RR100 R	aceRenew 100gm	\$37.95

DOMINATOR HYDROCARBON WAXES

Highly refined hydrocarbon waxes for everyday use, base cleaning and travel waxing. Available in 100g or 400g packs in three temperature ranges. Simple, effective and affordable.

Item #DOM-HX77 Item #DOM-HX77L • -4 to 20°F (-20 to -7	100gm 400gm °C)	\$18.95 \$41.95
Item #DOM-HX88 Item #DOM-HX88L • 16 to 32°F (-9 to 0°C		\$18.95 \$41.95
Item #DOM-HX99 Item #DOM-HX99L • 26°F & above (-3°C		\$18.95 \$41.95

DOMINATOR UNIVERSAL BULLET This hydrocarbon wax is designed

to cover the lower range of snow temperatures where it is too cold for the Zoom waxes. Bullet wax works best at snow temperatures of 14F(-10C) and lower, but will work on snow as warm as 22F(-5C) es-



pecially if it is icy. Simply apply on top of Zoom or other base layer as conditions warrant. Sold in a 100-gram container.

Item #DOM-BLLT

\$23.95

WAX CONSUMPTION

As a general rule, it takes 15-20 grams (1/2 oz) of wax to hot wax a pair of alpine skis...less for nordic and more for fat boards or snowboards. If you rub and cork in wax, it only takes about 1/3 this amount or less. Reminder...30gm = 1 oz.

DOMINATOR WAX





DOMINATOR PSYCHO

When the conditions get really cold and the snow turns hard add a bit of Psycho to your wax to increase glide, wax durability and help resist the premature base oxidation. Simply shake a bit of the



powder along the edges or over the entire base after applying your glide wax and iron in. We offer two formulas, old snow or new snow. Sold in 30 gram containers.

Item #DOM-PSYO old snow-30gm \$23.95 • -22 to 5°F (-30 to -15°C)

Item #DOM-PSYN new snow-30gm \$23.95 • -22 to 5°F (-30 to -15°C)

DOMINATOR ROCKET/RACE ROCKET

We offer two versions of this wax.

Rocket - a broad range mid-fluoro, ideal for freeskiing or recreational racing. **Race Rocket** - also a broad



range, mid-fluoro but includes two bars, a gray bar (SRB)for old snow and a black bar (graphite)for new snow. Simply rub the wax onto the base and polish with the included sythetic cork. To extend the life of your Q5 by first applying the black (new snow) Race Rocket, same for Q7, apply the gray (old snow). Rocket sold as 1-20gm bar. Race Rocket

Item #DOM-RKT	1x20gm	\$18.95
Item #DOM-RR	2x20gm	\$37.95

DOMINATOR BUTTER

sold as 2-20gm bars.

This highly fluorinated antistatic soft wax is designed for very wet snow at high air temperatures. After the hot wax has been scraped and brushed, Butter is applied by rubbing (either alone or with Q6) then worked into the base with a cork and brushed out. 40-gram bar.



Item #DOM-BT40

\$41.95

UNIVERSAL WAXES

The most basic and popular formulas are widetemperature range (universal) waxes. These are versatile, inexpensive, reliable and convenient for recreational riders, patrollers, guides, instructors and others who commonly encounter a wide variety of snow/temperature conditions, and simply need such basic wax benefits as easier turning, decent glide and base durability more than top speed. These waxes are readily available in bar, paste or liquid form.

VICTORY OVERLAYS

These top-line fluoro overlays are designed for optimal race speed. They cover a wide temperature range and work well for all snow crystal types.



 \mathbf{Q} - 100% fluorocarbon powder that provides quick acceleration and performs best in wet new or old snow.

 $\mathbf{Q5}$ - fluoro/graphite block that runs great in new snow

Q6 - blend of fluorinated and fluorocarbon compounds in block form, is highly versatile, economical to use and the one to buy if you can only buy one.

Q7 - fluoro/SRB block that excels in old snow. 65FL -100% fluoro spray that performs best as a speed additive in older snow conditions. FLASH - (formerly R6) is a fluoro/hydro/antistatic blended paste (wipe-on) that runs well in its temp. range, great for recreational racers.

Item #DOM-FLASH • -4 to 14°F (-20 to -10 • -5 to 27°F (-15 to -3°)°C) for old snow	\$64.95
Item #DOM-Q • 18 to 32°F (-8 to 0°C • 23 to 32°F (-5 to 0°C	c) for old snow	\$139.95
Item #DOM-Q5 • 5°F (-15°C) & warm	0	\$129.95
Item #DOM-Q6 • 7 to 32°F (-14 to 0°C • 14 to 32°F (-10 to 0°	c) for old snow	\$129.95
Item #DOM-Q7 • 5°F (-15°C) & warm	20gm	\$129.95
Item #DOM-65FL • 5 to 32°F (-15 to 0°C • 18 to 32°F (-8 to 0°C	c) for old snow	\$69.95

DOMINATOR ELECTROGROUND ANTI-STATIC WAXES

These waxes contain Electroground Fluorographite Polymers. Essentially, graphite that has been directly fluorinated and ground to an extremely fine powder. This substance runs extremely well on snow that has transformed (old snow). Sold in 40gm.

		ST	Tank?
2	SF	DRMULA	
	antistatic fluo	wax for old	SNOW
Ľ	dominator v	40g/1	.4 oz

OMINAT

Item #DOM-SRB11C • -4°F to 20°F (-20° to 7°C)	\$65.95
Item #DOM-SRB32C	\$65.95
• 20°F & above (-9°+C)	

OXIDATION

The "drying-out" of a p-tex base that occurs when it is left unprotected by wax and exposed to air. On metal, oxidation appears as rust...on p-tex, it appears as a whitish, dry area. Oxidation reduces wax absorption and gliding performance, and can only be removed by scraping, sanding or grinding the base.

DOMINATOR WAX



HERTEL WAX

DOMINATOR MOMENTIUM PASTE WAX

This selection of fluorinated "no-iron" paste waxes is ideal for the majority of racers and performance riders. It's simply formulated for two different snow types and temperature ranges, but embodies the properties of what would amount to several different



types of waxes in other systems. To apply, spread a thin layer on your base with the included felt pad, wait 10 min, then polish well with a synthetic cork (or nylon stocking) and brush with a finishing brush. For greater durability allow Momentium to harden for half-an-hour or longer (preferably out of the sun), then polish and brush as above. If the conditions change simply add a layer of the appropriate Momentium wax. Sold in 70-gram tubs.

Item #DOM-MO1	\$29.95
• Old snow, 18° & colder (-8° & colder)	
Item #DOM-MO2	\$29.95
• Old snow, 18° & warmer (-8° & warmer)	
Item #DOM-MN1	\$29.95
• New snow, 18° & colder (-8° & colder)	
Item #DOM-MN2	\$29.95
• New snow, 18° & warmer (-8° & warmer))

FRICTION

Although friction that occurs between the ski or snowboard base and snow is generally understood as a single entity, it is more accurately described as a sum of 4 components: 1) Dry friction...where dry snow particles touch the base

2) Wet friction...when a lot of free water is present, adheres to the base and creates suction

3) Static electricity friction...electric charged generated on base and edges through movement on the snow

4) Dirt friction...when hard dirt particles penetrate the base and snow simultaneously, connecting them and creating drag

-Dominator Wax

WAX CONSUMPTION

As a general rule, it takes 15-20 grams (1/2 oz) of wax to hot wax a pair of alpine skis... less for nordic and more for fat boards or snowboards. If you rub and cork in wax, it only takes about 1/2 this amount or less. Reminder...30 gr = 1 oz.

HERTEL WAX

Hertel has been making top-notch wax in the USA since 1972. A deceptively simple line of waxes covering the needs of rank amateurs to the pros. www.hertelskiwax.com

HERTEL SUPER HOT SAUCE

Hertel's Super Hot Sauce is uniquely formulated to work exceptionally well in a broad range of conditions. If you have been searching for one wax to rule them all, this could be



the end of your quest! Solid bars can be ironed or corked in. Available in 5oz (a block of 5-one-ounce bars), 25oz (5-five-ounceblocks of one-ounce bars), one big 3/4lb. block, or a dainty 2oz spray bottle. Made in the USA.

Item #HTL-HOT5	5oz solid	\$12.95
Item #HTL-HOT25	25oz solid	\$34.95
Item #HTL-HOTLB	3/4lb solid	\$20.95
Item #HTL-HOTLQ	2oz liquid	\$9.95

HERTEL RACING FC739

Hertel's Racing Fluorocarbon 739 wax was developed way back in 1986 and has been winning races, at all levels, ever since. The formula



all conditions from icy cold to water ski warm. Racing 739 also utilizes a new wax forumla developed by Hertel (158 Flex) that allows the wax to match the flex of any ski, this keeps wax in the base, where it belongs, and greatly increases wax durability, up to 7-days is the claim. Sold in 5oz (5-one-ounce bars), or one big 3/4lb block. Made in the USA.

Item #HTL-FC05	5oz solid	\$29.95
Item #HTL-FCLB	3/4lb solid	\$56.95

HERTEL SPRING SOLUTION

This fluorinated wax from Hertel is an antidote to the dreaded stop-start condition encountered during springtime. Seems pollen is one of the main culprits of the unexpected over-the-bar



tumbles, this wax addresses the pollen issue and much more! Can be ironed on or corked in. Sold in 5oz (5-one-ounce bars). Made in the USA.

5oz solid

Item #HTL-SS05

\$29.95

HOLMENKOL WAX



HOLMENKOL WAX

Founded in 1922, Holmenkol is a German wax company located in Stuttgart, just down the street from the Porsche factory, they offer waxes ideal for everything from occasional recreational riding to full-on World Cup racing. Their website is www.holmenkol.com.

HOLMENKOL UNIVERSAL WAX

If economy, versatility and simplicity in the second simplicity is the second simplicity is the second simplicity is the second simplicity is your goal, these universal hydrocarbon waxes are a good choice. We offer both a warm and cold recipe in big 1.5kg packs...enough for over 75 wax applications. The warm wax doubles as a good travel, storage, base prep or hot-scrape wax.

Item #HOL-24070	1.5kg	\$69.95
• Cold, -4° to 23° F (-	-20° to -5° C)	
Item #HOL-24060	1.5kg	\$69.95

• Warm, 23°F & above (-5°C & above)

HOLMENKOL HYDRO WAX

These premium hydrocarbon waxes are the foundation of Holmenkol's wax line. They can be used as travel or cleaning waxes, for recreational riding or race training, or as a base layer for any fluorocarbon additive or powder. They work especially well in conjunction with Holmenkol Fluoro Additive GW25 for weekend racers who want maximum fluoro wax flexibility, convenience and economy. Sold as single 150gm bars or a 900g pack (6x150g bars).

.



Item #HOL-241211	150g	\$19.95
Item #HOL-241216	900g	\$98.95
• Ultra, -22° to 5°F (-30	0° to $-14^{\circ}C$)	
• good for manmade an	d abrasive snow	conditions
Item #HOL-241111	150g	\$19.95
Item #HOL-241116	900g	\$98.95
• Beta, 5° to 18°F (-14°	$^{\circ}$ to -8° C)	
Item #HOL-241011	150g	\$19.95
Item #HOL-241016	900g	\$98.95
• Alpha, 18°F & above	$(-8^{\circ}C \& above)$	

WAX CONSUMPTION

As a general rule, it takes 15-20 grams (1/2oz) of wax to hot wax a pair of alpine skis... less for nordic and more for fat boards or snowboards. If you rub and cork in wax, it only takes about 1/2 this amount or less. Reminder...30 gr = 1 oz.

HOLMENKOL **GRAPHITE/MOLY WAX**

Use this wax for dirty wet snow to help repel dirt build-up, as well as for cold dry snow to help reduce static friction. An occasional application also helps replace lost graphite on



black ski or snowboard bases. We recommend rubbing it into your base like a crayon to ensure even graphite distribution over the full base, then dripping your preferred wax of the day over it, and ironing them both in together before scraping and brushing as usual. Sold in a 70g (2x35g) pack or in 150g bars.

Item #HOL-24142	70g	\$44.95
Item #HOL-24143	150g	\$84.95

HOLMENKOL ICE WAX

Avoid base burn...sprinkle this super tough powder wax along your ski or snowboard bases and slightly melt it in with your wax iron before applying your wax of the day over it. It's formulated with abrasion resistant synthetic paraffins to



provide greater base burn protection from ice, manmade snow and coarse snow crystals. Comes in a 25gm shaker can.

Item #HOL-24149

\$39.95

HOLMENKOL **GW25 FLUORO ADDITIVE**

Why didn't someone think of this clever idea before? Mix this fluoro additive with any Holmenkol hydro wax (Alpha, Beta or Ultra) to turn up performance and speed on race day. When mixed 1:1 (GW25:hydro wax) with any



of these hydrocarbon waxes, it transforms them into a high fluoro wax for high-humidity snow conditions. Mixed 1:3 yields a mid-fluoro wax for mid-range humidity conditions, and mixed 1:4 yields a low-fluoro for low-humidity conditions. A simple, flexible and economical way to add fluoro. Sold in 70g (2x35gbars) or 150g bars.

Item #HOL-24140	70g	\$89.95
Item #HOL-24141	150g	\$169.95

HOLMENKOL ALPINE WAX MANUAL

This manual describes the use and application of all the Holmenkol alpine waxes.



Item #HOL-23148 \$4.95





HOLMENKOL WAX

HOLMENKOL HI-FLUORO WAX

These are highly-fluorinated ready-mix race waxes based on Holmenkol's hybrid FX technology. Ideal for highhumidity and wet snow, they provide fast acceleration and glide speed, abrasion



resistance, water and dirt repellency. Use over a hydrocarbon or low-fluoro base wax layer, as well as under 100% fluoro overlays. The higher the cost, the higher the fluoro content. $70g (2 \times 35g \text{ bars})$ or 150g bars

10g (2 x 55g bars) of	150g bars.	
Item #HOL-24190 Item #HOL-24191 • Green -13 to 3°F (-25	70g 150g 5 to -16°C)	\$34.95 \$59.95
Item #HOL-24180 Item #HOL-24181 • Blue 3 to 14°F (-16 to	70g 150g o -10°C)	\$44.95 \$79.95
Item #HOL-24170 Item #HOL-24171 • White 14 to 32°F (-10	70g 150g 0 to 0°C)	\$49.95 \$89.95
Item #HOL-24160 Item #HOL-24161 • Red 19 to 32°F (-7 to	70g 150g 0°C)	\$49.95 \$89.95
Item #HOL-24150 Item #HOL-24151 • Yellow 28 to 32°F	70g 150g (-2 to 0°C)	\$59.95 \$109.95

HOLMENKOL 100% FLUORO SPEEDFINISH

Holmenkol claims Nanospeed to be the world's most advanced wax overlay for maximum acceleration, glide, durability, and dirt repellency. Formulated in conjunction with Holmenkol's parent company, Nanogate Technologies, it claims excellent durability, and works over any base wax. The liquid formulation allows full base coverage, and penetrates down to the bottom of the deepest base structure. The spray applicator contains no toxic or flammable propellant since it's dispersed thru the expansion of an internal pressure bladder charged with regular air. Two temperature ranges are offered in 1.7oz (50ml) spray applicators.

Item #HOL-20446 Cold formula \$174.95 • 5° to 23°F (-15° to -5°C)

Item #HOL-20443 Mid formula \$174.95 • 14° to 28°F (-10° to -2°C)

Item #HOL-20440 Wet formula \$174.95 • 28°F and above (-2°C and above)

GRAMS TO OUNCES

Multiply grams by .035 to get ounces (30 grams x .035 = 1.05 ounces)

HOLMENKOL 100% FLUORO SPEEDBLOCKS

These 100% fluoro race overlays come in block form for fast and easy rub-on application nearly anywhere...including windy race starts. They can be applied without



ironing... simply rub-on, then use elbow grease to melt in using a cork, felt polisher, and brush. Three temperature formulations are offered, each in 15-gram blocks.

Item #HOL-24355 • Cold 5 to 23°F (-15 to -5°C)	\$149.95
Item #HOL-24353 • Mid 14 to 28°F (-10 to -2°C)	\$149.95
Item #HOL-24351 • Wet 23 to 32°F (-5 to 0°C)	\$149.95

HOLMENKOL 100% FLUORO SPEEDPOWDER

These 100% perfluorocarbon powder overlays offer outstanding durability and speed with wide temperature ranges. They work with any snow type, just match the snow temp. iron in, brush out and hold on! Three



temperature formulations are offered, each in a 30-gram shaker.

Item #HOL-24331 • Cold -13 to 18°F (-25 to -8°C)	\$234.95
Item #HOL-24333 • Mid 18 to 32°F (-8 to 0°C)	\$234.95
Item #HOL-24335 • Wet 28 to 32°F (-2 to 0°C)	\$234.95

COLD SNOW = POOR GLIDE

Cold slow is usually dry snow...in fact, somewhere around -20 °F (-30 °C), snow feels more like beach sand and bases are really slow...whether correctly waxed or not. Warmer temperatures usually create more moisture in the snowpack, which provides greater lubricity and helps the base slide...up to a point, since too much water creates suction that again slows your glide. Ideal glide usually occurs at temperatures just below freezing (28 to 30 °F, or -2 to -1 °C...depending on the moisture content).

Tests conducted by the Ski Research Group at Eagle River Nordic in Wisconsin (using nordic skis gliding downhill through a speed trap on a 12° slope) produced the following results:

Snow Temp Glide Speed % Difference

28°F	18mph	_
20°F	17mph	5% slower
10°F	15mph	11% slower
-4 ° F	12mph	33% slower
-10°F	8mph	56% slower

ONE BALL JAY WAX





ONE BALL JAY WAX

This is an American-made line of hydrocarbon and fluorocarbon snowboard waxes for freeriding anywhere on the mountain or sessioning in the terrain park.

OBJ 4WD WAX

These temperature-specific hydrocarbon waxes are formulated for all-around riding, and also serve as a good underlay for fluoro waxes. They can be applied by hot-waxing, or by rubbing-on and corking-in with



lotsa elbow grease. Sold in 150 gram bars.

Item #OBJ-W4I • 12°F & below (-11°C		\$8.95
Item #OBJ-W4CL • 12 to 23°F (-11 to -5°C	Cold C)	\$8.95
Item #OBJ-W4C • 21 to 28°F (-6 to -2°C	Cool	\$8.95
Item #OBJ-W4W • 26°F & above (-3°C &	Warm above)	\$8.95

OBJ UNIVERSAL BIOGREEN SOY WAX

Rub-on or iron-in this ecofriendly wax for good glide in all temperature ranges. As the name implies, this wax is soy based (there's not a drop of petroleum in it) and it's packaged in a biodegradable cornstarch containe Sold in 150 gram packs.

Item #OBJ-SOY

OBJ UNIVERSAL F-1 WAX

This is an all-temperature lowfluoro wax that can be hot-waxed using an iron or rubbed-on with a cork. A versatile wax, that is easy to use and priced right! Sold in a 130 gram bar.



\$10.95

Item #OBJ-WFR

\$8.95

VIPE

OBJ VIPER PASTE WAX

This high-fluoro paste wax is designed to give you extra zip when racing, freeriding, or hanging in the

terrain park...especially when the snow is wet enough to make a snowball. Use the sponge applicator (included) to spread this paste over your entire base, let dry and polish with clean paper towel or cloth. Comes in a 55-gram puck container.

Item #OBJ-WVP

\$8.95

OBJ BLACK MAGIC GRAPHITE

Here's an all-temperature hydrocarbon wax with fluoro-polymer graphite additive. Use it to refresh black (graphite) bases, when snow is dirty, or in very dry snow conditions for optimal performance.



We recommend rubbing it on your base (like a crayon), then dripping on your regular wax of the day before hot-waxing both in together. 65-gram bar.

Item #OBJ-WBMB

\$8.95

OBJ VIPER FLUORO WAX

Keep life simple by using this two-temperature wax system. Both are fluorinated for faster glide, especially when there's enough moisture in the snow to make a snowball. It can be hot-W



axed	01	ruo	bea-	-on.	5010	In	123	-grai	n	pa	ICI	KS.	

Item #OBJ-WVHC	\$13.95
• Cold 21° F (-6°C) & below	
Item #OBJ-WVHW	\$13.95
• Warm 21° F (-6°C) & above	

CHOOSING THE RIGHT WAX

Consider some of the following conditions before deciding on the best wax of the day.

1) Snow Temperature- measure this with a thermometer inserted within the top 1/4" of the snowpack for accurate results...this will usually determine which temperature range wax to use.

2) Air Temperature-if the air temperature is significantly warmer than the snow temperature, it will tend to warm up the snow, which can affect your choice of wax by race start time.

3) Air Humidity- this will determine if you want to race using low, medium or high fluoro waxes...the higher the humidity, the higher you usually want the fluoro content to be.

4) Snow Crystals- if snow crystals are sharp, you need a harder wax to prevent them digging into the base and creating drag. If crystals are rounder and wetter, a softer wax will provide greater water repellency and faster glide.

5) Wind- if the air is dry, wind will tend to decrease moisture in the snow...whereas if it's foggy or moist, wind can add moisture to the snow.

6) Solar Exposure- if critical flat sections are in the shade, wax colder...and if in the sun, wax warmer.

7) Miscellaneous- there's always more considerations you can factor in, such as graphite additives to combat static conditions in dry snow, wax hardeners for abrasive ice or manmade snow, etc. How far you want to take it is up to you...but at least pay careful attention to the first 3 or 4 factors.



PURL WAX

PURL WAX

Made in Summit County, Colorado. Purl wax offers a unique line of waxes for all conditions, including a range of enviromentally friendly PFC-free Verde waxes. All waxes ship in reusable velvet wax bags. Their website is www.purlwax.com

PURL ICE 9 WAX

These all natural wax blends are made with ingredients from natural and renewable resources. 100% biodegradable and non toxic. Not a Soy wax. Made from ingredients that form natural hydrocarbon chains to match the performance and durability of a traditional petroleum based wax. Three temperature



ranges (Cold, Slush and All-temp) make selection a breeze. Available in 75 gram bars or one-pound bricks. Made in the USA.

Item #PRL-VBL75 Item #PRL-VBL1 • 0 to 15°F (-18 to -9°C	75g cold 1 lb cold) Blue	\$11.95 \$24.95
Item #PRL-VPR75 Item #PRL-VPR1 • 10 to 25°F (-12 to -9°C	75g mid 1 lb mid C) Purple	\$11.95 \$24.95
Item #PRL-VYL75 Item #PRL-VYL1 • 20 to 35°F (-7 to 2°C)	75g slush 1 lb slush Yellow	\$11.95 \$24.95

CALIBRATING A WAX IRON

To calibrate your wax iron, give it 10 minutes or more to warm up, then check the temperature with our iron temperature platform or coverite thermometer. When the heat sensor (thermocouple) in the iron clicks off, the temperature will drop slightly, then climb again (probably a few degrees warmer than last time), when it reengages. After you see this take place 3 or 4 times, your iron has probably reached the maximum temperature for that particular thermostat setting. Record both this setting and temperature for future reference. By taking a reading whenever you change your iron setting and keeping a record of the melting temperatures of your favorite waxes, you'll be able to keep the iron at the safest optimal temperature to get the deepest wax absorption while minimizing the possibility of base damage. Check your iron calibration periodically since the operating temperature will change as the iron's thermocouple gets older.

-courtesy of Sun Valley Ski Tools

PURL MICROCRYSTALLINE WAX

These waxes have a unique ultrafine crystalline structure which provides superior adhesion to base material and increased flexibility to resist wax breakdown from heat, static and friction. The Spring wax contains a silicone additive for increased glide in wet snow and high humidity



conditions. The All-temp. is the go-to wax for most winter days. The graphite works well as an underlayer to any wax in extremely cold or icy snow. Use the Sub-Zero for man made snow or extreme icy conditions. Each wax comes with a reusable velvet bag. Available in 75 gram bars or one-pound bricks. Made in the USA.

Item #PRL-MGN75 Item #PRL-MGN1 • -10° to 5°F (-23° to - • Good for cold, aggres	1 lb sub-Zero 15°C) Green	\$9.95 \$19.95 nan made
Item #PRL-MBL75 Item #PRL-MBL1 • 5° to 20°F (-15° to -7 • Good for cold winter	1 lb winter °C) Blue	\$9.95 \$19.95
Item #PRL-MPR75 Item #PRL-MPR1 • 5° to 35°F (-15° to 2° • Extremely wide temp	1 lb all-temp. C) Purple	\$9.95 \$19.95
Item #PRL-MYL75 Item #PRL-MYL1 • 20° to 35°F (-4° to 1° • With silicone additive	1 lb spring C) Yellow	\$9.95 \$19.95 ty, spring
Item #PRL-GR75 Item #PRL-GR1 • Graphite wax • Anti-static all temper	75g graphite 1 lb graphite ature	\$11.95 \$24.95

PURL SUNFLOWER SPEED PASTE

Purl's 100% petroleum and PFC free paste wax. Simply rub onto your base, allow a few minutes to dry and away you go! For greater durability buff



with a felt polishing pad, the Swix Paste Wax Combi Brush is perfect for this application (SWX-T166B). 100% biodegradable and non-toxic. 60 grams. Made in the USA.

Item #PRL-SFP

\$11.95

KEEP WAX CLEAN

Be careful how you store wax after opening a new pack, or where you set it on your workbench when hot-waxing...it's all too easy to let it get contaminated with steel filings, dust or other grit. One simple way to keep wax clean is store it in ziplock bags.



SWIX WAX

Swix is a Norwegian wax manufacturer that began in 1947 with a series of waxes based on synthetic raw materials rather than traditional natural products. The original Swix waxes had no color, so Swix elected to color-code their waxes using cool colors for cold snow and warm colors for warm snow. This color coding system was eventually adopted by most wax suppliers and is still common today. Their website can be found at www.swixsport.com

SWIX UNIVERSAL WAX

Universal wax is ideal for recreational riders who need a generaluse wax; ski patrollers, instructors and other professionals out in a wide variety of snow conditions; families, clubs or groups where the simplicity and economy of bulk waxing is a consideration. We offer it in a 180g



all-temp universal; or in an economical 900g (5x180gbars) size with the choice of a warm or cold formula ...and in one-kilogram bags of all-temp wax pellets for melting in pots or roller applicators.

Item #SWX-U20180	180gm Univ.	\$19.95
Item #SWX-U10900	900gm Cold	\$39.95
Item #SWX-U20900	900gm Warm	\$39.95
Item #SWX-A1	1kg pellets	\$39.95

SWIX UNIVERSAL F4 WAX

Swix's low-fluoro universal wax is both convenient and versatile. Use the paste formula when you're traveling without a wax iron, or to wax a dry base when out on the snow. The solid bars can be used for your regular



hot-waxing needs...especially for snow moist enough to make a snowball.

Item #SWX-F440 • Rub-on paste: 40ml t	\$12.95	
Item #SWX-F4250 • Rub-on paste: 250ml	tin (car polish size)	\$39.95
Item #SWX-F4180 Item #SWX-F4900	Solid bar 180gm Solid bars 900gm	\$29.95 \$79.95
	C C	

WAX CONSUMPTION

As a general rule, it takes 15 to 20 grams (1/2)oz) of wax to hot wax a pair of alpine skis...less for nordic and more for fat boards or snowboards. If you rub and cork in wax, it only takes about 1/2this amount or less. Reminder...30 gr = 1 oz.

SWIX BASE PREP WAX

This is a special blend of warm hydrocarbon wax and a harder additive. When ironed into ski or snowboard bases, the warmer wax penetrates deeply into the base, while the harder additive rises to the top. This pulls up any undesirable p-tex hairs and stiffens them. When the excess wax is scraped off using a sharp plastic wax scraper, these hairs are cut off, leaving a well-prepped base. Use it repeatedly (Swix recommends 5 times) to prep new bases or newly stoneground bases. It also serves as a



Item #SWX-BP180 180gm \$25 95 Item #SWX-BP900 900gm \$69.95

good summer storage or winter travel wax.

SWIX HYDRO WAX

These temperature-specific hydrocarbon waxes work well on any ski or snowboard base. They can be used alone or blended together for greater performance and durability. We offer these waxes in 180 gram or 900 gram size packs.

HOWER CITATOO



Item #SWX-CH4180	180gm	\$24.95
Item #SWX-CH4900	900gm	\$75.95
• -25° to 14°F (-32° to -10°	C)	
• excellent for manmade an	d abrasive sno)W
Item #SWX-CH6180	180gm	\$24.95
Item #SWX-CH6900	900gm	\$75.95
• 10° to 21°F (-12° to -6°C		
Item #SWX-CH7180	180gm	\$24.95
Item #SWX-CH7900	900gm	\$75.95
• 18° to 28°F (-8° to -2°C)	e	
Item #SWX-CH8180	180gm	\$24.95

100

Item #SWX-CH8900 • 25° to 34°F (-4° to 1°C)	900gm	\$75.95
Item #SWX-CH10180 Item #SWX-CH10900 • 32°+F (0°+C)	180gm 900gm	\$24.95 \$75.95
Item #SWX_CH12900	900am	\$75.95

Item #SWX-CH12900 900gm \$7 • 5-180gm bars CH4, CH6, CH7 and 2x CH8 \$/3.93

SWIX BASE BURN POWDER

Sprinkle some of this ultrahard powder wax on your base (or at least along both edges) immediately after hotwaxing with your wax of the day...then iron both waxes in together. It helps protect the base in very cold and abrasive (icy, manmade) snow against base burn. Use the hydro powder for temperatures -26° to 12°F (-32° to -12°C)...and the lo-fluoro powder for -25° to 14°F (-32° to -10°C).



Item #SWX-CH3 Hydro powder 40g \$24 95 Item #SWX-LF3 Lo-fluoro powder 60g \$30.95





SWIX LO FLUORO WAX

This low (1-2.5%) fluorocarbon wax offers a wide temperature range, greater durability, better water and dirt repellency than hydrocarbon wax. It is a good choice for race training in nearly all conditions, or on race days when the humidity is low. Can be used alone, or overlaid with high

fluoro wax or 100% fluoros like Cera F. Available in 60, 180 or 900 gram bars.

Item #SWX-LF460	60gm	\$23.95
Item #SWX-LF4180	180gm	\$59.95
Item #SWX-LF4900 • -25° to 14°F (-32° to -	900gm 10°C)	\$229.95

Item #SWX-LF660	60gm	\$23.
Item #SWX-LF6180	180gm	\$59.
Item #SWX-LF6900 • 10° to 21°F (-12° to -6	900gm	\$229.

Item #SWX-LF760 60gm Item #SWX-LF7180 180gm Item #SWX-LF7900 900gm • 18° to 28°F (-8° to -2°C)

Item #SWX-LF860 60gm \$23.95 \$59.95 Item #SWX-LF8180 180gm Item #SWX-LF8900 \$229.95 900gm • 25° to 34°F (-4° to 1°C)

Item #SWX-LF1060 60gm \$23.95 \$59.95 Item #SWX-LF10180 180gm Item #SWX-LF10900 900gm \$229.95 • 32°+F (0°+C)

Item #SWX-LF1260 60gm \$22.95 • Includes 20gm each of LF6, LF7 and LF8

Item #SWX-LF12900 900gm \$229.95 • 5-180gm bars LF4, LF6, LF7 and 2x LF8

SWIX GLACIER WAX

This wax is formulated to provide superior abrasion resistance commonly encountered on glacier and spring snow due to the presence of dirt, grit, salt and other snow-treatment chemicals. It's most efficient when applied by hotwaxing, and especially durable when used in



.95 .95 .95

\$23.95

\$59.95

\$229.95

conjunction with Swix base burn powder.

Item #SWX-GW6660	60gm	\$9.95
Item #SWX-GW66180	180gm	\$25.95

SWIX MOLY FLUORO WAX

This fluorinated molybdenum wax is designed for use in dirtysnow conditions to help repel contaminants. Can be used alone or as a base for other waxes. Sold in 60, 180 and 900 grams.



Item #SWX-MB7760 60gm Item #SWX-MB77180 180gm \$59.95 \$229.95 Item #SWX-MB77900 900gm

SWIX HI FLUORO WAX

These waxes contain up to 15% fluorocarbon to deliver wide temperature range, excellent durability, water repellency and dirt-resistance. They work well alone, mixed



with other Swix Fluoro waxes or overlaid with Cera F. Sold in 40, 90 or 180 gram bars.

Item #SWX-HF440 Item #SWX-HF490 Item #SWX-HF4180 • -25° to 14°F (-32°to -1	40gm 90gm 180gm 0°C)	\$69.95 \$119.95 \$219.95
Item #SWX-HF640 Item #SWX-HF690 Item #SWX-HF6180 • 10° to 21°F (-12° to -60	40gm 90gm 180gm °C)	\$69.95 \$119.95 \$219.95
Item #SWX-HF740 Item #SWX-HF790 Item #SWX-HF7180 • 18° to 28°F (-8° to -2°C	40gm 90gm 180gm C)	\$69.95 \$119.95 \$219.95
Item #SWX-HF840 Item #SWX-HF890 Item #SWX-HF8180 • 25° to 34°F (-4° to 1°C	40gm 90gm 180gm	\$69.95 \$119.95 \$219.95
Item #SWX-HF1040 Item #SWX-HF1090 Item #SWX-HF10180 • 32°+F (0°+C)	40gm 90gm 180gm	\$69.95 \$119.95 \$219.95
Item #SWX-HF1240	40gm	\$69.95

•Includes 20gm each of HF7 and HF8

SWIX HI FLUORO **BLACK WOLF WAX**

This is similar to Swix's hifluoro wax, but with the addition of a "secret" solid, shear-type lubricant (graphite, galium or molybdenum?). It's formulated to improve abrasion



resistance on high humidity days when you're dealing with harsh manmade snow, or if you encounter new snow (sharp crystals) sitting atop wetter snow. This wax can be used alone, or with Cera F or similar 100% fluoro overlays. Sold in 40 gram bars.

Item #SWX-HFBW4 • -25° to 14°F (-32° to -10°C)	\$69.95
Item #SWX-HFBW6 • 10° to 21°F (-12° to -6°C)	\$69.95
Item #SWX-HFBW7 • 18° to 28°F (-8° to -2°C)	\$69.95
Item #SWX-HFBW8 • 25° to 34°F (-4° to 1°C)	\$69.95
Item #SWX-HFBW10 • 32° to 50°F (0° to 10°C)	\$69.95







SWIX CERA F

This is the stuff to use for fastest acceleration and speed on most race days. Swix Cera F is a 100% fluorocarbon "wax" that is extremely water-repellent (hydrophobic), minimizes friction (30% less than Teflon), resists dirt or pollen, bonds easily to bases, and comes in different formulations for a wide range of race conditions. Cera F can be ap-



plied by hand with a synthetic (divinucell) cork for any alpine race and nordic races of 10km or less...or ironed in for greater durability on longer courses. For best results, apply Cera F atop a base layer of fluoro wax that has previously been ironed in, scraped and brushed. For quick re-application on a race course, simply apply a little Cera F on the base and cork it in. Follow all Cera F applications using a polishing brush and pad. It works equally well on snowboards, alpine or nordic skis. Available in powder form... 30gm yields about 4 applications. Also available as a solid 20gm bar which yields about 10 to12 applications when rubbed on.

Cera F Powders

30 grams Item #SWX-FC78 \$170.95 • Very wide temperature range. 14°F to 34°F (-10° to 1°C) Recommended wax iron temperature is 329°F (165°C). Extreme care must be used to avoid overheating ski base. Used with a base of HF6, HF6BW, HF7, HF7BW, HF8, HF8BW.

Item #SWX-FC7 30 grams \$135.95 • Use for new or old snow in colder and drier conditions when temperatures are -22° to 28°F (-30° to -2°C). Recommended wax iron temperature is 320°F (160°C).


Used with a base of HF6, HF6BW, LF6, HF7, HF7BW, or LF7.

Item #SWX-FC8X 30 grams \$134.95 • Use for new or old snow when temperatures are 25° to 40° F (- 4° to + 4° C). Recommended wax iron temperature is 320°F (160°C). Used with a base of HF8, HF8BW or LF8.

Item #SWX-FC10X 30 grams \$135.95 • Use for very wet conditions when temperatures are 32°F and above (0°C and above). Recommended wax iron temperature is 320°F (160°C). Used with a base of HF10, HF10BW or LF10.

SWIX WAX MANUALS

These easy-to-read manuals contain lots of good information on base preparation and waxing. They fully explain the use and application of all Swix waxes.



\$3.95

\$3.95

Item #SWX-PR309 Alpine manual Item #SWX-PR308 Nordic manual

SWIX CERA F SOLIDS

Item #SWX-FC7WS 20 grams \$109.95

• Use for transformed or man made snow when temperatures are 4° to 32°F (-20° to 0°C). Black additive reduces friction in cold, dry snow. Can be rubbedon by hand or rotocorked in. If



ironing, the recommended wax iron temperature is 290°F (145°C).

Item #SWX-FC8XWS 20 grams \$109.95 • Use in fine grained snow and clean, white snow covering most winter conditions. Wide temperature range. 25° to 40° F(- 4° to 4° C). To be rubbedon and hand or rotocorked in.

Item #SWX-FC10XWS 20 grams \$109.95 • Use in wet/polluted/coarse snow. Black additive reduces friction caused by "dirty" snow. 32°F and above (0°C and above). To be rubbed-on and hand or rotocorked in.

SWIX CERA F LIQUIDS

Item #SWX-FC8L

29ml \$109.95 • 100% fluorocarbon. For normal snow conditions +4°C to -4°C (40°F to 25°F). Designed for use as the final layer when waxing for top-level competitions. Swix Cera F Liquid offers the same high performance quality as the Cera F Powder Waxes. Its liquid state guarantees a perfect distribution on the ski. Apply, wait 5 minutes. Cork in or Roto cork. Finish with a blue polish brush



Item #SWX-FC10L 29ml \$109.95 • 100% fluorocarbon. For wet fine grained snow and very wet corn snow $+2^{\circ}$ C to $+20^{\circ}$ C (36°F to 68°F). Designed for use as the final layer when waxing for top-level competitions. Swix Cera F Liquid offers the same high performance quality as the Cera F Powder Waxes. Its liquid state guarantees a perfect distribution on the ski. Apply, wait 5 minutes. Cork in or Roto cork. Finish with a blue polish brush.

Item #SWX-FC8A Rocket 70ml \$79.95 • 100% fluorocarbon. Liquid Cera F spray for transformed and fine grained snow +4°C to -4°C (40°F to 25°F). Apply on top of HF or HFBWwaxes 7, 8 and 10, also used on top of Cera F powder as "topping". Apply, wait 5 minutes. Cork in or Roto cork. Finish with a blue polish brush.

Want help choosing what Swix wax to use today? Go to Swix Wax Wizard at www.swixsport.com/waxwiz.htm





SWIX NORDIC KICK WAXES

Swix kick waxes provide grip underfoot on classic (diagonal-stride) nordic skis. They are available in a hydrocarbon selection, or in the more diverse Krystal fluorocarbon selection for better glide and durability, greater dirt repellency, wider temperature range, and reduced risk of icing. All kick waxes are either rubbed-on and corked-in, or ironed onto, the "wax pocket" area found underfoot on the ski base. A base layer binder wax is also available for greater wax durability in abrasive snow conditions. All waxes come in 45gm sticks.

Basebinder

- Item #SWX-VG35 \$15.95
- New/Old snow -7° to 30° F (-22° to -1° C)
- Base layer for all kick waxes in abrasive conditions.

Hydrocarbon selection

- Item #SWX-V05 Polar \$9.95
- New snow -12° to 10°F (-25° to -12C°)
- Old snow -22° to 5°F (-30° to -15C°)
- Excellent base wax for wooden base skis.

Item #SWX-V20 Green \$9.95 • New snow 5° to 18°F (-15° to -8C°)

- Old Snow 0° to 14° F (-18° to -10C°)
- Excellent base wax for wooden base skis.

Item #SWX-V40 Blue Extra • New snow 19° to 30°F (-7° to -1C°) • Old Snow 14° to 27°F (-10° to -3C°)	\$9.95
Item #SWX-V45 Violet Special • New snow 27° to 32°F (-3° to 0C°) • Old Snow 21° to 28°F (-6° to -2C°)	\$9.95
Item #SWX-V55 Red Special • New snow 32° to 34°F (0° to 1C°) • Old Snow 28° to 32°F (-2° to 0C°)	\$9.95
Item #SWX-V60 Red/Silver • New snow 32° to 37°F (0° to 3C°) • Old Snow 30° to 34°F (-1° to 1C°)	\$9.95
Krystal fluorocarbon selection Item #SWX-VR30 Light blue • New snow -4° to 19°F (-20° to -7°C) • Old snow -22° to 14°F (-30° to -10°C)	\$17.95
Item #SWX-VR40 Blue • New snow 18° to 28°F (-8° to -2°C) • Old snow 10° to 25°F (-12° to -4°C)	\$17.95
Item #SWX-VR45 Light violet • New snow 28° to 34°F (-2° to 1°C) • Old snow 23° to 32°F (-5° to 0°C)	\$17.95
Item #SWX-VR50 Violet • New snow 32° to 36°F (0° to 2°C) • Old snow 27° to 32°F (-3° to 0°C)	\$17.95
Item #SWX-VR60 Silver • New snow 32° to 36°F (0° to 2°C) • Old snow 28° to 34°F (-2° to 1°C)	\$17.95
Item #SWX-VR70 Yellow • New snow 36° to 41°F (2° to 5°C)	\$17.95

SWIX KLISTERS

Swix klisters provide the grip you need underfoot on classic nordic skis for corn, icy, granular or slushy old snow conditions. We offer a simple selection of classic hydrocarbon klisters, as well as the more diverse Krystal selection. 55gm tubes.



Classic selection

Item #SWX-KB020 Green Spray \$16.95 • Base binder layer for abrasive conditions, apply regular klister on top. 70ml spray can.

Item #SWX-K22N • 27° to 50°F (-3° to 1 • For coarse granular s	0°C)	\$13.95 crusty.
Item #SWX-K21N • 23° to 38°F (-5° to 3 • For frozen and wet c grained corn.	Silver °C)	\$13.95
 Krystal selection Item #SWX-KR20 -13° to 27°F (-25° to For icy conditions at serves as base binder 	-3°C) very cold tempera	
Item #SWX-KR30 • 5° to 32°F (-15° to 0 • For frozen icy tracks serves as base layer abrasive conditions	°C) in cold condition	
Item #SWX-KR50 • 25° to 37°F (-4° to 3 • For changing, fine gr best on cold side of	°C) cain snow around f	
Item #SWX-KR60 • 32° to 41°F (0° to 5° • For changing, coarse but best on the warn is wet	C) grain snow aroun	
Item #SWX-KR70 • 36° to 52°F (2° to 12 • For very wet or slush are well above freez	2°C) 19 snow when tem	\$14.95 peratures
PINE TAR To waterproof skis v wood bases, paint or Carefully heat it in v torch, then wipe off wax and go ski. 1259 Item #SWX-I21	n some pine tar vith a propane excess, apply	Norman No
Applicat 1. Sand the kick zone ply a thin layer of bas 2. Iron the first layer i cool. This makes for a	e klister to sanded into the ski base ar	dpaper. Ap- area. nd allow to

the klister and ski base. **3.** Apply the klister of the day in a "fish-bone" pattern or as a thin line on either side of the base groove and cork it in.







TOKO WAX

Toko is a Swiss company founded in 1916 that makes an easy to use selection of high quality hydrocarbon and fluorocarbon waxes for skiers and snowboarders. Their website can be found at www.tokowax. com

TOKO UNIVERSAL GLIDE WAX

Universal wax is like aspirin...it serves the needs of nearly all skiers or snow-boarders, and performs well in almost all snow conditions. Rub or melt it onto bases as glide wax, travel wax or storage wax...when waxing a lotta skis or boards for the family or club...or as a cleaning wax using a



'hot scrape' technique. Good, affordable, versatile stuff.

Item #TOK-9770 • 120gm (6-8 applications)	\$9.95
Item #TOK-0163 • 1.25kg (50+ applications)	\$39.95
Item #TOK-0167 • 2.5 kg (100+ applications)	\$74.95

TOKO SYSTEM-3 HYDRO WAX

These three hydrocarbon waxes are the foundation of the Toko wax line. They can be used alone or mixed together for any recreational riding or race training needs. They also work as a good base wax for low or high fluoro wax overlays. Three temperature ranges are offered. 167gm bulk-packaged bar.

)r	7	_	ALC OF F	8	
5	13062 830880		Cou Molia and	a united Dee	
	~				_

55093 53 Hyc 0°C Nii 167 g

• 25°F & above (-4°C &	k above)	
Item #TOK-9338	yellow	\$14.95
• 14° to 25°F (-10° to -4	4°C)	
Item #TOK-9340	red	\$14.95
• -22° to 14°F (-30° to -	-10°C)	
Item #TOK-9343	blue	\$14.95

TOKO UNIVERSAL LO-FLUORO WAX

Apply this all-temperature lo-fluoro wax whenever snow is damp enough to make a snowball since it provides more zip than hydrocarbon waxes. Available as an easily applied liquid rub-on or in solid bars for hot waxing. The



leak-proof liquid container has a built-in sponge applicator for quick on the hill waxing. Solid bars are sold in 1.25kg (5-250gram bars) and 2.5kg (10-250gram bars) weights.

Item #TOK-9733	liquid 75ml	\$9.95
Item #TOK-1009	bar 1.25kg	\$49.95
Item #TOK-1010	bar 2.5kg	\$89.95

TOKO LO-FLUORO WAX

These low fluoro waxes are a good choice for race days, race training, or high performance recreational riding. They work best in lower humidity conditions, although they'll deliver better glide than hydrocarbon waxes whenever there is moisture in the snow.



They can be used alone as a base wax, as a layer over a hydrocarbon wax, or as a base layer for high fluoro waxes or fluoro powders such as JetStream. 167gm bar.

Item #TOK-9324 • -22° to 14°F (-30° to -	blue -10°C)	\$49.95
Item #TOK-9321 • 14° to 25°F (-10° to -4	red 4°C)	\$49.95
Item #TOK-9318 • 25°F & above (-4°C &	yellow & above)	\$49.95

TOKO MOLYBDENUM WAX

This wax is most effective when snow is dirty and wet, since it resists picking up dirt and other grunge. It also helps reduce static friction in cold dry snow. Apply it to black (graphite) bases every 5th or 6th wax job to enhance performance. We offer this all-temperature wax in low fluoro for recreational, race



training or low humidity conditions; or high fluoro for race day or higher humidity conditions.

Item #TOK-9326	Lo-fluoro - 167gm	\$49.95
Item #TOK-9315	Hi-fluoro - 60gm	\$83.95

TOKO BASE PREP WAX

Heat this into new bases to clean them using the hot-scrape technique. It also helps to renew old, oxidized or dry bases. It is enriched with molybdenum and penetrates deeply into bases to better remove unwanted dirt and establish a base foundation. In addition, it serves as a good travel and summer storage



wax. 167 gram pack.

Item #TOK-9879 \$14.95







TOKO JETSTREAM RACE BLOC

These 100% perfluorocarbon waxes provide high acceleration and optimum glide properties from race start to finish. Apply 'em over your favorite low, medium or high-fluoro wax and hold on! Jetstream Yellow is de-



signed for all snow types and is a great choice for freshly fallen snow. Jetstream Red has a wide temperature range and is a safe bet for all snow conditions it has superior dirt resistant properties. Jetstream Blue excels in extreme cold and aggressive, icy snow conditions. Waxes can be rubbed-on or ironed-in. All are sold in solid 20g blocks.

Item #TOK-9092 • 14°F to -22° (-10°C	Blue to -30°C)	\$108.95
Item #TOK-9091 • 25°F to 14° (-4°C to		\$108.95
Item #TOK-9090	Yellow	\$108.95

TOKO JETSTREAM POWDER

• 32°F to 25° (0°C to -4°C)

These 100% perfluorocarbon waxes provide high acceleration and optimum glide properties from race start to finish. Apply 'em over your favorite low, medium or high-fluoro wax and hold on! Jetstream Yellow is designed for all snow types and is a great choice for freshly fallen



snow. Jetstream Red has a wide temperature range and is a safe bet for all snow conditions it has superior dirt resistant properties. Jetstream Blue excels in extreme cold and aggressive, icy snow conditions. Waxes can be buffed-in or ironed-in. All are sold in 30g shakers.

Item #TOK-9082 • 14°F to -22° (-10°C	Blue to -30°C)	\$123.95
Item #TOK-9081 • 25°F to 14° (-4°C to		\$123.95
Item #TOK-9080	Yellow	\$123.95

Item #TOK-9080 Yellow \$123.9 • 32°F to 25° (0°C to -4°C)

HYDROPHOBIC

A fancy way to say 'water-repellent'...an important quality of wax which helps prevent your p-tex base from absorbing water and creating unwanted drag.

TOKO HELX 100% FLUORO LIQUID WAX

This is Toko's fastest, most versatile and simple-to-apply 100% fluorinated liquid wax. Just spray it on and buff it in for optimal acceleration and speed on race day. It doesn't require hot ironing (which can damage p-tex bases) or corking. Spray on a thin layer over your favorite low-fluoro or high-fluoro wax of the day...let dry a few minutes... then buff to a finish using the Toko dual polishing pad (included), base-tex paper or a fluoro polishing pad. It comes in a 100ml pump-spray can. Three formulas are available.



Item #TOK-9052 Blue \$98.95 • Use for extreme cold and aggressive snow conditions. -22° to 14°F (-30° to -10°C).

Item #TOK-9051 Red \$98.95 • Use for a wide range of snow conditions in the temperature range. 14° to 25°F (-10° to -4°C).

Item #TOK-9050 Yellow \$98.95 • Use for any snow conditions when temperatures are 25° to 32°F (-4° to 0°C).

TOKO X-COLD POWDER WAX

Sprinkle a little of this ultra-hard powder wax on your base (or even just along your edges) and carefully "tamp" it down with a heated iron before applying your wax of the day. It helps protect the base in cold and abrasive (icy, manmade, etc.) snow conditins to help prevent base burn, as well as increase the durability of the overlaying wax layer. 60 gram shaker.

Item #TOK-9869

\$21.95

TOKO WAX MANUAL

Toko has one wax and tuning manual for both alpine and nordic skiers. It includes information on structuring, edge filing, base care, snow types, weather, wax application and more. Item #TOK-MAN \$2.95



TEMPERATURE CONVERSION

Converting Celsius to Fahrenheit: Take the temperature in Celsius and multiply 1.8 - Add 32 degrees - The result is degrees in Fahrenheit

Converting Fahrenheit to Celsius: Take the temperature in Fahrenheit subtract 32 - Divide by 1.8 - The result is degrees in Celsius.

TOKO WAX



ZARDOZ

TOKO SPORTLINE GRIP WAX

Toko grip waxes provide traction underfoot on classic (diagonalstride) Nordic skis. We offer the sport line waxes which come in three easy to use temperature ranges, ideal for beginner waxers. Warm for wet/warm snow,



Cold for cold/dry snow and X-Cold for cold/ icy conditions. The grip waxes can be rubbedon and corked into the "wax pocket" area found underfoot on the ski base. All waxes come in a 32-gram container.

Item #TOK-9745 • 28°F (-2°C) and wa	\$6.95
Item #TOK-9746 • 28°F to 21°F (-2°C	 \$6.95
Item #TOK-9747 • 21°F (-6°C) and col	 \$6.95

TOKO SPORTLINE UNIVERSAL KLISTER

Toko Sportline universal klister is designed to provide grip underfoot on classic Nordic skis on corn, icy granular or slushy snow. Suitable for all snow temperatures. A great addition to the Toko Sportline Grip Waxes.



Sold in a 60ml squeeze tube.

Item #TOK-9748

\$9.95

HUMIDITY AND FLUORO WAXES

Low fluoro wax should be used for low humidity conditions, mid fluoro wax for medium (normal) humidity, and high fluoro wax for higher humidity. Unfortunately, wax companies have different standards of humidity levels, as you can see below...

Humidity	Swix/Holmenko	l Toko	Dominator
Low	0-50%	0-40%	0-25%
Medium	50-70%	40-70%	25-65%
High	70-100%	70-100%	65-100%

But rather than getting confused, you can just use the trusty old snowball method to determine humidity... If you can't make a snowball, it's usually low humidity conditions. If you can make a snowball, it's usually medium humidity. If you make a snowball and it's wet and soggy, it's usually high. This is a greatly simplified seat of the pants method, but works well for most folks.

ZARDOZ NOTWAX

This easy-to-apply liquid wax for recreational skiers and boarders works best in warm, wet snow conditions, although it can be used down to 10°F. It can



also be applied at the end of a day to steel edges to protect them from rusting. It comes in a refillable pocket-sized puck with a felt pad applicator...just wipe the stuff on and go. It's good for about 15 applications. A refill kit with 1/2oz bottle and replacement felt applicator is also available.


Item #SAA-63430	NOTwax disk	\$15.95
Item #SAA-63432	Refill kit	\$12.95

X-C RACE WAX INFO

A great source of up-to-date waxing info (and more) for x-c ski races can be found at www. skipost.com.

SIDECUT

The hourglass shape of most any ski or snowboard. It's wider at the tip and tail, and narrower in the middle (waist). This curved shape along each edge helps the ski or board distribute full-length pressure in the snow and carve a turn.




CAMBER

The arch of a ski or snowboard along its length that gives it extra spring (or pop) rebounding out a carved turn. It not only feels really cool, but also can help a racer accelerate through the gates.




Definition- FLEX

This is the tip-to-tail flexibility of a ski or snowboard... its pattern establishes the arc a ski or board describes while carving a turn on its edge.







GENERAL Surgery Tools

GENERAL SURGERY TOOLS

The idea of performing surgery to repair a delamination may sound complicated, but don't be intimidated...armed with a few of the tools and goodies shown here, you can cure a lot of those ills yourself.

DELAM CLAMPS

These small C-clamps are just the right size for clamping up a delaminated ski after you've applied epoxy with your oyster knife. They open to 1 1/2" and have a deep throat to reach half-way across an alpine



ski. Use a steel scraper and release paper on both outer surfaces of the ski before tightening these down so you don't mar the ski base or top finish. Buy several to apply even pressure over large areas. Made in USA.

Item #ACE-CC2

\$5.95 ea

OYSTER KNIVES

The sturdy but thin blades of these puppies are ideal for prying open delaminations wide enough to get inside and clean out gunk, dry out water, slip in epoxy and spread it around. Naturally, they're pretty good for prying open oysters, too.

Item #TOG-OYST

\$14.95

CLEAR EPOXY TUBES

This 2-hour epoxy is

a good compromise between the speed of the 15-minute packet and the strength of the 24-hour epoxy. Mixed properly, this epoxy produces good strength and flexibility for delaminations, top surface nicks, etc. Contains 25ml.

Item #ACE-31345

\$5.95

HYSOL EPOXY

This is the best delam epoxy in the repair business. The slow 24-hour curing time provides a flexible bond without sacrificing strength. It dries crystal



clear or can be colored with pigments to match ski or snowboard cosmetics. Especially recommended for delaminations, gluing in base patches, or any other applications where flexibility is paramount. If necessary, you can accelerate the curing time by applying judicious heat with a heat lamp or gun, but never exceed 200°F. Two tubes make 2.8oz total.

Item #SPK-EC

\$29.95

QUICK-SET EPOXY

These little "doublebubble" epoxy packets are handy for those fast simple repair jobs (like up on the hill or trail) when just a little dopple of goo is all that you need. The



curing time of this stuff is 15 minutes at 70°F.

Item #SPK-FE

URETHANE GLUE

Since urethane glue is more flexible than epoxy, it's ideal for repairing delaminations near the flexible tips and tails of skis and snowboards.



\$2.95

\$2.95

It can also be used for some polyurethane boot modifications. These little two-part packets contain just the right amount of glue for most repair jobs. The curing time is 60 minutes.

Item #SPK-D50U

NEEDLE PICK

These steel picks are handy for picking old glue or plastic plugs out of binding screw holes, extracting grit and grime from base gouges, cleaning out between delaminated layers before gluing skis back together, etc. They feature both a straight and right-angle pick and measure 8" long.

Item #KOB-80

\$5.95

EPOXY PIGMENT

Mix this coloring pigment with epoxy or urethane to match the color of the tops or sidewall of your skis or snowboard when making repairs. You can also intermix pigments to create different colors. If pigment hardens, loosen cap and microwave for 10-seconds it will be good as new. Sold in 2oz bottles.

	11	¢0.05
Item #SPK-EPBL	blue	\$8.95
Item #SPK-EPR	red	\$8.95
Item #SPK-EPY	yellow	\$8.95
Item #SPK-EPW	white	\$8.95
Item #SPK-EPB	black	\$8.95
Item #SPK-EPBR	brown	\$8.95
Item #SPK-EPGN	green	\$8.95


MIXING STICKS & CUPS

How many times have you gunked up a good screwdriver using it as an epoxy stir stick? Or goofed up measuring out puddles of epoxy so that it never hardened or set up right? We offer these wood paddle sticks with 5cc increment measuring cups in packs of 10.

Item #SPK-EMC

\$1.95 pack

GENERAL Surgery Tools





EPOXY & GLUE SYRINGE

When mounting hollow and honeycomb core skis, it's important to completely fill screw holes with epoxy. This 10cc syringe is just the ticket for such a job. Also works with white glue for injecting into mounting holes to lubricate and seal binding screws.

\$1.95 ea

Item #SPK-S310

ELECTRIC REPAIR PLATE

This rigid metal heat plate is commonly used in ski and board shops to reduce epoxy curing time when repairing sidewall delaminations or installing p-tex base patches. Use it in place of a regular steel plate when



c-clamping together delaminations or pressing in patches. It provides sufficient heat to accelerate epoxy curing time while gently heating surrounding material to help make especially strong and durable repairs. 110 volts.

Item #SPK-530115

\$199.95

REPLACEMENT STEEL EDGE SECTION

For the expert ski and snowboard surgeons in the audience, we offer these one-foot lengths of solid steel edge sections. Chances are if you're buying these, you're already skilled enough to know how to implant them. 12" long.


Item #SPK-500500

\$9.95 ea

EDGE SCREWS

Item #SPK-ES10

These small (1/4" long) phillips-head screws are used to screw replacement steel edges to a ski or snowboard. They are sold in bags of 10.



\$2.95 bag

EDGE SCREW SCREWDRIVER

This cute lil' puppy is just the right size to wrangle those teeny tottering edge screws into place.

Item #SPK-201032

\$9.95

Definition - RUNNING SURFACE

The portion of the ski or snowboard base that contacts the snow when you stand on it. This is practically all the base except where it turns up at the tip and tail.

running surface

TOOLWORKS SHOP APRON Establish vourself as a realworld mechanic and save on your laundry bill at the same time. Strap on one of our heavyweight cotton shop aprons and you'll be ready for anything the cat drags in. Apron features three large tool pockets, taped seams, and screened logo. One size fits all. Made and printed in USA. Item #TOG-MA1 Black \$16.95 Item #TOG-MA2 Royal Blue \$16.95 **SWIX SHOP APRON** This 100% nylon apron features a bunch of -wix pockets to keep tools close at hand. It is machine-washable. Primarily red with black pockets and sports the famous Black Wolf and Swix logos. One size fits all. Item #SWX-2275 \$19.95 **DULL EDGES T-SHIRT** What says it louder and prouder in a world where 97% of our riding brethren never bother to tune or wax their gear? Proclaim your true feelings about those techno. TOO MANY PEOPLE GO THROUGH LIFE WITH DULL EDGES losers by donning one of our 100% cotton t-shirts! They come in good ol' basic black with white snowflake logo and print. Item #TOG-TS1M \$16.95 Medium Item #TOG-TS1L \$16.95 Large Item #TOG-TS1XL \$16.95 Extra large **CONTACT POINT**

This is where a ski or snow-board base contacts the snow. To find these points, lay your ski or snowboard down on a flat surface and see where the base rests at the tip and tail. Between contact points is the running surface of the base where steel edges should be filed, beveled and polished. Past these contact points, where tips and tails curve upwards, edges should be slightly dulled so they don't grab and make a ski or board "hook" unpredictably.





BINDING TOOLS

DON'T GET IN A BIND

Most skiers and snowboarders buy their equipment with bindings already mounted. We recommend you do the same to guarantee safe binding installation. But bindings sometimes work loose with use, or binding screws strip out. We offer a variety of screw inserts to put 'em back in their rightful place, as well as other products to keep bindings working efficiently.

WOOD & PLASTIC HOLE PLUGS

Sometimes a screw pulls out of a ski without fracturing the top surface. Then what do you do? Fill the hole with fastsetting epoxy and



drive one of these wooden plugs in. Trim off the excess and let sit for 15 minutes. Then redrill the hole with 3.1mm (1/8") bit and you've got a good repair job. We also have smaller plastic plugs for filling binding screw holes you won't be reusing.

Item #SPK-100216 • wood plugs	\$2.95 bag/10
Item #SPK-SPW • white plastic plugs	\$2.95 bag/20
Item #SPK-SPB • black plastic plugs	\$2.95 bag/20

HELICOIL SCREW INSERTS

These kits are designed to repair stripped or ripped-out binding screw holes in skis. They utilize aluminum spiral inserts that thread into the damaged screw holes after enlarging and tapping them. All necessary parts are included



in the kit...a drill bit, tap, handle, insert tool and 100 spiral inserts...you just need to supply an electric drill. Extra helicoil inserts are also available in bags of 100.

Item #SHP-150032 Complete kit \$89.95

Item #SHP-100188 100 extra inserts \$29.95

GRUB SCREWS

Here's some cheap insurance for your snowboard. Screw these nylon grubs in any empty

mounting holes...they feature machine threads for easy installation to keep out water that can otherwise freeze, expand and possibly create rust and other structural damage. They're sold in bags of 10.

Item #SPK-GRUB6

\$2.95 bag

SCREW HOLE INSERTS

If you encounter a stripped-out ski binding screw hole, you have several repair options. You can mix up some epoxy and steel wool, and put it in the hole as you reinstall the screw...or you can redrill the hole



with a 1/8" (3.1mm) drill bit, hammer in a wood plug, then redrill and reinstall the screw. If these approaches fail, try these plastic inserts. Drill out the screw hole using a 5/16" drill bit, then tap in one of these inserts before reinstalling the screw. They don't have the holding power of helicoils, but are usually more than adequate if you only have one or two stripped screw holes per ski. Sold individually.

Item #SPK-530416

\$.45 ea

\$8.95

BINDING GLUE

Use this glue when installing binding screws in any skis. It is a flexible, water resistant acrylic adhesive designed to bond porous material to non-porous material. Keeps water out of the core and helps reduce vibration that can loosen screws. 20z bottle.

Item #SHP-100036

BINDING DRILL BITS These steel bits are ideal for mounting bindings. They fit mounting jigs, are a full 3" long, and will countersink the holes so you don't "bubble-up" the



top ski surface when you tighten down the screw. The 3.6 x 9mm bit is for adult alpine skis with non-metal topskins, the 4.1 x 9mm bit for alpine skis with metal topskins, the 3.5 x 7mm bit for children's alpine skis, and the 3.6 x 14.5mm bit for adult nordic (x-c) skis.

Item #SPK-100310	3.6 x 9mm bit	\$14.95
Item #SPK-100330	4.1 x 9mm bit	\$14.95
Item #SPK-100315	3.5 x 7mm bit	\$14.95
Item #SPK-100314	3.6 x 14.5mm bit	\$14.95

SCREW TAP & HANDLE

You should tap screw holes before mounting bindings on skis with a metal topsheet or hard insert in the core. Use the #12 AB tap (.216" X 14 or 5.3 X 1.8mm) to thread these binding holes on skis with a metal topsheet (common on GS race skis) or whenever recommended by the ski manufacturer. We also offer a 6x1mm tap for tapping or cleaning damaged machine threads on snowboards. Tap handles allow a good grip on the tap and help insure that you thread it in straight. Item #SPK-TAP #12 AB ski tap \$14.95

Item #SPK-TAP	#12 AB ski tap	\$14.95
Item #SPK-SBTAP	Snowboard tap	\$15.95
Item #UBT-21916	T-Tap handle	\$ 8.95



BINDING TOOLS

THREAD LOCK

If you're installing snowboard binding screws and don't want 'em to work loose, drip a little blue goo on the threads first. Comes in a 2.5 ml squeeze bottle.

Item #ACE-24206

POZI SCREWDRIVER

This burly #3 pozi-drive screwdriver is for adjusting bindings, installing or removing ski



\$4.95

binding screws, as well as some snowboard bindings. It's 10" long with a hardened tip for long life.

Item #SAN-BE8830

POZI SCREWDRIVER BITS

These longer insert bits will reach those elusive binding screws located deep down in holes. They are very stout and feature a standard hex fitting to work with all cordless screwdrivers, drills, etc.

Item #SPK-POZIB6 • #3 Pozidrive bit - 6" long



\$19.95

Item #SPK-POZIB2 • #3 Pozidrive bit - 2 3/4" long

POCKET STEEL SCREWDRIVER

This compact screwdriver is made of steel to provide long hard use in the field or your workshop. Its unique fold-up design makes for easy transport in parka pockets, fanny packs or backpacks. It features a fold-out



T-handle for lotsa leverage on stubborn screws, has a long enough shaft to reach into most any binding recess and comes with #3 pozidrive, #3 phillips and flat (slot) blade bits. It makes for a winning addition to anyone's backcountry or workshop repair kit.

Item #LPC-LMB6

\$12.95

LEFT & RIGHT SKI STICKERS

These are waterproof stickers that you can put on your skis if you have adjusted your bindings or tuned your skis and



need to keep track of left and right. Also handy for lots of other applications if your initials happen to be RL, LR, RR or LL!

Item #SPK-LR100

\$.50 pr

BINDING COVER

This 16" binding cover protects your bindings from the ravages



of the elements when travelling or during storage. After strapping your skis base-to-base, simply wrap this cover around both sets of bindings and zipper it shut. Made of waterproof nylon packcloth. Fits all skis. Black.

Item #TSP-COVER

\$8.95 ea

SNOWBOARD BINDING SCREWS & WASHERS

We offer an assortment of #3 pozidrive flathead screws, and #3 pozidrive panhead screws. All screws are 6mm diameter...just choose the length and type you need. 6mm flat washers are also available. Sold each.

#3 Pozidrive Flathead Screws

Item #SPK-200121	3/8" length	\$.30 ea
Item #SPK-200122	1/2" length	\$.30 ea
Item #SPK-200123	5/8" length	\$.30 ea
Item #SPK-200124	3/4" length	\$.30 ea

#3 Pozidrive Panhead Screws

Item #SPK-200126	3/8" length	\$.30 ea
Item #SPK-200127	1/2" length	\$.30 ea
Item #SPK-200128	5/8" length	\$.30 ea
Item #SPK-200129	3/4" length	\$.30 ea

6mm Flat Washers

Item #SPK-M6FW

\$.30 ea

POWDER LEASH


Ski brakes work great when skiing packed slopes...



but if your bindings release in deep powder, you may need a metal detector to find 'em again. Attach one end of these bright 6' long nylon leashes around a ski brake arm and tuck the rest under your pant cuff. If you tumble out of your bindings in deep powder, the leash will stream out and flag where your ski lies buried under the snow for faster, easier retrieval.

Item #CSA-PC





BINDING TOOLS

SCREW & DEPTH CALIPER

Wanna protect your bases, pride and reputation? Use these calipers to check screw hole depths, as well as screw, T-nut and insert lengths before screwing 'em into skis or snowboards. It'll help avoid such woes as drilling through bases, premature delaminations, ripped-out bindings, snide wisecracks from other mechanics. and withering gazes from less-than-happy clients who don't appreciate a perforated or dimpled base. These steel calipers feature metric and English scales to read depth, inside and outside diameters.



Item #UBT-541

\$12.95

BINDING & BOOT LUBRICANT

This is a spray lube that inhibits exterior icing and corrosion of bindings. It is also a temporary solution to some boot/binding friction problems. In addition, it helps keep snow and ice from sticking to boot soles, as well as ski and snowboard tops. Just lightly spray the surface and let dry. Comes in a 11.5 oz (327gr.) spray bottle.

Item #SPK-SIL11

\$11.95

CANT STRIPS

We offer 6 different thickness cant strips for your boot/ski alignment needs. Each cant is 19.5" long. enough to insert under the binding toe and heelpiece on a single ski (not pair). They are 58mm wide. Always trim and drill these strips to match binding patterns, and make sure your binding screws are long enough to accommodate the extra cant thickness...especially on cants greater than 1-degree. 1° of cant equals .05" (1.3mm) of lift.

Item #CCO-CS5	0.5° cant	\$14.95 ea
Item #CCO-CS1	1.0° cant	\$14.95 ea
Item #CCO-CS15	1.5° cant	\$14.95 ea
Item #CCO-CS2	2.0° cant	\$14.95 ea
Item #CCO-CS25	2.5° cant	\$14.95 ea
Item #CCO-CS3	3.0° cant	\$14.95 ea

TOKO POCKET DRIVER

This ratcheting tool is a great choice for boarders or teleskiers. Handle contains #2 & #3 Phillips, #3



\$10.95

Pozi, #6 flat, #4 Hex and a 10/11mm wrench. Round profile is pocket friendly. Don't leave home without it!

Item #TOK-PKTDR

Because alpine skis are still mostly handmade objects, don't assume they'll always have identical side-cuts on each side...even if they are supposed to. Before mounting bindings on new skis, determine which should be the left and right ski to maximize the sidecut they offer. To determine this, set the two skis down on their bases side-by-side on a workbench so they touch at the tip and tail, and measure the gap between them at the waist. Make a note of this. Then reverse their positions on the bench and measure the gap at the waist again. Any different? If so, pick the best left/right ski arrangement to take advantage of the more pronounced sidecut for greater turning ease.

BINDING SUCK

Frequently you'll find two concave pockets on the base of a snowboard that correlate directly to bindings mounted on the top. Commonly known as 'binding suck', this is a condition created by the binding screws pulling up those sections of the snowboard. Don't bother trying to sand or stone grind your snowboard base perfectly flat in hopes of removing this concavity...it'll remove much too much base and edge material from the rest of your board. Just tune your bases as though these areas didn't exist...chances are you won't even notice 'em when you're rippin'.

REPLACE YOUR DIVITS

Golf tees fit perfectly into old binding holes. Taper the end of the tee with a utility knife, use glue and tap into the hole with a hammer. Cut tee flush with saw and apply a dab of paint to seal.

-Submitted by Steve Beck

BRAKE RETAINERS

Two choices, good or better. The good bands are better than rubber bands by a long shot,



the better is a long-lasting, easy to use, nonfinger-pinching work of genius. Either way, your brakes are guarenteed to be up and out of the way.

Item #SPK-BRAKE \$.59 ea. Good

Item #MTK-3333

\$2.50 ea.

BOOTFITTING HELP?

Better


Are you looking for a certified bootfitter in your local area? Go to www.bootfitters.com to search world wide.

MOUNTING NEW SKIS



BOOT FITTING TIPS

85% of bootfitting is simple cause and effect... problem solving which can be accomplished with well made footbeds and/or basic boot fit aids. The remaining 15% may require some special tools, fit aids or diagnostic skills (such as recognizing the cause of the problem to be a railed ski, mismounted ski binding, or other cause not actually involving the boot or foot).




PRONATION-THE BIGGEST CULPRIT

The most common bootfitting problem is pronation of the foot. Being able to recognize and handle pronation will resolve 80% of fit problems. Although pronation appears to be simple problem of a flat foot...where the foot rolls to the inside and the instep nearly disappears...there is, in reality, much more going on. First, the bottom of the foot tries to turn to the outside while the front of the foot moves to the outside and up. These motions rotate the lower legs to the inside and put additional lateral stress on the knees. You are now confronted with a foot that is both misaligned and misshaped...and this creates misfunctions. Some pain may appear behind the small toe. The long toe can also hurt, because pronation makes a foot not only wider, but longer as well, and the long toe may jam against the end of the boot. Three bones on the inside of the foot...the ankle, navicular and talus can be a problem- the latter only sticking out during pronation. The arch may cramp, irritation at the back of the heel is common, there can be shin bite because of the leg rotation, and cold feet are not uncommon due to pinched vessels.

When confronted with a pronated foot, the boot you purchase becomes more critical. You want a boot that holds the foot snug and in alignment. If the boot lacks some containment, it can be augmented with side pads (narrowing pads, c-pads, etc.) on the inside of the foot, and heel wedges placed under the heel and metatarsal heads, positioned thick side to the inside under the insole. The ultimate aid is a well-built orthotic or custom insole.

SUPINATION

At the opposite end of this spectrum is the foot that has rolled to the outside. Unlike the loose pronated foot, it is locked and rigid. It can't be reshaped, so the boot has to be reshaped instead. Start with the footbed to redistribute pressure, then reshape the tongue to accommodate the high instep. This is one of the toughest problems to take care of. Fortunately, however, it is much more uncommon and not encountered nearly as frequently as a pronated foot.



BOOT SIZE STANDARDS

Ski boot sizing can sometimes be confusing since there's several standards. Mondopoint is an international metric sizing system.

US SIZE - MONDOPOINT - EURO SIZE			
3-4	21.2	34 2/3	
4-5	22.0	36	
5-6	22.8	37 1/3	
6-7	23.6	38 2/3	
7-8	24.5	40	
8-9	25.3	41 1/3	
9-10	26.0	42 2/3	
10	27.1	44	
11	27.9	45 1/3	
12	28.7	46 2/3	
13	29.7	48	
14	30.4	49 1/3	
15	31.2	51 2/3	





DOWNUNDERS FOOTBEDS



These unique footbeds are designed to selfmold to your foot shape, the longer you wear them, the better they fit. We offer the BO1 (blue) version that is designed for edging sports (like skiing & boarding). Inserts under the forefoot create greater comfort and a solid platform for turn initiation. Deep heel cup securely cradles the heel and helps absorb shock. Propritary Active Arch helps keep the foot neutrally aligned and centered. Topped with a moisture wicking hypo-allergenic material that does not absorb odors. If needed, simply trim to fit using current insoles as a guide. Mens sizes listed, women choose one size down (for example, if you wear a womens size 7 order a 6). Sold as a pair.

Item #DWN-B03	Size 3	\$39.95 pr
Item #DWN-B04	Size 4	\$39.95 pr
Item #DWN-B05	Size 5	\$39.95 pr
Item #DWN-B06	Size 6	\$39.95 pr
Item #DWN-B07	Size 7	\$39.95 pr
Item #DWN-B08	Size 8	\$39.95 pr
Item #DWN-B09	Size 9	\$39.95 pr
Item #DWN-B10	Size 10	\$39.95 pr
Item #DWN-B11	Size 11	\$39.95 pr
Item #DWN-B12	Size 12	\$39.95 pr
Item #DWN-B13	Size 13	\$39.95 pr
Item #DWN-B14	Size 14	\$39.95 pr
Item #DWN-B15	Size 15	\$39.95 pr

STOP SOGGY CELL SYDROME

Folks seem tied to their phones these days so it's only natural that some of us take them to the slopes, sure makes arranging lunch easier! But the delicate critters must be protected from harsh conditions. Customer Gary Klestadt recommends using snack sized reclosable bags, these are a bit narrower than sandwich bags. Not only does the bag keep your phone dry, it allows touch screen access and phone calls without removing the phone. In addition, it acts as a windscreen cutting down the roar of a ridgeline chat. Some features are incompatible with flip style phones.

BONTEX INSOLE Shims

These mildewresistant shims are inserted under footbeds to remove



excess roominess in a boot. Their hefty fiber composition provides additional insulation and they can be trimmed to fit any boot.

l/l6" Thick Shims

Item #SPK-S01	Size 6-7	\$2.95 pr
Item #SPK-S02	Size 8-9	\$2.95 pr
Item #SPK-S03	Size 10-11	\$2.95 pr
Item #SPK-S04	Size 12-13	\$2.95 pr
I/8" Thick Shims Item #SPK-S11 Item #SPK-S12 Item #SPK-S13 Item #SPK-S14	Size 6-7 Size 8-9 Size 10-11 Size 12-13	\$3.95 pr \$3.95 pr \$3.95 pr \$3.95 pr

FOOT AIDS

Fit aids should be viewed as tools. Don't be afraid to modify them or use them in areas that they weren't specifically designed for.

The heel lift should normally be glued in under the boot insole or footbed. Used this way, it lifts the foot and changes the fit in several places... including the ankle bones, instep, arch, and the calf at the top of the boot. Heel lifts can also be used as a metatarsal pad, tongue pad or forefoot wedge.

The heel wedge is usually used for pronation under the heel, positioned thick side to the inside. It can also be used under the big toe and first metatarsal head to take up slack there for better edging.

Tongue pads and insole shims are used to cut down on boot volume.

Side pads such as narrowing pads, C-pads, L-pads, modified heel wraps, etc. are used to take up slack and support the foot in cases of narrow heels, pronation, etc. Most pads should be customized (with sanding, etc.) to give space to ankle bones, naviculars, etc. If only one per foot is used, place it on the inside of the foot. Taper the edge, and glue it in position on the outside of the boot liner.

Instep pads can be fashioned from foam sheets and are used to hold the foot down and back. It will help take pressure off of the surf bump, shin and toes. After they have been tested, build them into the tongue if possible.





HEEL WEDGES

Although good footbeds are the best solution, you can slip wedges under your heels to correct for a foot that rolls to the inside (pronation) or outside (supination). Correcting pronation will make

the foot seem shorter and narrower for less pinching in the boot. It will also aid in edging, slow down rotation causing shin bite, and cut down on arch cramps. All our wedges create 1/4" of lift.

Item #SPK-HWS	Size 5-7	\$3.95 pr
Item #SPK-HWM	Size 8-10	\$3.95 pr
Item #SPK-HWL	Size 10+	\$3.95 pr

ANKLE L-PADS

Use L-pads to fill the void between the Achilles tendon and ankle bone. They provide better security and heel hold-down. They are selfadhesive and can be sanded or trimmed to fit as necessary. Attach them to the outside of the boot liner.

Item #SPK-LP3

\$3.95 pr

BOOT FITTING FOAM

Sometimes pre-cut pads don't fit exactly as you need. We offer firm-density closed-cell neoprene foam that you can cut with scissors and/or sand to any desired shape or thickness. It's available in 1/8" thickness, has a self-adhesive coating on one side, and comes in a 100 sq. in. sheet.



Item #SPK-BFF8

\$6.95

ELIMINATOR TONGUE PADS

It's no secret that most boot fit and performance problems stem from oversized boots. The Eliminator is a large, semi-soft foam pad with a smooth inner face that's molded to fit snugly behind your existing boot tongue. It easily attaches in seconds with supplied fasteners (or permanently with contact cement) and can help cure a myriad of ills. These include shin bite relief, greater grip in the heel pocket and elimination of instep pain from overbuckling ... particularly in snowboard boots. It also reduces or eliminates excess room in upper boot cuffs... especially valuable for folks with thin legs or calves who have previously not been able to enjoy all the control boots were designed to deliver without cranking boot buckles impossibly tight, which usually has the undesirable effect of overly stiffening the forward boot flex. Two sizes are offered...small fits boots up to mens size 9, while the large is for mens size 9 and larger.

Item #MFT-ES	Small	\$29.95 pr
Item #MFT-EL	Large	\$29.95 pr



These pads snug up the fit around your ankle bone. It's good for heel and ankle retention if the hindfoot is loose in a boot. These pads are self-adhesive and are attached to the outside of the boot liner.

Item #SPK-CPD3

\$4.95 pr

ANKLE WRAP PADS Use this pad behind and

around the ankle for snugging up the ankle area and creating a good heel pocket. They are selfadhesive to attach to the outside of the boot liner and can

be sanded and trimmed for a precise fit.

Item #SPK-MWA

NARROWING PADS

Do you have narrow feet? If so, these pads are designed to narrow the boot for a more secure fit. They can be sanded and trimmed as necessary, and are self-adhesive



to attach to the outside of your boot liner.

\$4.95 pr

\$6.95 pr

HEEL LIFTS

Item #SVT-188245

Heel lifts have many uses. They can help stop heel lift, reposition the ankle bone, take pressure off the arch, cut down on the leg diameter at the boot top, etc. They are offered in different sizes, and can be further trimmed or modified as necessary. The small size creates 3/8" of lift, medium 7/16" lift, and large 1/2" of lift.

Item #SPK-HLS	Size 5-8	\$3.95 pr
Item #SPK-HLM	Size 8-10	\$3.95 pr
Item #SPK-HLL	Size 10+	\$3.95 pr

TONGUE PADS

No, don't use these puppies to check for sore tonsils...instead, stick 'em to the inside of boot tongues to protect against shin "bang," to fill voids if the fit is too roomy there, or to push



the fit is too roomy there, or to push the heel back and help hold it in place. They're felt-covered for comfortable shin contact with a self-adhesive backing on the other side. One size can be trimmed (if necessary) to fit any boots.

Item #SPK-TPNL







SKI BOOT BUYING TIPS

1) Don't be in a hurry. Try on at least several boot models. When you narrow your choice down to two models, wear one model on one foot and the other model on your other foot. Stand and walk around in 'em for 15-20 minutes to see if the boots loosen up or pressure points develop.

2) Since feet tend to spread during the day, try boots on in the afternoon when they are largest. Don't try boots on after skiing that same day in your old boots because your feet may be sore and give you incorrect pressure point feedback.

3) To make sure you get the right size, pull out the inner boot and stand in the boot shell...this provides more accurate sizing than any foot-measuring device. Shell sizes do not usually get smaller with every shoe size, only the inner boot does...so see if you can fit comfortably in the next smaller shell size.

4) Wear your regular ski socks, long underwear and ski pants when trying on new boots.

5) To help determine if you should get custom insoles or footbeds, remove the inner boot, slip the new boot footbed in the shell and stand on it. If you have a hard time balancing on one foot in the boot shell, you're a good candidate for custom insoles. Remember, bootfitting is the art of marrying a softflexible foot to a hard-rigid shell...the footbed plays a critical part in helping to make a foot more rigid in a supportive, comfortable way.

Definition - CANTING

Canting could be considered the final phase of stance alignment for a skier. If, after good boot fitting and upper boot cuff adjustments have been made to align the skier's knees over their toes, they still stand predominantly on either the inside or outside edges (instead of on a "flat" ski), then cants (or wedges) should be installed to correct it. Although some skiers grind their boot soles to achieve this, most install cants under their bindings to do the job.

BOOT SHELL SPREADER

This simple but powerful tool spreads even the stiffest ski boot shells wide open so you can easily remove or install boots liners, insole shims, boot fit aids, replace buckles or grind off shell material. It's an indespensible part of any serious bootfitters workshop tool arsenal, plus it's portable so you can pack it along for boot repairs or adjustments on the road. Item #SHP-165085 \$129.95

BOOT BUCKLE & CARRIER TOOL

This handy little tool slips over boot buckle latches and provides extra leverage to close them without removing gloves. Compact and lightweight, it doubles as a handy boot carrier... ergonomical for carrying comfort. Item #SKT-TOOL \$7.95 ea

BINDING & BOOT LUBRICANT


This is a spray lube that inhibits exterior icing and corrosion of bindings. In addition, it helps keep snow and ice from sticking to boot soles, as well as ski and snowboard tops. Just lightly spray the surface and let dry. Comes in a 11.5 oz spray bottle.

Item #SPK-SIL11

\$11.95

BOOSTER STRAPS

These industrial strength, semi-elastic boot-top straps can give most skiers significantly better foot-toboot response. They wrap around the back of your upper boot shell and the top of the boot tongue in



front. When you cinch 'em snug, the tongues becomes virtually glued to your shins whether you find yourself centered, forward or in the back seat... providing constant foot-to-ski response. Booster straps are sold by the pair and can be permanently attached to the back of your boot shell with a pop-rivet or similar. Two models are offered...the standard uses two semi-elastic bands for slightly softer flex (best for most skiers who weigh 140lbs. or less), while the pro model uses three bands for stiffer flex (for skiers who weigh 140lbs. or more).

Item #MFT-BOS	Standard model	\$28.95 pr
Item #MFT-PRO	Pro model	\$37.95 pr.

For the latest prices ror the latest prices; info close-outs and technical info visit our on-line catalog at www.tognar.com



HOTRONIC POWER PLUS M4 FOOT WARMERS

When your feet are cold, it's hard to enjoy a good day on the slopes. Keep your tootsies toasty with Hotronic's top warmer. Simply install the heating elements to your existing footbeds and plug them into the battery packs. The compact battery packs attach easily to the back of boot shells using a metal clip or with optional screw or strap mounting brackets. Four temperature heat

optional screw or strap mounting brackets. Four temperature-heat settings are possible powered by high capacity cold weather NiMH cells. The M4 will run 2.5 to 21 hours depending on setting choice. If you have really cold feet the M4 will run a full day of skiing at heating level 3! Recharges in 3-hours or less with clever global recharger (120-240v includes North American and Eurpoean plug adaptors. Spare/replacement battery packs are available as well as replacement Cambrelle covers. We also offer a spare Heating element and Cambrelle cover set for folks who own additional boots (saves big bucks over purchasing another complete set). Hotronic offers a 3-year limited warranty.

Item #HOT-1043 Footwarmer M4	\$219.95 pr
Item #HOT-143 Battery M4	\$69.95 ea
Item #HOT-1500 Opt. Screw Brackets	\$9.95 pr
Item #HOT-1503 Opt. Strap Brackets	\$9.95 pr
Item #HOT-1240 Cambrelle Covers	\$7.95 pr
Item #HOT-1220 Elements & Covers	\$39.95 pr

BOOT GLOVES

If you suffer from cold feet, slip a pair of these neoprene Bootgloves over your ski boot shells. They help insulate your toes and forefoot, but won't compromise boot fit or interfere with safe binding operation. Simply slip 'em 'over the front of each boot and



snug 'em up with the adjustable strap that runs around the back. For optimal efficiency, cut out the neoprene material to expose your lower boot buckles...this can easily be done without harm to the Bootgloves. Three sizes - Sml. fits 3-6, med. size 7 - 11, lrg. fits 11 - 15. Their black color also helps maximize solar heat absorption.

THERMOFEET HEAT INSOLE

Here's a simple step you can take to help keep feet warmer in ski or snowboard boots...as well as in other winter footwear. Slip these thin reflective insoles under your existing footbeds (or under the inner ski boot if you prefer), where they help reflect heat back up to your feet. Their ultrathin design won't affect boot fit, and they are easily trimmed with scissors to match the exact shape of your existing footbeds... from the most

petite size on up to giant dimensions (well, size 15, anyway).

Item #DRY-DGTF

\$9.95 pr

TURBO CIRCULATOR

These sleek boot dryers combine convection heat with forced air to dry and warm your boots quickly and efficiently. Just slip them in your boots and let the quiet fan do all the work, no need to worry about overheating because the warm air is constantly exiting the boot taking moisture with it. The compact size is perfect for



travel and includes options for 120 volt or 12 volt (car). You can use these babies to warm your boots on the way to the hill!

Item #DRY-DG00301

\$39.95



\$10.95

Item #SPK-BJ20






RACKS & PROTECTION

DON'T LOSE THAT MAGIC TOUCH BETWEEN YOUR WORKBENCH AND THE SNOW

You invest precious time, energy and money to tune your skis just the way you like them...but what do you do to protect that investment from the ravages of rough handling, road grime or summer storage? Here's an arsenal of protective gear to insure that your skis don't lose that magic touch between the workbench and the snow.

SKUFF SAVER

Protect the tops of your skis or snowboard from scratches and scrapes and keep 'em looking new. This clear and tough DuPont Surlyn tape is backed with a self-adhesive film



for easy application and bonding. Simply order the length you need and trim it to fit. It's 14.5" wide (enough to span any snowboard, or a pair of even the widest alpine skis) and is sold by the foot.

Item #TYC-7210

\$2.95 per foot

BINDING COVER

This 16" binding cover protects your bindings from the ravages

of the elements when travelling or during storage. After strapping your skis base-to-base, simply wrap this cover around both sets of bindings and zipper it shut. Waterproof nylon packcloth fits all skis. Black.

Item #TSP-COVER

\$8.95 ea

BASE

PROTECTOR For maximum protection, strap this full-length padded protector to your ski bases after a tune-up or hot-wax. Constructed of thick neoprene, it features a hood at one end to slide ski tips into, the tail wraps for length adjustment. Three closure straps securely wrap the ski. Two sizes to fit skis from 130 to 215cm long. Made in USA.

Item #BTS-BASES	130-170cm	\$34.95
Item #BTS-BASEL	165-215cm	\$34.95

EXTRA PROTECTION

Stuff extra ski clothing, socks, hats or gloves in your ski or snowboard bag to provide extra cushioning and protection for your gear.

SKI STRAPS These sturdy straps feature a pliable foam cushion that slips between the ski bases so they can't rub or scratch each other during transport or storage. Simple, strong and effective. Multiple lengths are available measure the width of your skis near the tip or tail to choose the right size.	☆
Item #TOK-0499\$4.95 pair• fit skis up to 110mm (4 1/4") wide- Toko logo	
Item #CSA-TIE\$4.95 pair• fit skis up to 120mm (4 3/4") wide- Tognar logo	
Item #SWX-R394\$5.95 pair• fit skis up to 140mm (5 1/2") wide- Swix logo	
Item #APG-STRAP\$6.95 pair• fit skis up to 165mm (6 1/2") wide- Tognar logo	
Item #SWX-R402 \$5.95 pair • fit nordic skis up to 45mm (1 3/4") wide- Swix logo	
Item #SWX-R397 \$4.95 pair • fit skis up to 120mm (4 3/4") wide- Swix logo unpadded watchband style	

MOHN SKI & SNOWBOARD RACKS

These sturdy, durable PVC free-standing racks are handy for storing skis or snowboards. Just slip 'em in by the tails and they stay put.



The TT model will hold up to five pair of twin-tip or standard skis up to 115mm wide at the tail. The snowboard model holds up to 4 boards that can be up to 308mm wide at the tail.


Item #MOH-TT05 TT ski rack \$69.95 ●10# Item #MOH-SB04 Snowboard rack \$69.95 ●10#

SKI & SNOWBOARD WALL RACK



Want to simplify life and help protect your valuable gear from unnecessary damage? We offer a handsome wood rack to store any skis or snowboards neatly and safely on a wall. It's made of pine and features a clever pivoting clamp that holds ski tips and tails firmly together. Holds up to 4 pair of snowboards or skis (any type) as well as poles vertically against a wall. Mounting hardware included. Handmade in USA.

Item #WHI-WR \$69.95 ●6#



DERMATONE LIP & SKIN PROTECTION SYSTEM

Dermatone is the time-tested Swedish formula we prefer for all outdoor activities...on slopes and rivers, in sand or snow, at elevations high or low.

Item #SWX-22704 \$2.95 • Best 'chapstick' on the planet that has double the contents of traditional sticks. .3oz, SPF15



Item #SWX-22854 \$5.95 • .5oz tin of sunscreen gel ideal for extreme wind and sun exposure. Popular with mountaineers and ski professionals, this heavier SPF23 formula acts to help repel frostbite too.

Item #SWX-22837 \$7.95 • 2.5oz squeeze tube 'dry' gel sunblock (SPK45+) that's sweatproof, waterproof, fragrance-free and enriched with vitamins A & E. Goes on clear and dries instantly (alcohol base) leaving no slippery feel.

KRYPTONITE MI CABLE LOCK

This palm-sized cable lock features a 30" (75cm) long, 1.7mm thick steel cable and an easy-to-reset 3-digit combination. Sized to fit in any pocket. Made by the trusted lock company Kryptonite.



Item #SAA-61804



A shaped goggle case lined with soft Velour. Near full-wrap nylon zipper allows case to be fully opened. Features a handy



buckled strap on one end so you can clip the case to a backback. Simply the best case we have found. Black color goes with everything!.

Item #TOG-GOG

\$19.95

SWIX BOTTLE OPENER A genuine Starr "X" Stationary Bottle Opener. Made in the UŠA

by the Brown Manufacturing Co. who have been making bottle openers for over 80 years! Comes in a nifty box with great retro-lineart illustrations depicting proper use. Zinc plated with the SWIX logo printed across the top. Includes mounting screws..

Item #SWX-STARR

\$9.95

BOOT BUCKLE & CARRIER TOOL

Here's a handy little tool that slips over the end of boot buckle latches and provides extra leverage to close or

open ski boot buckles ... without even removing gloves. Whether you're in the lodge buckling up for the day or on the slopes clamping down for a run, this ingenious lever makes even the toughest buckles a cinch to close or open. Compact and lightweight, it doubles as a handy boot carrier... ergonomical for carrying comfort. Made in USA.

Item #SKT-TOOL \$7.95 ea

CAT CRAP ANTI-FOG CREAM

Apply a dab to the inside of your goggles or sunglasses then buff with a clean soft cotton cloth or chamois for fog-free clarity. Safe



 \checkmark

for all lens materials and coating. The .25oz tub provides hundreds of applications.

Item #SAA-63027 Anti-Fog Cream \$5.95

SKIGEE GOGGLE WIPER



DULL EDGES T-SHIRT
What says it louder and
prouder in a world
where 97% of our
riding brethren never
bother to tune or wax their
gear? Proclaim your true
feelings about those techno/ TOO MANY PEOPLE
losers by donning one of (State of the second seco
our 100% cotton t-shirts!
They come in good ol' basic
black with white Tognar snow-
flake logo on the front and
"Too many people go through
life with dull edges" on the back. Made in USA
č
Item #TOG-TS1M Medium \$16.95

Item #TOG-TS1M	Medium	\$16.95
Item #TOG-TS1L	Large	\$16.95
Item #TOG-TS1XL	Extra large	\$16.95

CHECKING EDGE BEVEL

Before beveling the bottom or side surface of steel edges, color the entire surface of the edge from tip to tail with a black permanent marking pen. As you file, you'll remove the color coating. This technique allows you to visually monitor the amount and uniformity of bevel you're imparting.





BASIC TUNING GUIDE

Step 1- Flatten Your Bases

Ideally, a ski or snowboard base should be flat across from edge-to-edge to perform efficiently, comfortably and predictably. Check it with a true bar to determine this. If it's flat, you're ready to move on to Step 2. If not, and the ski or board is new, take it back to the shop where you purchased it, and ask them to correct this. If your gear is not new, you can flatten the base with tools on pages 10-12. Also, if a base is badly scratched or gouged, you can repair damaged areas with the base repair materials on pages 14-15.

Step 2- Structure Your Bases

A ski or snowboard base should be structured (see page 17). If your gear is new, it should already have a base structure. If not, take it back to the shop where you bought it and ask them to correct this. If your gear is not new, you can create a base structure (or refresh an existing structure) with tools on pages 18-20.

Step 3- Tune Your Edges

The steel edges on skis and boards should be tuned regularly. This greatly contributes to better control and performance. First, the edges should be beveled (see explanation on page 23). If your gear is new, it should already have beveled edges. Ask at your shop for the recommended bevel angles for your gear, or see the ski and snowboard bevel guides on page 23. If it's not new, then you can file and bevel the edges with tools featured on pages 25-27. Next, the edges should be deburred and polished to keep them crisp and rust-free, using tools featured on pages 28-29.

Step 4- Wax Your Bases

Ski and snowboard bases dry out quickly and need to be waxed regularly...otherwise they start losing their gliding ability, become harder to turn, and wear more quickly. The best way is to hot wax...a heated application that melts the wax and allows it to penetrate more deeply into a base. Otherwise, you can rub-on a paste or liquid wax. This doesn't offer the durability of hot-waxing, but serves it's purpose for half a day or so. We offer waxes and waxing tools starting on page 30. Recreational riders should start with 'hydro-carbon' waxes...which are inexpensive but provide good base protection and performance. A 'universal' or 'all-temperature' wax is the simplest approach for most all snow conditions. Racers and competitors should use 'fluorocarbon' waxes whenever snow has enough moisture in it to easily make a snowball. Although more expensive, it can provide faster glide in these conditions.

Complaint		Cause	Solution
Skis or Snowboard Feel Hooky Pulls in one direction or the other.		Base Concave	Flatten Base
Won't move smoothly from turn to turn.		No Base Bevel	Edge Tuning
	\blacksquare \times	Rough Base Finish	Scrape Base
Unstable at Speed	\langle	Base Convex	Flatten Base
Skis swim and clank together at speed.	\rightarrow	Edge Over-beveled	Edge Tuning
No Edge Grip		Dull Edges	Edge Tuning
When you edge skis or snowboard on steep terrain, they slip out rather than biting in.		Rust on Edges	Edge Tuning
	- /	Base Damage	Repair Damage
Bases Feel Slow		Base Oxidized	Scrape & Wax Base
On flatter terrain, skis or snowboard feel		No Wax	Apply Wax
sticky, and others pass you easily.		Wax Too Thick	Scrape Wax
	_ \	Fuzzy Base Finish	Scrape Base
Turn Too Abruptly		No Base Bevel	Edge Tuning
When you begin a turn, skis or snowboard	\langle	Edges too Sharp	De-tune
starts with a jerk.		at Shovel	
Edges Feel Grabby		Edges Too Sharp	De-tune or Resharpen
After you've turned, the edges don't seem	\langle	for Snow	
to want to let go.		Burr on Edges	De-burr



Tögnar Toolworks

280 E. Hersey St. Unit 4 Ashland, OR 97520

info@tognar.com

2 WAYS TO ORDER

1. INTERNET: www.tognar.com 2. PHONE: 800-299-9904

HANDY TOGNAR WISH/PHONE ORDER LIST

For as long as we can recall this page has functioned as our mail/FAX order form, but a steady decline in mail & FAX orders as-well-as our change from shipping rates based on the dollar amount of the order to one based on order weight, has prompted us to revise it. The page now functions as a convinient place to keep track of item number for a wishlist or prior to calling in a phone order. If you have prefered to FAX or mail your order in the past, please don't hesitate to give us a ring and we'll happily enter your order over the phone. Thanks!

No. of Items	Item No.	Description	Price Per Item	Total
			Subtotal	

Check for Special Deals and Close-outs at our website: www.tognar.com

ORDER INFORMATION

OPEN & SHUT

We're open Monday thru Friday from 9am to 5pm (Pacific Time) from October through April. May through September we're open from 10am to 4pm (PST). We shut down on weekends and major holidays so we can go ski, snowboard, hike, climb, kayak, drink beer or otherwise goof off. But you can reach us anytime by email at info@tognar.com, or place an order at our website at www.tognar.com. If all else fails, you can try contacting us by directing your well "tuned" thoughts to the Lemurians...a race of invisible telepathic beings who live inside Mt. Shasta and make some really cool tuning tools that you can't see or feel but can still purchase if you have a really big imagination and/or wallet. Pretty cosmic, eh?

WALK-IN TRAFFIC

We don't have a retail store front, we operate out of a warehouse focused on sending ski wax and tools all 'round the world in a timely manner. We really aren't set up for a leisurely stroll of the aisles. That being said, if you're local, or passing along the I-5 corridor, place your order online or phone ahead of time, let us know it's a pick-up and we'll have it ready and waiting for you. We'll even have a selection of tools and waxes on display to get your hands on.

USED BOXES & FOAM PEANUTS

If your order shows up in a used box stuffed with foam peanuts, don't be offended...we recycle newspaper, foam peanuts, shredded paper and sturdy boxes collected from other local businesses to reduce unnecessary waste.

RUSH RUSH RUSH

Barring blizzards, white-outs, earthquakes, volcanic eruptions or summer vacations, we endeavor to ship orders we receive prior to 11am that same day...and at no extra charge. So relax, we're pretty fast. Expedited shipping is also available.

CATALOG

We print our catalog once a year and over those 12 months things can change. Occasionally prices go up and sometimes they go down. Items become unavailable and are replaced with new options, etc. Treat it as a pretty accurate guide to what we offer, For real-time stock, prices, descriptions, and other info visit tognar.com.

TOGNAR HAS A NEW WEBSITE

Take a look around our new site if you get the chance. The improvements over our old site are too many to list here, but the highlights are: a fast and functional search option, published shipping rates based on the weight of your order, a revised learning section and the ability to read and leave reviews on any product. The site is very mobile friendly, shoot you could order from the chairlift! We are very excited about the potential of the new site to make your shopping and tuning the very best it can be. If you have any questions or comments please contact us by phone 800-299-9904 or email info@tognar.com.

CURRENT TOGNAR CUSTOMERS

If you are an existing Tognar customer chances are your customer information has been moved to the new site. To access your account enter your email address and phone number into the appropriate spots and you should see your information. You can make any neccessary changes to address etc. at that time. If you have any difficulty don't hesitate to give us a ring and we'll get you squared away. Thank you!

DO YOU GUYS EVER SHIP DEFECTIVE TOOLS?

Sure, but only if you specifically ask for them. Otherwise we guarantee all tools we sell against defects in workmanship and materials. Videos or DVDs cannot be returned unless defective.

REFUNDS/RETURNS

If you end up with an item that you don't want, just return it to the address below within 30 days (and in new condition, please). See the back of your sales slip for details. Please pack it securely (we can't be of help if your returned item doesn't make it back to us), include a copy of your sales slip or order #, and let us know if you want an exchange, credit or refund. Used merchandise is subject to a 25% restocking fee.

Send to: Tognar Returns 280 E. Hersey St. Unit 4, Ashland, OR 97520

TONS OF FREE TUNING TIPS

A whole mess of tuning tips and tricks, advice and articles, videos and photos for the DIY ski tech, check 'em out at www.tognar.com

MAILING LIST

We respect your privacy and do not make our mailing list available to any other companies..ever.

RECYCLE THIS THING

Unlike many companies, we only mail our catalog once a year. This saves paper, trees, ink, water, electricity...plus gives us more time to concentrate on serving your needs and goof off on the snow. It also means that it'll be a year before you receive another catalog, so don't throw this one out.

Our catalog is printed on recycled paper using soy-based inks. Please recycle it when you no longer need it by passing it on to a friend, or pulling the staples and recycling the paper. Thanks.

GIFT CERTIFICATE

If you're looking for a gift for a skier or snowboarder, but are uncertain what to buy, consider a gift certificate. They are available in any amount, can be ordered by phone, mail or through our website, and are payable by VISA, MASTERCARD or DISCOVER. We'll send you (or the person you specify) the Gift Certificate along with a copy of our catalog.

INTERNATIONAL ORDERS

We ship orders all over the world. Pay by VISA, MASTERCARD, DISCOVER to avoid costly exchange rates. Simply enter your order on at tognar.com and select the desired shipping method, your card will not be charged until you submit the order. Customer is responsible for any additional duties, customs fees and VAT.

Email us for more info at **info@tognar.com**.

SHIPPING RATES


The shipping cost of your order is based on the weight of the order and the method chosen. Tognar offers a variety of shipping options using Fedex and US POSTAL SERVICE. When your order ships you'll recieve and email with the tracking number so ya can follow its journey.

SPECIAL ORDERS

If you don't see the tool, wax or gadget that you sorely desire in the catalog or on the site, give us a ring or send us an email and we'll do our darndest to get it for you in a timely manner. We specialize in special orders!



WIN FREE TOOLS!



*

f you wanna crack at winning lots of free tools from our catalog, send us your favorite tuning tips or tricks. To reciprocate, we might not only print your entry in our next catalog, but send you one of our classy tuning aprons... olus, if we judge 'em to be the best tips and tricks we recieve, you'll win a \$300 certificate to spend at Tognar. Hope we hear from ya'll soon!

ELECTRIC SCRAPER SHARPENER

A dull scraper can make the simple task of removing wax arduous, especially with today's wider boards. We offer manual scraper sharpeners that work well, but if you are looking for a dead simple and efficient way to keep an edge on your scraper, or if you have a family or team worth of skis to scrape, this is the tool to have. We have one on the bench here at Tognar and love it!

Simply slide the scraper through the slot and a sharp cylindrical cutting blade (spun by a high speed electric motor) imparts a super-smooth, super-sharp edge in seconds! The tool measures 6"x3.5"x2.5" making it compact enough to



*

take on the road. Accepts all Plexiglass scrapers up to 7.6mm in thickness. Made from recycled plastic. Machined and assembled in the USA. The unit itself will operate on any voltage from 110 to 240. Simply indicate the cord-type for your neck of the woods and it will ship with the unit. We offer the various cords for purchase seperately as well. If you plan on traveling, simply choose the cord for your destination, plug it in, and you're ready to go. NOT FOR METAL SCRAPERS!

Item #MAN-SSSH	Scraper Sharpener w/cord	\$169.95
Item #MAN-CDUS	North America Cord	\$9.95
Item #MAN-CDAU	Australia/New Zealand Cord	\$9.95
Item #MAN-CDEU	European Cord	\$9.95